

## PS7224-20HW

- ▶ AC input hardwired via knockout on unit
- ▶ 24 outlets
- ▶ Ideal for applications requiring permanent installation



### DESCRIPTION

Tripp Lite's PS7224-20HW Power Strip offers 20 amp multi-outlet AC power distribution in a convenient 72 inch hardwire cabinet. Includes knockout panels to accept 3/4 in. conduit fittings for hardwire installation and 24 output receptacles with 2.795 inch center-to-center spacing. Ideal for horizontal or vertical raceway style power distribution in office, workbench, industrial, networking and telecom applications.

**INPUT / OUTPUT:** Input: Hard-wire access via knockout panels that accept 3/4 inch conduit fittings Output: 24 outlets total, 2 NEMA5-20R (20A) and 22 NEMA5-15R (15A)

**ELECTRICAL:** 120V AC, 50/60Hz, 20A (no circuit breaker)

**FORMAT:** 72 inch strip format with 24 outlets

### KEY BUYING POINTS

- Versatile all-metal 72 inch format with outlets arranged in a single row
- Knockout panels for 3/4 inch conduit fittings allow permanent hardwire installation
- Ideal for horizontal or vertical raceway style power distribution in office, workbench, industrial, networking and telecom applications
- 24 outlets total, 2 NEMA5-20R (20A) and 22 NEMA5-15R (15A)
- 20 amp electrical capacity
- 120V AC, 50/60Hz electrical compatibility

### TYPICAL APPLICATIONS

- Offers multiple outlet power distribution for a variety of applications, including office, workbench, industrial, networking, telecom and more.

### PACKAGE INCLUDES

- PS7224-20HW
- Mounting hardware
- Instruction manual

### COMPLETE SPECIFICATIONS

SYSTEM OVERVIEW	
<b>System overview:</b>	6 ft. mountable hardwire power strip, 20A capacity
<b>Voltage compatibility:</b>	120VAC
<b>Frequency compatibility:</b>	50/60 Hz
OUTPUT	
<b>Output volt amp capacity (amps):</b>	20A

<b>Output watt capacity (watts):</b>	2400
<b>Outlet quantity / type:</b>	22 Nema 5-15R / 2 Nema 5-20R
<b>Outlet spacing:</b>	2.795 in.
<b>INPUT</b>	
<b>Input connection type:</b>	3/4 inch knockouts support hardwire input connection
<b>Recommended electrical service:</b>	20A 120V
<b>PHYSICAL</b>	
<b>Unit Dimensions (HWD/in):</b>	1.5 x 1.5 x 72
<b>Unit Dimensions (HWD/cm):</b>	3.8 x 3.8 x 182.88
<b>Material of construction:</b>	Metal
<b>Integrated keyhole mounting tabs:</b>	Mount through housing supports bolt down installation to a variety of flat surfaces
<b>Housing color:</b>	Beige
<b>Receptacle color:</b>	Almond
<b>CERTIFICATIONS</b>	
<b>cUL / CSA (Canada):</b>	cUL
<b>Approvals:</b>	UL
<b>WARRANTY</b>	
<b>Product warranty:</b>	Lifetime

*The policy of Tripp Lite is one of continuous improvement.  
Specifications are subject to change without notice.  
Therefore, your product may vary slightly from what is currently listed.*



**Tripp Lite World Headquarters**  
1111 W. 35th Street  
Chicago, IL 60609 USA

**Customer Support**  
(773) 869-1234

© 2004 Tripp Lite. All Rights Reserved.