
THIS DOCUMENT CONTAINS DATA PROPRIETARY TO PROJECTS UNLIMITED, INC. ANY USE OR REPRODUCTION, IN ANY FORM, MITHOUT PRIOR WRITTEN PERMISSION OF PROJECTS UNLIMITED, INC. IS PROHIBITED.

© 2003, Projects Unlimited Inc.

\sim	PΕ	\cap	F		Δ.	Τı	\cap	N	
Эľ	ᆫ	U	Г	ı	м	ш	U	I٧	_

PARAMETERS	VALUES	UNITS
RATED VOLTAGE (SQUARE WAVE)	5	Vp-p
OPERATING VOLTAGE RANGE	4 ~ 6	Vp-p
RATED CURRENT (MAX)	70	mΑ
COIL RESISTANCE	32±5	ОНМ
MINIMUM SPL @ 10 CM	85	dBA
RESONANT FREQUENCY	2,000±500	Hz
OPERATING TEMPERATURE	−30 ~ +70	င့
STORAGE TEMPERATURE	-40 ~ +85	င္
HOUSING MATERIAL	LCP	_
TERMINAL MATERIAL	Tin Plated Phosphor Bronze	_
WEIGHT	.42	grams

	REVISIONS		
LTR	DESCRIPTION	DATE	APPROVED
_	RELEASED FROM ENGINEERING	4/1/05	
A	ADDED ROHS COMLIANCE NOTE	8/10/05	



-.10 MAX BOTTOM OF .10 MAX-**TRANSDUCER** DETAIL "A"

NOTES:

- 1. ALL DIMENSIONS ARE IN MILLIMETERS.
- 2. SPECIFICATION SUBJECT TO CHANGE OR WITHDRAWAL WITHOUT NOTICE.
- 3. THIS PART IS RoHS 2002/95/EC COMPLIANT.

	MILLIMETERS, TOLERANCES ARE ±0.5 AND			
	ANGLES ARE	±3*.		Γ.
	APPROVALS		DATE	
	DRAWN	G. V.	3/31/05	
	CHECKED	E.P.	4/1/05	ľ
FILE NAME	APPROVED	R. W.	4/1/05	L
SMT-0820-S-R.DWG	DO NO	T SCALE DR.	AWING	

UNLESS OTHERWISE SPECIFIED:

TRANSDUCER (ELECTRO-MECH)

Dayton , Ohio

SIZE DRAWING NO. SMT-0820-S-R SHEET 1 OF SCALE: N.T.S.

projects © unlimited