9155 MOBO® 2.5mm Pitch Right Angle **Battery Connector**





APPLICATIONS

- Mobile Phones
- Digital Music Players
- Any Handheld Devices

GENERAL DESCRIPTION

AVX extends the battery connector range with the addition of a low profile 2.5mm pitch right angle connector. This connector is offered in 2 to 5 positions and is rated at 3 amps. The connector's design is small and compact to minimize its profile yet functionally stable having a contact point at 2.20mm above the PCB.

The unique design of this stamped contact allows for a maximum insulator height of 4.0mm which makes it size compatible with more expensive pogo pin style battery connectors.


The complete family of battery connectors from AVX offer all of the same advantages; Beryllium Copper base material for enhanced contact performance, a full 3 amp current rating, selective gold plating for 5000 mating cycles and high temperature plastic for RoHS soldering.

KEY FEATURES AND BENEFITS

- · Reliable stamped contact with coined nose
- Full 1.5mm nose deflection for large operating range
- Two anchor tabs for mechanical stability
- 5000 cycle durability rating
- Minimized X, Y and Z package dimensions



HOW TO ORDER





003 004 005

541 **Right Angle**

'S	Battery Connecto		
		Code	Description
		541	Right Angle 2.5mm
			Battery Connector



Plating Option


Code	Description		
006	0.4µm Selective Gold, Pure Tin Tail		
008	0.8µm Selective Gold, Pure Tin Tail		

9155 MOBO®

2.5mm Pitch Right Angle Battery Connector




2 Way Right Angle Battery Connector







DEFLECTED CONNECTOR




UNDEFLECTED CONTACT






3 Way Right Angle Battery Connector






0.10 ± 0.10 (0.004 ± 0.004) CONTACT TO BASE OF INSULATOR

DEFLECTED CONNECTOR



UNDEFLECTED CONTACT







9155 MOBO®

2.5mm Pitch Right Angle **Battery Connector**




4 Way Right Angle Battery Connector







DEFLECTED CONNECTOR





UNDEFLECTED CONTACT







5 Way Right Angle Battery Connector







DEFLECTED CONNECTOR









UNDEFLECTED CONTACT




9155 MOBO®


2.5mm Pitch Right Angle Battery Connector




2 Way Right Angle Battery Connector PCB Layout

3 Way Right Angle Battery Connector PCB Layout





4 Way Right Angle Battery Connector PCB Layout



5 Way Right Angle Battery Connector PCB Layout

