

SSK 0525 KER-EX

Order No.: 0501059

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=0501059>

Universal terminal block with screw connection, cross section: 0.5 mm²
... 10 mm², width: 10.4 mm



Commercial data

EAN	4017918002480
Pack	50 Pcs.
Customs tariff	85369010
Weight/Piece	0.020151 KG

Product notes

WEEE/RoHS-compliant since:
01/01/2003



[http://
www.download.phoenixcontact.com](http://www.download.phoenixcontact.com)
Please note that the data given
here has been taken from the
online catalog. For comprehensive
information and data, please refer
to the user documentation. The
General Terms and Conditions of
Use apply to Internet downloads.

Certificates / Approvals



CSA

Nominal voltage U _N	600 V
Nominal current I _N	20 A
AWG/kcmil	22-12
Certification	CSA, GOST

requested approbations

Certification Ex:	GL-EX, IECEX, KEMA-EX
-------------------	-----------------------

Address

PHOENIX CONTACT Inc., USA
586 Fulling Mill Road
Middletown, PA 17057, USA
Phone (800) 888-7388
Fax (717) 944-1625
<http://www.phoenixcon.com>



© 2008 Phoenix Contact
Technical modifications reserved;