

FAN ACCESSORIES**Qualtek** ELECTRONICS CORPORATION**Fan-S Division*****Wire Form Fan Guards - 08 Series***

All wire form fan guards are produced in our ISO 9002 certified facility to assure compliance to our rigid specifications. Available for fan sizes 25mm to 254mm with a high quality nickel chrome finish as our standard. Also available in zinc and black finish and custom designs are welcomed.

08245 (25 mm)	08149 (40 mm)	08148 (50 mm)
08147 (60 mm)	08212 (60 mm)	08132 (80 mm)
08138 (80 mm)	08132 (80 mm)	08153 (80 mm)

08156 (80 mm)	08172 (80 mm)	08133 (92 mm)
08134 (92 mm)	08174 (92 mm)	08189 (92 mm)
08128 (120 mm)	08129 (120 mm) Flat	08130 (120 mm)
08139 (120 mm)	08141 (120 mm)	08146 (120 mm)

08170 (120 mm)	08213 (120 mm)	08135 (127 mm)
08125 (150 mm)	08126 (150 mm)	08151 (150 mm)
08152 (150 mm)	08127 (254 mm)	08154 (254 mm)
08155 (254 mm)		

Part* Number	PDF Drawings	For Use With Fan Size		Rib Material Dia.		Ring Material Dia.		Mounting Hole Centers (M/C)		Outside Ring Dia (OD)	
		mm	in	mm	in	mm	in	mm	in	mm	in

08245		25	1	1.50	.059	1.50	.059			24.2	.953
08149		40	1 1/2	1.60	.063	1.60	.063	32.0	1.26	29.1	1.15
08148		50	2	1.60	.063	1.60	.063	42	1.65	41	1.61
08147		60	2 1/2	1.60	.063	1.60	.063	50.0	1.97	53.1	2.09
08212		60	2 1/2	1.60	.063	1.60	.063	70.6	2.78	53.1	2.09
08132		80	3 1/8	1.80	.071	1.60	.063	71.4	2.81	76.2	3.00
08138		80	3 1/8	1.80	.071	1.60	.063	100.9	3.97	76.2	3.00
08153		80	3 1/8	1.60	.063	1.20	.047	71.4	2.81	77	3.05
08156		80	3 1/8	1.80	.071	1.80	.071	71.4	2.81	77.2	3.04
08172		80	3 1/8	1.60	.063	1.60	.063	71.4	2.81	76.2	3.00
08133		92	3 5/8	1.80	.071	1.60	.063	116.6	4.59	89.4	3.52
08134		92	3 5/8	1.80	.071	1.60	.063	82.4	3.25	89.4	3.52
08174		92	3 5/8	1.60	.063	1.60	.063	82.4	3.25	89.4	3.52
08189		92	3 5/8	1.80	.071	1.60	.063	82.4	3.25	89.4	3.52
08128		120	4 1/2	2.31	.091	1.80	.071	104.8	4.13	115.6	4.55
08129		120	4 1/2	2.31	.091	1.80	.071	104.8	4.13	115.6	4.55
08130		120	4 1/2	2.31	.091	1.80	.071	104.8	4.13	115.6	4.55
08139		120	4 1/2	2.31	.091	1.80	.071	148.1	5.83	115.6	4.55
08141		120	4 1/2	2.03	.080	1.60	.063	104.8	4.13	117.3	4.62
08146**		120	4 1/2	1.60	.063	1.60	.063	104.8	4.13	109.5	4.31
08170		120	4 1/2	1.80	.071	1.80	.071	104.8	4.13	115.6	4.55
08213		120	4 1/2	2.31	.091	1.80	.071	104.8	4.13	106.4	4.19
08135		127	5	2.31	.091	1.80	.071	113.3	4.46	115.6	4.55
08125		150	6	2.31	.091	1.80	.071	161.9	6.38	154.4	6.08
08126		150	6	2.31	.091	1.80	.071	161.9	6.38	154.4	6.08
08151		150	6	1.60	.063	1.60	.063	161.9	6.38	158.8	6.25

											
08152		150	6	1.60	.063	11.60	.063	161.9	6.38	158.8	6.25
08127		254	10	2.31	.091	2.31	.091	174.0	6.85	222.3	8.75
08154		254	10	2.03	.080	2.03	.080	174	6.85	209.6	8.25
08155		254	10	2.03	.080	2.03	.080	174	6.85	225.3	8.87

* Note: Add to part number for: Zinc(-01), Black (-02), EMI Enhanced (-05) (example: 08149-02 Black 40mm Fan Guard.)

** Does not meet 1/4" max. ring spacing.

Fan Accessories Cross Reference

 [Home](#) /  [Products](#) /  [Literature Request](#) /  [What's NEW](#)

Qualtek Electronics Meeting Global Demands with Design Solutions

7675 Jenther Drive ■ Mentor, Ohio 44060 ■ (888) 258-3468 ■ (440) 951-3300 ■ FAX: (440) 951-7252

E-Mail mailbox@qualtekusa.com ■ Web: www.qualtekusa.com

Copyright © 2001 Qualtek Electronics Corporation. All rights reserved.

Updated: March, 2003