

NS 15 AL PERF 2000MM

Order No.: 1401763

The illustration shows variant NS 15 in the perforated and unperforated version



<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1401763>

DIN rail, material: Aluminum, perforated, height 5.5 mm, width 15 mm, length: 2 m

Commercial data

EAN	4017918020521
Pack	1 Meter
Customs tariff	76042990
Weight/Piece	0.049 KG
Catalog page information	Page 504 (CL-2007)

Product notes

WEEE/RoHS-compliant since:
01/01/2003



<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data

General data



Height	5 mm
Length	2000 mm
Width	15 mm
Material	Aluminum
Color	silver

Test standard

In acc. with EN 60715: 2001

Drawings

Dimensioned drawing



Address

PHOENIX CONTACT GmbH & Co. KG
Flachsmarktstr. 8
32825 Blomberg, Germany
Phone +49 5235 3 00
Fax +49 5235 3 41200
<http://www.phoenixcontact.de>



© 2008 Phoenix Contact
Technical modifications reserved;