

## BN-ZB 5,2/WH:UNBEDRUCKT

Order No.: 1401815

The illustration shows version BN-ZB 5,2 -UNPRINTED, - CONSEC. NOS and  
BNB-ZB 5,2 SO/CMS



<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1401815>

BN Zack strip, unprinted: 10-section, for individual labeling with M-PEN  
or CMS system, sufficient for labeling 100 terminal blocks

### Commercial data

|                          |                    |
|--------------------------|--------------------|
| EAN                      | 4017918020552      |
| Pack                     | 10 Pcs.            |
| Customs tariff           | 39269097           |
| Weight/Piece             | 0.000457 KG        |
| Catalog page information | Page 455 (CL-2007) |

### Product notes

WEEE/RoHS-compliant since:  
01/01/2003



<http://www.download.phoenixcontact.com>  
Please note that the data given  
here has been taken from the  
online catalog. For comprehensive  
information and data, please refer  
to the user documentation. The  
General Terms and Conditions of  
Use apply to Internet downloads.

### Technical data

#### General

|                                    |                                |
|------------------------------------|--------------------------------|
| Color                              | white                          |
| Inflammability class acc. to UL 94 | V2                             |
| Wipe resistance                    | DIN EN 61010-1/VDE 0411-1      |
| Ambient temperature (operation)    | -40 °C ... 100 °C              |
| Components                         | free from silicone and halogen |

|          |        |
|----------|--------|
| Pitch    | 5.2 mm |
| Material | PA     |

**Address**

PHOENIX CONTACT GmbH & Co. KG  
Flachsmarktstr. 8  
32825 Blomberg, Germany  
Phone +49 5235 3 00  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.de>



© 2008 Phoenix Contact  
Technical modifications reserved;