

ZFKDSA 4- 9

Order No.: 1907542

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1907542>

End terminal block, 9 mm wide, necessary at the end of a row of terminal blocks

Commercial data

EAN	4017918193911
Pack	50 Pcs.
Customs tariff	85369010
Weight/Piece	0.00548 KG
Catalog page information	Page 307 (CC-2007)

Product notes

WEEE/RoHS-compliant since:
01/01/2003



<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Certificates / Approvals

Approval logo



CUL

Nominal voltage U_N	300 V
Nominal current I_N	10 A
AWG/kcmil	24-10

UL

Nominal voltage U_N	300 V
Nominal current I_N	10 A
AWG/kcmil	24-10
Certification	CUL, UL

Accessories


Item	Designation	Description
Assembly		
1928495	FL-ZFKDS 4	Pair of flanges, can be snapped onto a row of single terminal blocks
1928521	RZ-ZFKDS 4	Pitch spacer, 2.5 mm wide

Bridges


1928343	FBSK 2-7,5	Bridge, fully insulated, pitch 7.5 mm, 2-pos.
1928356	FBSK 3-7,5	Bridge, fully insulated, pitch 7.5 mm, 3-pos.
1928369	FBSK 4-7,5	Bridge, fully insulated, pitch 7.5 mm, 4-pos.
1928372	FBSK 5-7,5	Bridge, fully insulated, pitch 7.5 mm, 5-pos.
1928385	FBSK 10-7,5	Bridge, fully insulated, pitch 7.5 mm, 10-pos.

Drawings

Drilling diagram



Dimensioned drawing



Address

PHOENIX CONTACT GmbH & Co. KG
Flachsmarktstr. 8
32825 Blomberg, Germany
Phone +49 5235 3 00
Fax +49 5235 3 41200
<http://www.phoenixcontact.de>



© 2008 Phoenix Contact
Technical modifications reserved;