


CENTERLINE OF PIN IN AREA SHOWN NOT TO VARY FROM CENTERLINE OF PIN AT -D- BY MORE THAN 0.13/.005 IN ANY DIRECTION.




A-41681- * N * *-
OPTION - PACKING
A=BRASS - BULK PACK
B=BRASS - TUBE PACK
NO OF CKTS
DIM M.L.P
PLATING
VOID LOCATIONS
BLANK=NO VOIDS
NO=CKT NO VOIDED
MULT-VOIDS=51 UP

SPACING TAB
SEE NOTE 7

DETAIL A

CENTERLINE OF PIN IN AREA SHOWN NOT TO VARY FROM CENTERLINE OF PIN AT -D- BY MORE THAN 0.20/.008 IN ANY DIRECTION.



SEE DETAIL A
OPTIONAL VOIDED CKT.
SEE CHART FOR LOCATIONS

NOTES:

1. MATERIAL: HEADER: POLYESTER, 94V-0, MOLDED BLACK
2. FINISH:
 - (102) OVERALL TIN: 0.00508/.000200 MIN OVER 0.00254/.000100 MIN COPPER.
 - (208) SELECT GOLD: 0.00038/.000015 MIN, *SELECT TIN: 0.00254/.000100 MIN, OVERALL NICKEL UNDERPLATE: 0.00127/.000050 MIN.
 - (228) SELECT GOLD: 0.00076/.000030 MIN, *SELECT TIN: 0.00254/.000100 MIN, OVERALL NICKEL UNDERPLATE: 0.00127/.000050 MIN.
- *THE PRIMARY SHIPPING CARTON WILL BE LABELED "COMPLIANT TO RoHS DIRECTIVE 2002/95/EC AND ELV ANNEX II OF DIRECTIVE 2000/53/EC". CARTONS WITHOUT THIS LABEL MAY CONTAIN PRODUCT WITH TIN/LEAD PLATINGS.
3. PRODUCT SPECIFICATION: PS-08-50.
4. PACKAGING INFORMATION: SEE TABLES
5. SOLDERABILITY: PER SMES-152.
6. PIN PUSH-OUT FORCE: PRIOR TO SOLDERING, A 3 LB. MINIMUM FORCE IN EITHER DIRECTION SHALL BE REQUIRED TO PUSH THE PIN OUT OF THE HEADER.
7. PARTS ARE STACKABLE END TO END ON 3.96/.156 CENTERS. SPACING TABS MUST BE REMOVED ON CIRCUIT SIZES 1-23 BEFORE PARTS ARE STACKABLE.

CIRCUIT	A	B
2	6.78/7.87 .267/.310	3.96 .156
3	10.74/11.84 .423/.466	7.92 .312
4	14.71/15.80 .579/.622	11.89 .468
5	18.67/19.76 .735/.778	15.85 .624
6	22.63/23.72 .891/.934	19.81 .780
7	26.59/27.69 1.047/1.090	23.77 .936
8	30.56/31.65 1.203/1.246	27.74 1.092
9	34.52/35.61 1.359/1.402	31.70 1.248
10	38.48/39.57 1.515/1.558	35.66 1.404
11	42.44/43.54 1.671/1.714	39.62 1.560
12	46.41/47.50 1.827/1.870	43.59 1.716
13	50.37/51.46 1.983/2.026	47.55 1.872
14	54.33/55.42 2.139/2.182	51.51 2.028
15	58.29/59.39 2.295/2.338	55.47 2.184
16	62.26/63.35 2.451/2.494	59.44 2.340
17	66.22/67.31 2.607/2.650	63.40 2.496
18	70.18/71.27 2.763/2.806	67.36 2.652
19	74.14/75.23 2.919/2.962	71.32 2.808
20	78.11/79.20 3.075/3.118	75.29 2.964
21	82.07/83.16 3.231/3.274	79.25 3.120
22	86.03/87.12 3.387/3.430	83.21 3.276
23	89.94/91.08 3.541/3.586	87.17 3.432
24	93.85/95.00 3.695/3.740	91.14 3.588

3.96±0.05
.156±.002
TYP
B ±0.05
±.002
1.70
.067
DIA.
TYP
PCB LAYOUT: COMPONENT SIDE
RECOMMENDED PCB THICKNESS:
1.57±.18/.062±.007

ADD DIMENSION
EC NO: UCP2006-2296
DRWN: PRIDDER
CHKD: ADERR
APPR: FSMITH
REV

QUALITY
SYMBOLS
=0
=0

GENERAL TOLERANCES
(UNLESS SPECIFIED)
mm INCH
4 PLACES ± --- ± ---
3 PLACES ± --- ± .010
2 PLACES ± 0.25 ± .015
1 PLACE ± 0.38 ± ---
ANGULAR ± 1/2°
DRAFT WHERE APPLICABLE
MUST REMAIN
WITHIN DIMENSIONS

DIMENSION STYLE
MM/IN
DRAWN BY DATE
JSCHAFFER 12-5-03
CHECKED BY DATE
KSAMIEC 12-12-03
APPROVED BY DATE
MARGULIS 12-16-03
MATERIAL NO.
SEE CHART
SIZE
A

SCALE
2:1
DESIGN UNITS
INCH
THIRD ANGLE
PROJECTION
TITLE
KK .156 HEADER ASSEMBLY
FRICTION LOCK BREAKAWAY
RIGHT ANGLE
MOLEX INCORPORATED
DOCUMENT NO.
SD-41672-001
SHEET NO.
1 OF *

Ckts	Header No:	41186-A-AN	Header No:	41186-A-AN	Header No:	41186-A-AN	Header No:	41186-A-AN
	Pin No:	2161-37(102)	Pin No:	43294-0569	Pin No:	43294-0570	Pin No:	2161-37(501)
	Pin Length L	1.100 / 27.90	Pin Length L	1.100 / 27.90	Pin Length L	1.100 / 27.90	Pin Length L	1.100 / 27.90
	Mating M	.450 / 11.43	Mating M	.450 / 11.43	Mating M	.450 / 11.43	Mating M	.450 / 11.43
	Gold:	NA	Gold:	.270 / 6.86	Gold:	.270 / 6.86	Gold:	OVERALL
	Bend Height: Y	.213 / 5.41	Bend Height: Y	.213 / 5.41	Bend Height: Y	.213 / 5.41	Bend Height: Y	.213 / 5.41
	PC Tail P	.212 / 5.38	PC Tail P	.212 / 5.38	PC Tail P	.212 / 5.38	PC Tail P	.212 / 5.38
	Tin:	OVERALL	Tin:	.200 / 5.08	Tin:	.200 / 5.08	Tin:	NA
	Pack Per	PK-41672-001	Pack Per	PK-41672-001	Pack Per	PK-41672-001	Pack Per	PK-41672-001
	Material No	Engineer Number	Material No	Engineer Number	Material No	Engineer Number	Material No	Engineer Number
	2	026481026 A-41672-A02A102	41672-0001	A-41672-B02A208	41672-0024	A-41672-B02A228	026482026	A-41672-A02A501
	3	026481036 A-41672-A03A102	41672-0002	A-41672-B03A208	41672-0025	A-41672-B03A228	026482036	A-41672-A03A501
	4	026481046 A-41672-A04A102	41672-0003	A-41672-B04A208	41672-0026	A-41672-B04A228	026482046	A-41672-A04A501
	5	026481056 A-41672-A05A102	41672-0004	A-41672-B05A208	41672-0027	A-41672-B05A228	026482056	A-41672-A05A501
	6	026481066 A-41672-A06A102	41672-0005	A-41672-B06A208	41672-0028	A-41672-B06A228	026482066	A-41672-A06A501
	7	026481076 A-41672-A07A102	41672-0006	A-41672-B07A208	41672-0029	A-41672-B07A228	026482076	A-41672-A07A501
	8	026481086 A-41672-A08A102	41672-0007	A-41672-B08A208	41672-0030	A-41672-B08A228	026482086	A-41672-A08A501
	9	026481096 A-41672-A09A102	41672-0008	A-41672-B09A208	41672-0031	A-41672-B09A228	026482096	A-41672-A09A501
	10	026481106 A-41672-A10A102	41672-0009	A-41672-B10A208	41672-0032	A-41672-B10A228	026482106	A-41672-A10A501
	11	026481116 A-41672-A11A102	41672-0010	A-41672-B11A208	41672-0033	A-41672-B11A228	026482116	A-41672-A11A501
	12	026481126 A-41672-A12A102	41672-0011	A-41672-B12A208	41672-0034	A-41672-B12A228	026482126	A-41672-A12A501
	13	026481136 A-41672-A13A102	41672-0012	A-41672-B13A208	41672-0035	A-41672-B13A228	026482136	A-41672-A13A501
	14	026481146 A-41672-A14A102	41672-0013	A-41672-B14A208	41672-0036	A-41672-B14A228	026482146	A-41672-A14A501
	15	026481156 A-41672-A15A102	41672-0014	A-41672-B15A208	41672-0037	A-41672-B15A228	026482156	A-41672-A15A501
	16	026481166 A-41672-A16A102	41672-0015	A-41672-B16A208	41672-0038	A-41672-B16A228	026482166	A-41672-A16A501
	17	026481176 A-41672-A17A102	41672-0016	A-41672-B17A208	41672-0039	A-41672-B17A228	026482176	A-41672-A17A501
	18	026481186 A-41672-A18A102	41672-0017	A-41672-B18A208	41672-0040	A-41672-B18A228	026482186	A-41672-A18A501
	19	026481196 A-41672-A19A102	41672-0018	A-41672-B19A208	41672-0041	A-41672-B19A228	026482196	A-41672-A19A501
	20	026481206 A-41672-A20A102	41672-0019	A-41672-B20A208	41672-0042	A-41672-B20A228	026482206	A-41672-A20A501
	21	026481216 A-41672-A21A102	41672-0020	A-41672-B21A208	41672-0043	A-41672-B21A228	026482216	A-41672-A21A501
	22	026481226 A-41672-A22A102	41672-0021	A-41672-B22A208	41672-0044	A-41672-B22A228	026482226	A-41672-A22A501
	23	026481236 A-41672-A23A102	41672-0022	A-41672-B23A208	41672-0045	A-41672-B23A228	026482236	A-41672-A23A501
	24	026481246 A-41672-A24A102	41672-0023	A-41672-B24A208	41672-0046	A-41672-B24A228	026482246	A-41672-A24A501

REV: AB1	ECR/ECN INFORMATION:	TITLE: KK 156 HEADER ASSEMBLY FRICTION LOCK BREAKAWAY RIGHT ANGLE	SHEET No. - 2 -
	EC No.: UCP2006-1776		
	DATE: 4/11/2006		
DOCUMENT NUMBER: SD- 41672 -001		CREATED / REVISED BY: ADERR	CHECKED BY: SSOUSEK
		APPROVED BY: FSMITH	

	<table><tr><td>Header No:</td><td>41186-A-AN</td></tr><tr><td>Pin No:</td><td>2161-96(501)</td></tr><tr><td>Pin Length L</td><td>1.531 / 38.89</td></tr><tr><td>Mating M</td><td>.500 / 12.70</td></tr><tr><td>Gold:</td><td>OVERALL</td></tr><tr><td>Bend Height: Y</td><td>.213 / 5.41</td></tr><tr><td>PC Tail P</td><td>.592 / 15.04</td></tr><tr><td>Tin:</td><td>OVERALL</td></tr><tr><td>Pack Per</td><td>PK-41672-001</td></tr></table>	Header No:	41186-A-AN	Pin No:	2161-96(501)	Pin Length L	1.531 / 38.89	Mating M	.500 / 12.70	Gold:	OVERALL	Bend Height: Y	.213 / 5.41	PC Tail P	.592 / 15.04	Tin:	OVERALL	Pack Per	PK-41672-001	<table><tr><td>Header No:</td><td>41186-A-AN</td></tr><tr><td>Pin No:</td><td>2161-37(501)</td></tr><tr><td>Pin Length L</td><td>1.100 / 27.90</td></tr><tr><td>Mating M</td><td>.523 / 13.28</td></tr><tr><td>Gold:</td><td>OVERALL</td></tr><tr><td>Bend Height: Y</td><td>.213 / 5.41</td></tr><tr><td>PC Tail P</td><td>.136 / 3.45</td></tr><tr><td>Tin:</td><td>NA</td></tr><tr><td>Pack Per</td><td>PK-41672-001</td></tr></table>	Header No:	41186-A-AN	Pin No:	2161-37(501)	Pin Length L	1.100 / 27.90	Mating M	.523 / 13.28	Gold:	OVERALL	Bend Height: Y	.213 / 5.41	PC Tail P	.136 / 3.45	Tin:	NA	Pack Per	PK-41672-001	<table><tr><td>Header No:</td><td>41186-A-AN</td></tr><tr><td>Pin No:</td><td>2161-19(102)</td></tr><tr><td>Pin Length L</td><td>1.032 / 26.21</td></tr><tr><td>Mating M</td><td>.458/11.63 REF</td></tr><tr><td>Gold:</td><td>NA</td></tr><tr><td>Bend Height: Y</td><td>.221 / 5.61</td></tr><tr><td>PC Tail P</td><td>.125+-.015</td></tr><tr><td>Tin:</td><td>OVERALL</td></tr><tr><td>Pack Per</td><td>PK-41672-001</td></tr></table>	Header No:	41186-A-AN	Pin No:	2161-19(102)	Pin Length L	1.032 / 26.21	Mating M	.458/11.63 REF	Gold:	NA	Bend Height: Y	.221 / 5.61	PC Tail P	.125+-.015	Tin:	OVERALL	Pack Per	PK-41672-001	<table><tr><td>Header No:</td><td>41186-A-AN</td></tr><tr><td>Pin No:</td><td>2161-19(102)</td></tr><tr><td>Pin Length L</td><td>1.032 / 26.21</td></tr><tr><td>Mating M</td><td>.461 / 11.71</td></tr><tr><td>Gold:</td><td>NA</td></tr><tr><td>Bend Height: Y</td><td>.213 / 5.41</td></tr><tr><td>PC Tail P</td><td>.130 / 3.30</td></tr><tr><td>Tin:</td><td>NA</td></tr><tr><td>Pack Per</td><td>PK-41672-001</td></tr></table>	Header No:	41186-A-AN	Pin No:	2161-19(102)	Pin Length L	1.032 / 26.21	Mating M	.461 / 11.71	Gold:	NA	Bend Height: Y	.213 / 5.41	PC Tail P	.130 / 3.30	Tin:	NA	Pack Per	PK-41672-001
Header No:	41186-A-AN																																																																											
Pin No:	2161-96(501)																																																																											
Pin Length L	1.531 / 38.89																																																																											
Mating M	.500 / 12.70																																																																											
Gold:	OVERALL																																																																											
Bend Height: Y	.213 / 5.41																																																																											
PC Tail P	.592 / 15.04																																																																											
Tin:	OVERALL																																																																											
Pack Per	PK-41672-001																																																																											
Header No:	41186-A-AN																																																																											
Pin No:	2161-37(501)																																																																											
Pin Length L	1.100 / 27.90																																																																											
Mating M	.523 / 13.28																																																																											
Gold:	OVERALL																																																																											
Bend Height: Y	.213 / 5.41																																																																											
PC Tail P	.136 / 3.45																																																																											
Tin:	NA																																																																											
Pack Per	PK-41672-001																																																																											
Header No:	41186-A-AN																																																																											
Pin No:	2161-19(102)																																																																											
Pin Length L	1.032 / 26.21																																																																											
Mating M	.458/11.63 REF																																																																											
Gold:	NA																																																																											
Bend Height: Y	.221 / 5.61																																																																											
PC Tail P	.125+-.015																																																																											
Tin:	OVERALL																																																																											
Pack Per	PK-41672-001																																																																											
Header No:	41186-A-AN																																																																											
Pin No:	2161-19(102)																																																																											
Pin Length L	1.032 / 26.21																																																																											
Mating M	.461 / 11.71																																																																											
Gold:	NA																																																																											
Bend Height: Y	.213 / 5.41																																																																											
PC Tail P	.130 / 3.30																																																																											
Tin:	NA																																																																											
Pack Per	PK-41672-001																																																																											
Ckts	<table><tr><td>Material No</td><td>Engineer Number</td></tr></table>	Material No	Engineer Number	<table><tr><td>Material No</td><td>Engineer Number</td></tr></table>	Material No	Engineer Number	<table><tr><td>Material No</td><td>Engineer Number</td></tr></table>	Material No	Engineer Number	<table><tr><td>Material No</td><td>Engineer Number</td></tr></table>	Material No	Engineer Number																																																																
Material No	Engineer Number																																																																											
Material No	Engineer Number																																																																											
Material No	Engineer Number																																																																											
Material No	Engineer Number																																																																											
2	<table><tr><td>41672-0109</td><td>A-41672-A02D501</td></tr></table>	41672-0109	A-41672-A02D501	<table><tr><td>026586020</td><td>A-41672-A02C501</td></tr></table>	026586020	A-41672-A02C501	<table><tr><td>026482029</td><td>A-41672-A02E102</td></tr></table>	026482029	A-41672-A02E102	<table><tr><td>41672-0151</td><td>A-41672-A02F102</td></tr></table>	41672-0151	A-41672-A02F102																																																																
41672-0109	A-41672-A02D501																																																																											
026586020	A-41672-A02C501																																																																											
026482029	A-41672-A02E102																																																																											
41672-0151	A-41672-A02F102																																																																											
3	<table><tr><td>41672-0110</td><td>A-41672-A03D501</td></tr></table>	41672-0110	A-41672-A03D501	<table><tr><td>026586030</td><td>A-41672-A03C501</td></tr></table>	026586030	A-41672-A03C501	<table><tr><td>026482039</td><td>A-41672-A03E102</td></tr></table>	026482039	A-41672-A03E102	<table><tr><td>41672-0152</td><td>A-41672-A03F102</td></tr></table>	41672-0152	A-41672-A03F102																																																																
41672-0110	A-41672-A03D501																																																																											
026586030	A-41672-A03C501																																																																											
026482039	A-41672-A03E102																																																																											
41672-0152	A-41672-A03F102																																																																											
4	<table><tr><td>41672-0111</td><td>A-41672-A04D501</td></tr></table>	41672-0111	A-41672-A04D501	<table><tr><td>41672-0131</td><td>A-41672-A04C501</td></tr></table>	41672-0131	A-41672-A04C501	<table><tr><td>026482049</td><td>A-41672-A04E102</td></tr></table>	026482049	A-41672-A04E102	<table><tr><td>41672-0153</td><td>A-41672-A04F102</td></tr></table>	41672-0153	A-41672-A04F102																																																																
41672-0111	A-41672-A04D501																																																																											
41672-0131	A-41672-A04C501																																																																											
026482049	A-41672-A04E102																																																																											
41672-0153	A-41672-A04F102																																																																											
5	<table><tr><td>41672-0112</td><td>A-41672-A05D501</td></tr></table>	41672-0112	A-41672-A05D501	<table><tr><td>41672-0132</td><td>A-41672-A05C501</td></tr></table>	41672-0132	A-41672-A05C501	<table><tr><td>026482059</td><td>A-41672-A05E102</td></tr></table>	026482059	A-41672-A05E102	<table><tr><td>41672-0154</td><td>A-41672-A05F102</td></tr></table>	41672-0154	A-41672-A05F102																																																																
41672-0112	A-41672-A05D501																																																																											
41672-0132	A-41672-A05C501																																																																											
026482059	A-41672-A05E102																																																																											
41672-0154	A-41672-A05F102																																																																											
6	<table><tr><td>41672-0113</td><td>A-41672-A06D501</td></tr></table>	41672-0113	A-41672-A06D501	<table><tr><td>41672-0133</td><td>A-41672-A06C501</td></tr></table>	41672-0133	A-41672-A06C501	<table><tr><td>026482069</td><td>A-41672-A06E102</td></tr></table>	026482069	A-41672-A06E102	<table><tr><td>41672-0155</td><td>A-41672-A06F102</td></tr></table>	41672-0155	A-41672-A06F102																																																																
41672-0113	A-41672-A06D501																																																																											
41672-0133	A-41672-A06C501																																																																											
026482069	A-41672-A06E102																																																																											
41672-0155	A-41672-A06F102																																																																											
7	<table><tr><td>41672-0114</td><td>A-41672-A07D501</td></tr></table>	41672-0114	A-41672-A07D501	<table><tr><td>41672-0134</td><td>A-41672-A07C501</td></tr></table>	41672-0134	A-41672-A07C501	<table><tr><td>026482079</td><td>A-41672-A07E102</td></tr></table>	026482079	A-41672-A07E102	<table><tr><td>41672-0156</td><td>A-41672-A07F102</td></tr></table>	41672-0156	A-41672-A07F102																																																																
41672-0114	A-41672-A07D501																																																																											
41672-0134	A-41672-A07C501																																																																											
026482079	A-41672-A07E102																																																																											
41672-0156	A-41672-A07F102																																																																											
8	<table><tr><td>41672-0115</td><td>A-41672-A08D501</td></tr></table>	41672-0115	A-41672-A08D501	<table><tr><td>026586080</td><td>A-41672-A08C501</td></tr></table>	026586080	A-41672-A08C501	<table><tr><td>026482089</td><td>A-41672-A08E102</td></tr></table>	026482089	A-41672-A08E102	<table><tr><td>41672-0157</td><td>A-41672-A08F102</td></tr></table>	41672-0157	A-41672-A08F102																																																																
41672-0115	A-41672-A08D501																																																																											
026586080	A-41672-A08C501																																																																											
026482089	A-41672-A08E102																																																																											
41672-0157	A-41672-A08F102																																																																											
9	<table><tr><td>41672-0116</td><td>A-41672-A09D501</td></tr></table>	41672-0116	A-41672-A09D501	<table><tr><td>41672-0135</td><td>A-41672-A09C501</td></tr></table>	41672-0135	A-41672-A09C501	<table><tr><td>026482099</td><td>A-41672-A09E102</td></tr></table>	026482099	A-41672-A09E102	<table><tr><td>41672-0158</td><td>A-41672-A09F102</td></tr></table>	41672-0158	A-41672-A09F102																																																																
41672-0116	A-41672-A09D501																																																																											
41672-0135	A-41672-A09C501																																																																											
026482099	A-41672-A09E102																																																																											
41672-0158	A-41672-A09F102																																																																											
10	<table><tr><td>41672-0117</td><td>A-41672-A10D501</td></tr></table>	41672-0117	A-41672-A10D501	<table><tr><td>41672-0136</td><td>A-41672-A10C501</td></tr></table>	41672-0136	A-41672-A10C501	<table><tr><td>026482109</td><td>A-41672-A10E102</td></tr></table>	026482109	A-41672-A10E102	<table><tr><td>41672-0159</td><td>A-41672-A10F102</td></tr></table>	41672-0159	A-41672-A10F102																																																																
41672-0117	A-41672-A10D501																																																																											
41672-0136	A-41672-A10C501																																																																											
026482109	A-41672-A10E102																																																																											
41672-0159	A-41672-A10F102																																																																											
11	<table><tr><td>41672-0118</td><td>A-41672-A11D501</td></tr></table>	41672-0118	A-41672-A11D501	<table><tr><td>41672-0137</td><td>A-41672-A11C501</td></tr></table>	41672-0137	A-41672-A11C501	<table><tr><td>026482119</td><td>A-41672-A11E102</td></tr></table>	026482119	A-41672-A11E102	<table><tr><td>41672-0160</td><td>A-41672-A11F102</td></tr></table>	41672-0160	A-41672-A11F102																																																																
41672-0118	A-41672-A11D501																																																																											
41672-0137	A-41672-A11C501																																																																											
026482119	A-41672-A11E102																																																																											
41672-0160	A-41672-A11F102																																																																											
12	<table><tr><td>41672-0119</td><td>A-41672-A12D501</td></tr></table>	41672-0119	A-41672-A12D501	<table><tr><td>41672-0138</td><td>A-41672-A12C501</td></tr></table>	41672-0138	A-41672-A12C501	<table><tr><td>026482129</td><td>A-41672-A12E102</td></tr></table>	026482129	A-41672-A12E102	<table><tr><td>41672-0161</td><td>A-41672-A12F102</td></tr></table>	41672-0161	A-41672-A12F102																																																																
41672-0119	A-41672-A12D501																																																																											
41672-0138	A-41672-A12C501																																																																											
026482129	A-41672-A12E102																																																																											
41672-0161	A-41672-A12F102																																																																											
13	<table><tr><td>41672-0120</td><td>A-41672-A13D501</td></tr></table>	41672-0120	A-41672-A13D501	<table><tr><td>41672-0139</td><td>A-41672-A13C501</td></tr></table>	41672-0139	A-41672-A13C501	<table><tr><td>026482139</td><td>A-41672-A13E102</td></tr></table>	026482139	A-41672-A13E102	<table><tr><td>41672-0162</td><td>A-41672-A13F102</td></tr></table>	41672-0162	A-41672-A13F102																																																																
41672-0120	A-41672-A13D501																																																																											
41672-0139	A-41672-A13C501																																																																											
026482139	A-41672-A13E102																																																																											
41672-0162	A-41672-A13F102																																																																											
14	<table><tr><td>41672-0121</td><td>A-41672-A14D501</td></tr></table>	41672-0121	A-41672-A14D501	<table><tr><td>41672-0140</td><td>A-41672-A14C501</td></tr></table>	41672-0140	A-41672-A14C501	<table><tr><td>026482149</td><td>A-41672-A14E102</td></tr></table>	026482149	A-41672-A14E102	<table><tr><td>41672-0163</td><td>A-41672-A14F102</td></tr></table>	41672-0163	A-41672-A14F102																																																																
41672-0121	A-41672-A14D501																																																																											
41672-0140	A-41672-A14C501																																																																											
026482149	A-41672-A14E102																																																																											
41672-0163	A-41672-A14F102																																																																											
15	<table><tr><td>41672-0122</td><td>A-41672-A15D501</td></tr></table>	41672-0122	A-41672-A15D501	<table><tr><td>41672-0141</td><td>A-41672-A15C501</td></tr></table>	41672-0141	A-41672-A15C501	<table><tr><td>026482159</td><td>A-41672-A15E102</td></tr></table>	026482159	A-41672-A15E102	<table><tr><td>41672-0164</td><td>A-41672-A15F102</td></tr></table>	41672-0164	A-41672-A15F102																																																																
41672-0122	A-41672-A15D501																																																																											
41672-0141	A-41672-A15C501																																																																											
026482159	A-41672-A15E102																																																																											
41672-0164	A-41672-A15F102																																																																											
16	<table><tr><td>41672-0123</td><td>A-41672-A16D501</td></tr></table>	41672-0123	A-41672-A16D501	<table><tr><td>41672-0142</td><td>A-41672-A16C501</td></tr></table>	41672-0142	A-41672-A16C501	<table><tr><td>026482169</td><td>A-41672-A16E102</td></tr></table>	026482169	A-41672-A16E102	<table><tr><td>41672-0165</td><td>A-41672-A16F102</td></tr></table>	41672-0165	A-41672-A16F102																																																																
41672-0123	A-41672-A16D501																																																																											
41672-0142	A-41672-A16C501																																																																											
026482169	A-41672-A16E102																																																																											
41672-0165	A-41672-A16F102																																																																											
17	<table><tr><td>41672-0124</td><td>A-41672-A17D501</td></tr></table>	41672-0124	A-41672-A17D501	<table><tr><td>41672-0143</td><td>A-41672-A17C501</td></tr></table>	41672-0143	A-41672-A17C501	<table><tr><td>026482179</td><td>A-41672-A17E102</td></tr></table>	026482179	A-41672-A17E102	<table><tr><td>41672-0166</td><td>A-41672-A17F102</td></tr></table>	41672-0166	A-41672-A17F102																																																																
41672-0124	A-41672-A17D501																																																																											
41672-0143	A-41672-A17C501																																																																											
026482179	A-41672-A17E102																																																																											
41672-0166	A-41672-A17F102																																																																											
18	<table><tr><td>41672-0125</td><td>A-41672-A18D501</td></tr></table>	41672-0125	A-41672-A18D501	<table><tr><td>41672-0144</td><td>A-41672-A18C501</td></tr></table>	41672-0144	A-41672-A18C501	<table><tr><td>026482189</td><td>A-41672-A18E102</td></tr></table>	026482189	A-41672-A18E102	<table><tr><td>41672-0167</td><td>A-41672-A18F102</td></tr></table>	41672-0167	A-41672-A18F102																																																																
41672-0125	A-41672-A18D501																																																																											
41672-0144	A-41672-A18C501																																																																											
026482189	A-41672-A18E102																																																																											
41672-0167	A-41672-A18F102																																																																											
19	<table><tr><td>41672-0126</td><td>A-41672-A19D501</td></tr></table>	41672-0126	A-41672-A19D501	<table><tr><td>41672-0145</td><td>A-41672-A19C501</td></tr></table>	41672-0145	A-41672-A19C501	<table><tr><td>026482199</td><td>A-41672-A19E102</td></tr></table>	026482199	A-41672-A19E102	<table><tr><td>41672-0168</td><td>A-41672-A19F102</td></tr></table>	41672-0168	A-41672-A19F102																																																																
41672-0126	A-41672-A19D501																																																																											
41672-0145	A-41672-A19C501																																																																											
026482199	A-41672-A19E102																																																																											
41672-0168	A-41672-A19F102																																																																											
20	<table><tr><td>41672-0127</td><td>A-41672-A20D501</td></tr></table>	41672-0127	A-41672-A20D501	<table><tr><td>41672-0146</td><td>A-41672-A20C501</td></tr></table>	41672-0146	A-41672-A20C501	<table><tr><td>026482209</td><td>A-41672-A20E102</td></tr></table>	026482209	A-41672-A20E102	<table><tr><td>41672-0169</td><td>A-41672-A20F102</td></tr></table>	41672-0169	A-41672-A20F102																																																																
41672-0127	A-41672-A20D501																																																																											
41672-0146	A-41672-A20C501																																																																											
026482209	A-41672-A20E102																																																																											
41672-0169	A-41672-A20F102																																																																											
21	<table><tr><td>41672-0128</td><td>A-41672-A21D501</td></tr></table>	41672-0128	A-41672-A21D501	<table><tr><td>41672-0147</td><td>A-41672-A21C501</td></tr></table>	41672-0147	A-41672-A21C501	<table><tr><td>026482219</td><td>A-41672-A21E102</td></tr></table>	026482219	A-41672-A21E102	<table><tr><td>41672-0170</td><td>A-41672-A21F102</td></tr></table>	41672-0170	A-41672-A21F102																																																																
41672-0128	A-41672-A21D501																																																																											
41672-0147	A-41672-A21C501																																																																											
026482219	A-41672-A21E102																																																																											
41672-0170	A-41672-A21F102																																																																											
22	<table><tr><td>41672-0129</td><td>A-41672-A22D501</td></tr></table>	41672-0129	A-41672-A22D501	<table><tr><td>41672-0148</td><td>A-41672-A22C501</td></tr></table>	41672-0148	A-41672-A22C501	<table><tr><td>026482229</td><td>A-41672-A22E102</td></tr></table>	026482229	A-41672-A22E102	<table><tr><td>41672-0171</td><td>A-41672-A22F102</td></tr></table>	41672-0171	A-41672-A22F102																																																																
41672-0129	A-41672-A22D501																																																																											
41672-0148	A-41672-A22C501																																																																											
026482229	A-41672-A22E102																																																																											
41672-0171	A-41672-A22F102																																																																											
23	<table><tr><td>41672-0130</td><td>A-41672-A23D501</td></tr></table>	41672-0130	A-41672-A23D501	<table><tr><td>41672-0149</td><td>A-41672-A23C501</td></tr></table>	41672-0149	A-41672-A23C501	<table><tr><td>026482239</td><td>A-41672-A23E102</td></tr></table>	026482239	A-41672-A23E102	<table><tr><td>41672-0172</td><td>A-41672-A23F102</td></tr></table>	41672-0172	A-41672-A23F102																																																																
41672-0130	A-41672-A23D501																																																																											
41672-0149	A-41672-A23C501																																																																											
026482239	A-41672-A23E102																																																																											
41672-0172	A-41672-A23F102																																																																											
24	<table><tr><td>026586242</td><td>A-41672-A24D501</td></tr></table>	026586242	A-41672-A24D501	<table><tr><td>41672-0150</td><td>A-41672-A24C501</td></tr></table>	41672-0150	A-41672-A24C501	<table><tr><td>026482249</td><td>A-41672-A24E102</td></tr></table>	026482249	A-41672-A24E102	<table><tr><td>41672-0173</td><td>A-41672-A24F102</td></tr></table>	41672-0173	A-41672-A24F102																																																																
026586242	A-41672-A24D501																																																																											
41672-0150	A-41672-A24C501																																																																											
026482249	A-41672-A24E102																																																																											
41672-0173	A-41672-A24F102																																																																											

REV:	ECR/ECN INFORMATION:	TITLE:		SHEET No.
AB1	EC No.:	KK 156 HEADER ASSEMBLY		
	UCP2006-1776	FRICTION LOCK BREAKAWAY		
	DATE:	RIGHT ANGLE		
SD- 41672 -001		ADERR	SSOUSEK	FSMITH

TEMPLATE FILENAME: PRODUCT_SPEC[SIZE_A](V.1).DOC


	<table border="1"> <tr><td>Header No:</td><td>41186-A-AN</td></tr> <tr><td>Pin No:</td><td>2161-52(102)</td></tr> <tr><td>Pin Length L</td><td>1.063 / 27.00</td></tr> <tr><td>Mating M</td><td>.450 / 11.43</td></tr> <tr><td>Gold:</td><td>NA</td></tr> <tr><td>Bend Height: Y</td><td>.213 / 5.41</td></tr> <tr><td>PC Tail P</td><td>.172 / 4.69</td></tr> <tr><td>Tin:</td><td>OVERALL</td></tr> <tr><td>Pack Per</td><td>PK-41672-001</td></tr> </table>	Header No:	41186-A-AN	Pin No:	2161-52(102)	Pin Length L	1.063 / 27.00	Mating M	.450 / 11.43	Gold:	NA	Bend Height: Y	.213 / 5.41	PC Tail P	.172 / 4.69	Tin:	OVERALL	Pack Per	PK-41672-001	<table border="1"> <tr><td>Header No:</td><td>41186-A-AN</td></tr> <tr><td>Pin No:</td><td>2161-37(102)</td></tr> <tr><td>Pin Length L</td><td>1.100 / 27.90</td></tr> <tr><td>Mating M</td><td>.450 / 11.43</td></tr> <tr><td>Gold:</td><td>NA</td></tr> <tr><td>Bend Height: Y</td><td>.213 / 5.41</td></tr> <tr><td>PC Tail P</td><td>.212 / 5.38</td></tr> <tr><td>Tin:</td><td>OVERALL</td></tr> <tr><td>Pack Per</td><td>PK-41672-001</td></tr> </table>	Header No:	41186-A-AN	Pin No:	2161-37(102)	Pin Length L	1.100 / 27.90	Mating M	.450 / 11.43	Gold:	NA	Bend Height: Y	.213 / 5.41	PC Tail P	.212 / 5.38	Tin:	OVERALL	Pack Per	PK-41672-001	
Header No:	41186-A-AN																																						
Pin No:	2161-52(102)																																						
Pin Length L	1.063 / 27.00																																						
Mating M	.450 / 11.43																																						
Gold:	NA																																						
Bend Height: Y	.213 / 5.41																																						
PC Tail P	.172 / 4.69																																						
Tin:	OVERALL																																						
Pack Per	PK-41672-001																																						
Header No:	41186-A-AN																																						
Pin No:	2161-37(102)																																						
Pin Length L	1.100 / 27.90																																						
Mating M	.450 / 11.43																																						
Gold:	NA																																						
Bend Height: Y	.213 / 5.41																																						
PC Tail P	.212 / 5.38																																						
Tin:	OVERALL																																						
Pack Per	PK-41672-001																																						
Ckts	Material No	Engineer Number	Material No	Engineer Number	Void	Material No	Engineer Number	Void																															
2	41672-0176	A-41672-A02G102	026504051	A-41672-A05A102-51	2,4	026504121	A-41672-A12A501-51	4,6																															
3	41672-0177	A-41672-A03G102	41672-0047	A-41672-A02A102-1	1	026497063	A-41672-A06A501-5	5																															
4	41672-0178	A-41672-A04G102	41672-0174	A-41672-A23A102-51	18,20 ,22																																		
5	41672-0179	A-41672-A05G102	026504042	A-41672-A04A102-02	2																																		
6	41672-0180	A-41672-A06G102	026504061	A-41672-A06A102-4	4																																		
7	41672-0181	A-41672-A07G102	026504043	A-41672-A04A102-3	3																																		
8	41672-0182	A-41672-A08G102	026504062	A-41672-A06A102-5	5																																		
9	41672-0183	A-41672-A09G102	416720048	A-41672-A09A102-51	2,3,4, 6,7,8																																		
10	41672-0184	A-41672-A10G102	416720049	A-41672-A14A102-12	12																																		
11	41672-0185	A-41672-A11G102	026504102	A-41672-A10A102-5	5																																		
12	41672-0186	A-41672-A12G102	026504072	A-41672-A07A102-2	2																																		
13	41672-0187	A-41672-A13G102	41672-0175	A-41672-A11A102-2	2																																		
14	41672-0188	A-41672-A14G102	41672-0203	A-41672-A14A102-51	2,6, 11,13																																		
15	41672-0189	A-41672-A15G102																																					
16	41672-0190	A-41672-A16G102																																					
17	41672-0191	A-41672-A17G102																																					
18	41672-0192	A-41672-A18G102																																					
19	41672-0193	A-41672-A19G102																																					
20	41672-0194	A-41672-A20G102																																					
21	41672-0195	A-41672-A21G102																																					
22	41672-0196	A-41672-A22G102																																					
23	41672-0197	A-41672-A23G102																																					
24	41672-0198	A-41672-A24G102																																					

REV: AB1	ECR/ECN INFORMATION:	TITLE: KK 156 HEADER ASSEMBLY FRICTION LOCK BREAKAWAY RIGHT ANGLE	SHEET No. - 5 -	
	EC No.: UCP2006-1776			
	DATE: 4/11/2006			
DOCUMENT NUMBER: SD- 41672 -001		CREATED / REVISED BY: ADERR	CHECKED BY: SSOUSEK	APPROVED BY: FSMITH

[illegible]

REV: AB1	<u>ECR/ECN INFORMATION:</u> 	<u>TITLE:</u> KK 156 HEADER ASSEMBLY FRICTION LOCK BREAKAWAY RIGHT ANGLE			<u>SHEET No.</u>
	<u>EC No.:</u> UCP2006-1776				- 7 -
	<u>DATE:</u> 4/11/2006				
<u>DOCUMENT NUMBER:</u> SD- 41672 -001		<u>CREATED / REVISED BY:</u> ADERR	<u>CHECKED BY:</u> SSOUSEK	<u>APPROVED BY:</u> FSMITH	

CENTERLINE OF PIN IN AREA SHOWN NOT TO VARY FROM CENTERLINE OF PIN AT -D- BY MORE THAN 0.13/.005 IN ANY DIRECTION.



A-41681- * N * *-*

OPTION - PACKING
A=BRASS - BULK PACK
B=BRASS - TUBE PACK


NO OF CKTS
DIM M.L.P
PLATING

VOID LOCATIONS
BLANK=NO VOIDS
NO=CKT NO VOIDED
MULT-VOIDS=51 UP

SPACING TAB
SEE NOTE 7

DETAIL A

CENTERLINE OF PIN IN AREA SHOWN NOT TO VARY FROM CENTERLINE OF PIN AT -D- BY MORE THAN 0.20/.008 IN ANY DIRECTION.



OPTIONAL VOIDED CKT.
SEE CHART FOR LOCATIONS

NOTES:

1. MATERIAL: HEADER: POLYESTER, 94V-0, MOLDED BLACK
2. FINISH:

(228) SELECT GOLD: 0.00076/.000030 MIN.

*SELECT TIN: 0.00254/.000100 MIN.

OVERALL NICKEL UNDERPLATE: 0.00127/.000050 MIN.

*THE PRIMARY SHIPPING CARTON WILL BE LABELED "COMPLIANT TO RoHS DIRECTIVE 2002/95/EC AND ELV ANNEX II OF DIRECTIVE 2000/53/EC". CARTONS WITHOUT THIS LABEL MAY CONTAIN PRODUCT WITH TIN/LEAD PLATINGS.

3. PRODUCT SPECIFICATION: PS-08-50.

4. PACKAGING INFORMATION: SEE CHARTS

5. SOLDERABILITY: PER SMES-152.

6. PIN PUSH-OUT FORCE: PRIOR TO SOLDERING, A 3 LB. MINIMUM FORCE IN EITHER DIRECTION SHALL BE REQUIRED TO PUSH THE PIN OUT OF THE HEADER.

7. PARTS ARE STACKABLE END TO END ON 3.96/.156 CENTERS.(SPACING TABS MUST BE REMOVED ON CIRCUIT SIZES 1-23 BEFORE PARTS ARE STACKABLE.

CIRCUIT	A	B
2	6.78/7.87 .267/.310	3.96 .156
3	10.74/11.84 .423/.466	7.92 .312
4	14.71/15.80 .579/.622	11.89 .468
5	18.67/19.76 .735/.778	15.85 .624
6	22.63/23.72 .891/.934	19.81 .780
7	26.59/27.69 1.047/1.090	23.77 .936
8	30.56/31.65 1.203/1.246	27.74 1.092
9	34.52/35.61 1.359/1.402	31.70 1.248
10	38.48/39.57 1.515/1.558	35.66 1.404
11	42.44/43.54 1.671/1.714	39.62 1.560
12	46.41/47.50 1.827/1.870	43.59 1.716
13	50.37/51.46 1.983/2.026	47.55 1.872
14	54.33/55.42 2.139/2.182	51.51 2.028
15	58.29/59.39 2.295/2.338	55.47 2.184
16	62.26/63.35 2.451/2.494	59.44 2.340
17	66.22/67.31 2.607/2.650	63.40 2.496
18	70.18/71.27 2.763/2.806	67.36 2.652
19	74.14/75.23 2.919/2.962	71.32 2.808
20	78.11/79.20 3.075/3.118	75.29 2.964
21	82.07/83.16 3.231/3.274	79.25 3.120
22	86.03/87.12 3.387/3.430	83.21 3.276
23	89.94/91.08 3.541/3.586	87.17 3.432
24	93.85/95.00 3.695/3.740	91.14 3.588

1.70
.067
DIA.
TYP

PCB LAYOUT:COMPONENT SIDE
RECOMMENDED PCB THICKNESS:
(1.57±.18)/.062±.007

ADD DIMENSION	EC NO: UCP2006-2296	2006/04/27	2006/04/28	2006/04/28
DRWN:PRIDDER	CHKD:ADERR	APPR:FSMITH		
REV	A2			

QUALITY SYMBOLS
▽=0
▽=0

GENERAL TOLERANCES (UNLESS SPECIFIED)

	mm	INCH
4 PLACES	± ---	± ---
3 PLACES	± ---	± .010
2 PLACES	± 0.25	± .015
1 PLACE	± 0.38	± ---
ANGULAR ±1/2°		

DRAFT WHERE APPLICABLE
MUST REMAIN
WITHIN DIMENSIONS

DIMENSION STYLE	SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION
MM/IN	2:1	INCH	THIRD ANGLE PROJECTION
DRAWN BY	DATE	TITLE KK .156 HEADER ASSEMBLY FRICTION LOCK BREAKAWAY RIGHT ANGLE (LEAD-FREE)	
JSCHAER	12-5-03		
CHECKED BY	DATE		
KSAMIEC	12-12-03		
APPROVED BY	DATE	MOLEX MOLEX INCORPORATED	
MARGULIS	12-16-03		
MATERIAL NO.	SEE CHART	DOCUMENT NO.	SHEET NO.

SEE CHART

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

	<table border="1"> <tr><td>Header No:</td><td>41186-A-AN</td></tr> <tr><td>Pin No:</td><td>43294-0570</td></tr> <tr><td>Pin Length L</td><td>1.100 / 27.90</td></tr> <tr><td>Mating M</td><td>.450 / 11.43</td></tr> <tr><td>Gold:</td><td>.270 / 6.86</td></tr> <tr><td>Bend Height: Y</td><td>.213 / 5.41</td></tr> <tr><td>PC Tail P</td><td>.212 / 5.38</td></tr> <tr><td>Tin:</td><td>.200 / 5.08</td></tr> <tr><td>Pack Per</td><td>PK-41672-001</td></tr> </table>	Header No:	41186-A-AN	Pin No:	43294-0570	Pin Length L	1.100 / 27.90	Mating M	.450 / 11.43	Gold:	.270 / 6.86	Bend Height: Y	.213 / 5.41	PC Tail P	.212 / 5.38	Tin:	.200 / 5.08	Pack Per	PK-41672-001	<table border="1"> <tr><td>Header No:</td><td></td></tr> <tr><td>Pin No:</td><td></td></tr> <tr><td>Pin Length L</td><td></td></tr> <tr><td>Mating M</td><td></td></tr> <tr><td>Gold:</td><td></td></tr> <tr><td>Bend Height: Y</td><td></td></tr> <tr><td>PC Tail P</td><td></td></tr> <tr><td>Tin:</td><td></td></tr> <tr><td>Pack Per</td><td></td></tr> </table>	Header No:		Pin No:		Pin Length L		Mating M		Gold:		Bend Height: Y		PC Tail P		Tin:		Pack Per		<table border="1"> <tr><td>Header No:</td><td></td></tr> <tr><td>Pin No:</td><td></td></tr> <tr><td>Pin Length L</td><td></td></tr> <tr><td>Mating M</td><td></td></tr> <tr><td>Gold:</td><td></td></tr> <tr><td>Bend Height: Y</td><td></td></tr> <tr><td>PC Tail P</td><td></td></tr> <tr><td>Tin:</td><td></td></tr> <tr><td>Pack Per</td><td></td></tr> </table>	Header No:		Pin No:		Pin Length L		Mating M		Gold:		Bend Height: Y		PC Tail P		Tin:		Pack Per		<table border="1"> <tr><td>Header No:</td><td></td></tr> <tr><td>Pin No:</td><td></td></tr> <tr><td>Pin Length L</td><td></td></tr> <tr><td>Mating M</td><td></td></tr> <tr><td>Gold:</td><td></td></tr> <tr><td>Bend Height: Y</td><td></td></tr> <tr><td>PC Tail P</td><td></td></tr> <tr><td>Tin:</td><td></td></tr> <tr><td>Pack Per</td><td></td></tr> </table>	Header No:		Pin No:		Pin Length L		Mating M		Gold:		Bend Height: Y		PC Tail P		Tin:		Pack Per	
Header No:	41186-A-AN																																																																											
Pin No:	43294-0570																																																																											
Pin Length L	1.100 / 27.90																																																																											
Mating M	.450 / 11.43																																																																											
Gold:	.270 / 6.86																																																																											
Bend Height: Y	.213 / 5.41																																																																											
PC Tail P	.212 / 5.38																																																																											
Tin:	.200 / 5.08																																																																											
Pack Per	PK-41672-001																																																																											
Header No:																																																																												
Pin No:																																																																												
Pin Length L																																																																												
Mating M																																																																												
Gold:																																																																												
Bend Height: Y																																																																												
PC Tail P																																																																												
Tin:																																																																												
Pack Per																																																																												
Header No:																																																																												
Pin No:																																																																												
Pin Length L																																																																												
Mating M																																																																												
Gold:																																																																												
Bend Height: Y																																																																												
PC Tail P																																																																												
Tin:																																																																												
Pack Per																																																																												
Header No:																																																																												
Pin No:																																																																												
Pin Length L																																																																												
Mating M																																																																												
Gold:																																																																												
Bend Height: Y																																																																												
PC Tail P																																																																												
Tin:																																																																												
Pack Per																																																																												
Ckts	Material No	Engineer Number	Material No	Engineer Number	Material No	Engineer Number	Material No	Engineer Number																																																																				
2																																																																												
3																																																																												
4																																																																												
5																																																																												
6	50-29-1898	A-41672-B06A228																																																																										
7																																																																												
8																																																																												
9																																																																												
10																																																																												
11																																																																												
12																																																																												
13																																																																												
14																																																																												
15																																																																												
16																																																																												
17																																																																												
18																																																																												
19																																																																												
20																																																																												
21																																																																												
22																																																																												
23																																																																												
24																																																																												

REV: A1	ECR/ECN INFORMATION:	TITLE: KK 156 HEADER ASSEMBLY FRICTION LOCK BREAKAWAY RIGHT ANGLE (LEAD-FREE)	SHEET No. - 2 -	
	EC No.: UCP2006-1776			
	DATE: 4/11/2006			
DOCUMENT NUMBER: SD- 41672 -002		CREATED / REVISED BY: ADERR	CHECKED BY: SSOUSEK	APPROVED BY: FSMITH