

TRK 2,5 GY

Order No.: 2701019

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=2701019>Transformer terminal block, twin terminal block version for mounting
on mounting rail or coils**Commercial data**

EAN	4017918060411
Pack	50 Pcs.
Customs tariff	85369010
Weight/Piece	0.00857 KG

Product notesWEEE/RoHS-compliant since:
02/16/2005

<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Certificates / Approvals

Approval logo



CSA

Nominal voltage U_N	600 V
Nominal current I_N	25 A
AWG/kcmil	18-12

CUL


Nominal voltage U_N	600 V
Nominal current I_N	20 A
AWG/kcmil	22-12

UL

Nominal voltage U_N	600 V
Nominal current I_N	20 A
AWG/kcmil	22-12
Certification	BV, CSA, CUL, DNV, GL, GOST, IMQ, LR, NK, RS, UL

Drawings

Dimensioned drawing



TRK 2,5 GY Order No.: 2701019

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=2701019>

Address

PHOENIX CONTACT GmbH & Co. KG
Flachsmarktstr. 8
32825 Blomberg, Germany
Phone +49 5235 3 00
Fax +49 5235 3 41200
<http://www.phoenixcontact.de>



© 2008 Phoenix Contact
Technical modifications reserved;