

10 9 8 7 6 5 4 3 2 1

F




E

D

C

B

A






© LEGEND

SD-35363-\*\*\*

CKT NO. COLOR

- 0 : NATURAL
- 1 : BLACK
- 2 : RED
- 3 : YELLOW
- 4 : BLUE
- 5 : GREEN



|      |      |    |            |     |
|------|------|----|------------|-----|
| 32.3 | 31.3 | 28 | -15 *      | 15  |
| 30.3 | 29.3 | 26 | -14 *      | 14  |
| 28.3 | 27.3 | 24 | -13 *      | 13  |
| 26.3 | 25.3 | 22 | -12 *      | 12  |
| 24.3 | 23.3 | 20 | -11 *      | 11  |
| 22.3 | 21.3 | 18 | -10 *      | 10  |
| 20.3 | 19.3 | 16 | -09 *      | 9   |
| 18.3 | 17.3 | 14 | -08 *      | 8   |
| 16.3 | 15.3 | 12 | -07 *      | 7   |
| 14.3 | 13.3 | 10 | -06 *      | 6   |
| 12.3 | 12.3 | 8  | -05 *      | 5   |
| 10.3 | 9.3  | 6  | 35363-04 * | 4   |
| (C)  | (B)  | A  | ENG. NO.   | CKT |



- NOTES
- ① MATERIAL : UNFILLED POLYAMIDE, UL94V-0
  - ② MATING HOUSING : 35007-\*\*\*0\*  
MATING TERMINAL : 50212-8000
  - ③ CHAMBER : 0.3 MAX.
  - ④ KINK

| CKT NO     | 1 | 2 | 3 | 4 | 5 | N-2 | N-1 | N |
|------------|---|---|---|---|---|-----|-----|---|
| 6 CKT OVER | - | A | B | - | - | B   | A   | - |
| 5 CKT      | A | B | - | B | A |     |     |   |
| 4 CKT      | A | B | B | A |   |     |     |   |


5. PRODUCT SPECIFICATION NO : PS-35507-001

|                                                                                  |                               |                                                            |  |                            |                    |                                                                                                                                  |                        |                        |  |  |
|----------------------------------------------------------------------------------|-------------------------------|------------------------------------------------------------|--|----------------------------|--------------------|----------------------------------------------------------------------------------------------------------------------------------|------------------------|------------------------|--|--|
| REVISED<br>EC NO: KOR2008-0018<br>DRWN: JHBAE<br>CHKD: YSOKIM<br>APPR: YUNSIKKIM | QUALITY SYMBOLS<br>▽=0<br>◻=0 | GENERAL TOLERANCES (UNLESS SPECIFIED)                      |  | DIMENSION STYLE<br>MM ONLY |                    | SCALE<br>5:1                                                                                                                     | DESIGN UNITS<br>METRIC | THIRD ANGLE PROJECTION |  |  |
|                                                                                  |                               |                                                            |  | DRAWN BY<br>YSOKIM         | DATE<br>1996/09/11 | TITLE<br>2.0 W/B CONN<br>WAFFER ASSY<br>(R/A)                                                                                    |                        |                        |  |  |
|                                                                                  |                               |                                                            |  | CHECKED BY<br>JKOH         | DATE<br>1996/09/11 | MOLEX INCORPORATED                                                                                                               |                        |                        |  |  |
|                                                                                  |                               |                                                            |  | APPROVED BY<br>CWLEE       | DATE<br>1996/09/11 |                                                                                                                                  |                        |                        |  |  |
|                                                                                  |                               |                                                            |  | MATERIAL NO.               |                    | DOCUMENT NO.                                                                                                                     |                        |                        |  |  |
| G1                                                                               | REV                           | DRAFT WHERE APPLICABLE<br>MUST REMAIN<br>WITHIN DIMENSIONS |  | ENTER PART                 |                    | SD-35363-001                                                                                                                     |                        |                        |  |  |
|                                                                                  |                               |                                                            |  | SIZE<br>A3                 |                    | THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX<br>INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION |                        |                        |  |  |

9 8 7 6 5 4 3 2 1



FOR 2 & 3 CKTS.



### LEGEND

|               |   |       |             |
|---------------|---|-------|-------------|
| SD-35363-***  | * | COLOR | 0 : NATURAL |
| CKT NO. _____ |   |       | 1 : BLACK   |
|               |   |       | 2 : RED     |
|               |   |       | 3 : YELLOW  |
|               |   |       | 4 : BLUE    |
|               |   |       | 5 : GREEN   |





### NOTES

1. MATERIAL : UNFILLED POLYAMIDE, UL94V-0
2. MATING HOUSING : 35007-\*\*\*0\*
- MATING TERMINAL : 50212-8000
3. CHAMBER : 0.3 MAX.
4. KINK

| CKT NO. | 1    | 2    | 3 |
|---------|------|------|---|
| 2 CKT   | NONE | KINK |   |
| 3 CKT   | A    | B    | A |

5. PRODUCT SPECIFICATION NO : PS-35507-001

|     |     |     |   |            |     |
|-----|-----|-----|---|------------|-----|
| 9.7 | 8.3 | 7.3 | 4 | -031*      | 3   |
| 7.7 | 6.3 | 5.3 | 2 | 35363-021* | 2   |
| (D) | (C) | (B) | A | ENG. NO.   | CKT |



|                   |       |
|-------------------|-------|
| 30 over           | ±0.3  |
| 10 over 30 under  | ±0.25 |
| 10 under          | ±0.2  |
| ANGLE             | ±3°   |
| GENERAL TOLERANCE |       |






REVISED  
EC NO: KOR2008-0018  
DRWN: JHAE  
CHKD: YS00KIM  
APPR: YUNS IKKIM  
G1

QUALITY SYMBOLS  
=0  
=0  
DESCRIPTION  
REV

GENERAL TOLERANCES (UNLESS SPECIFIED)  
mm INCH  
4 PLACES ± --- ± ---  
3 PLACES ± --- ± ---  
2 PLACES ± --- ± ---  
1 PLACE ± 0.15 ± ---  
ANGULAR ± 1 °  
DRAFT WHERE APPLICABLE  
MUST REMAIN  
WITHIN DIMENSIONS

DIMENSION STYLE  
MM ONLY  
DRAWN BY  
YS00KIM  
CHECKED BY  
JKOH  
APPROVED BY  
CWLEE  
MATERIAL NO.  
ENTER PART  
SIZE  
A3

SCALE  
5:1  
DESIGN UNITS  
METRIC  
THIRD ANGLE  
PROJECTION  
2.0 W/B CONN  
WAFER ASSY  
(R/A)  
MOLEX INCORPORATED  
DOCUMENT NO.  
SD-35363-001  
SHEET NO.  
2 OF 3  
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX  
INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION



Ⓐ LEGEND

SD-35363-\*\*\*|\*  
CKT NO. \_\_\_\_\_ COLOR \_\_\_\_\_

0 : NATURAL  
1 : BLACK  
2 : RED  
3 : YELLOW  
4 : BLUE  
Ⓑ 5 : GREEN

|      |      |    |            |     |
|------|------|----|------------|-----|
| 42.3 | 41.3 | 38 | 35363-20 * | 20  |
| (C)  | (B)  | A  | ENG. NO.   | CKT |

| CKT \ CKT NO | 1 | 2 | 3 | 4 | N-3 | N-2 | N-1 | N |
|--------------|---|---|---|---|-----|-----|-----|---|
| 20           | — | A | B | — | —   | B   | A   | — |

|                  |               |
|------------------|---------------|
| 30 over          | $\pm 0.3$     |
| 10 over 30 under | $\pm 0.25$    |
| 10 under         | $\pm 0.2$     |
| ANGLE            | $\pm 3^\circ$ |

|                     |            |
|---------------------|------------|
| REVISED             | 2009/01/14 |
| EC NO: KOR2008-0018 | 2009/01/14 |
| DRWN: JHBAE         | 2009/01/14 |
| CH'KD: YS00K IM     | 2009/01/15 |
| APPR: YUNS IKK IM   |            |

 = 0  
 = 0

|               | mm     | INCH  |
|---------------|--------|-------|
| 4 PLACES      | ± ---  | ± --- |
| 3 PLACES      | ± ---  | ± --- |
| 2 PLACES      | ± ---  | ± --- |
| 1 PLACE       | ± 0.15 | ± --- |
| ANGULAR ± 1 ° |        |       |

DRAFT WHERE APPLICABLE  
MUST REMAIN  
WITHIN DIMENSIONS

|             |            |
|-------------|------------|
| DRAWN BY    | DATE       |
| YSOOKIM     | 1996/09/11 |
| CHECKED BY  | DATE       |
| JKOH        | 1996/09/11 |
| APPROVED BY | DATE       |
| CWLEE       | 1996/09/11 |

2.0 W/B CONN  
WAFER ASSY  
(R/A)



MOLEX INCORPORATED

DOCUMENT NO.

SD-35363-001

SHEET NO.  
3 OF 3

|          |   |
|----------|---|
| MATERIAL | E |
| SIZE     | A |

ENTER PART

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX  
INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION