

10

9

8

7

6

5

4

3

2

1

注記
NOTES

1. 材料ハウジング：ガラス繊維 15% 入り PBTP (UL94V-0), 黒色
ターミナル：リン青銅
MATERIAL HOUSING : PBTP (15%G.F.), UL94V-0, BLACK
TERMINAL : PHOS.BRO.

2. 適用電線：1.27ピッチリボンケーブル 被覆外径：φ1.14 MAX.
芯線：AWG#26 ~ #28 (芯線 7 本構成)
FOR USE WITH AWG#26 & #28 STRANDED WIRE
(CONSISTS OF 7 CONDUCTORS) AND #28 SOLID WIRE.
1.14 DIA. MAX. INSULATION RIBBON CABLE WITH 1.27 CENTERS.

3. 適合ストレーンリリーフ：5328-N
MATES WITH STRAIN RELIEF OF 5328 SERIES

4. 嵌合相手：5330,5332,5340,5342 シリーズ
MATES WITH CONNECTOR SIRIES OF 5330,5332,5340 & 5342

5. 使用符号の説明 LEGEND
5320 - N A * - *
ベースナンバー
BASE NUMBER
極数
CIRCUIT SIZE
アッパハウジング分岐タイプ
UNLOADED UPPER HOUSING
ターミナルのメッキコート
PLATING CODE OF TERMINAL

ハウジングの色
MATERIAL COLOR
BLANK : BLACK
GY : GLAY

△トレードマーク：MX プラス 1 文字の製造工場を示すアルファベットにて構成
但し、"J" は JAPAN を示す。(例 MX J)
キャビティ番号：1 桁の数字で表示
金型番号：アルファベット 1 文字にて構成。
部品番号：5327 と表示
FORMED BY MX AND 1 MORE LETTER OF ALPHABET WHICH MEAN
THE MANUFACTORY, BUT "J" MEANS JAPAN. (TO TRADE MARK) (e.g. MXJ)
AND BY 1 DIGIT NUMBER (TO CAVITY NO.)
AND BY 1 LETTER OF ALPHABET (TO MOLD NO.)
PART NO.1 INDICATE 5327

△部品番号：5325 と表示
その他は △ と同内容で記載
PART NO. : INDICATE 5325
INDICATE THE SAME △, OTHERWISE ENG.NO.

39-53 -56415320-64AGS37F-GY39-53 -56405320-64AGS27F-GY39-53 -46495320-64AGS17F-GY

↑-5601↑-60AGS37F-GY↑-5600↑-60AGS27F-GY↑-4609↑-60AGS17F-GY

-5501-50AGS37F-GY-5500-50AGS27F-GY-4509-50AGS17F-GY39-53 -45085320-50AGS47F

-5401-40AGS37F-GY-5400-40AGS27F-GY-4409-40AGS17F-GY

-5341-34AGS37F-GY-5340-34AGS27F-GY-4349-34AGS17F-GY-4348-34AGS47F

-5301-30AGS37F-GY-5300-30AGS27F-GY-4309-30AGS17F-GY

-5261-26AGS37F-GY-5260-26AGS27F-GY-4269-26AGS17F-GY-4268-26AGS47F

-5201-20AGS37F-GY-5200-20AGS27F-GY-4209-20AGS17F-GY

-5161-16AGS37F-GY-5160-16AGS27F-GY-4169-16AGS17F-GY-4168-16AGS47F

-5141-14AGS37F-GY-5140-14AGS27F-GY-4149-14AGS17F-GY39-53 -41485320-14AGS47F

↓

39-53 -51015320-10AGS37F-GY39-53 -51005320-10AGS27F-GY39-53 -41095320-10AGS17F-GY

EDP NO.ENG. NO.EDP NO.ENG. NO.EDP NO.-NG. NO.EDP NO.ENG. NO.

5320-NAGS37F-GY -LEAD FREE-5320-NAGS27F-GY -LEAD FREE-5320-NAGS17F-GY -LEAD FREE-5320-NAGS47F -LEAD FREE-5320-NAGS37F -LEAD FREE-5320-NAGS27F -LEAD FREE-5320-NAGS17F -LEAD FREE-

39-51-76475320-64AGS3-GY39-51-76465320-64AGS2-GY39-51-76455320-64AGS1-GY

↑-7607↑-60AGS3-GY↑-7606↑-60AGS2-GY↑-7605↑-60AGS1-GY

-7507-50AGS3-GY-7506-50AGS2-GY-7505-50AGS1-GY39-51-85095320-50AGS4

-7407-40AGS3-GY-7406-40AGS2-GY-7405-40AGS1-GY

-7347-34AGS3-GY-7346-34AGS2-GY-7345-34AGS1-GY-8349-34AGS4

-7307-30AGS3-GY-7306-30AGS2-GY-7305-30AGS1-GY

-7267-26AGS3-GY-7266-26AGS2-GY-7265-26AGS1-GY-8269-26AGS4

-7207-20AGS3-GY-7206-20AGS2-GY-7205-20AGS1-GY

-7167-16AGS3-GY-7166-16AGS2-GY-7165-16AGS1-GY-8169-16AGS4

-7147-14AGS3-GY-7146-14AGS2-GY-7145-14AGS1-GY39-51-81495320-14AGS4

↓

39-51-71075320-10AGS3-GY39-51-71065320-10AGS2-GY39-51-71055320-10AGS1-GY

EDP NO.ENG. NO.EDP NO.ENG. NO.EDP NO.ENG. NO.

5320-NAGS3-GY5320-NAGS2-GY5320-NAGS1-GY5320-NAGS45320-NAGS35320-NAGS25320-NAGS1

646050444034302620161210

39-51-06055320-60AG315-29-36025320-60AG215-29-36015320-60AG1

39-52-15045320-50AT2↑-0505↑-50AG3↑-3502↑-50AG2↑-3501↑-50AG1

↑-1404↑-40AT2↑-0405↑-40AG3↑-3402↑-40AG2↑-3401↑-40AG1

-1344-34AT2-0345-34AG3-3342-34AG2-3341-34AG1

-1304-30AT2-3301-30AG1

-1264-26AT2-0265-26AG3-3262-26AG2-3261-26AG1

-1204-20AT2-0205-20AG3-3202-20AG2-3201-20AG1

-1164-16AT2-0165-16AG3-3162-16AG2-3161-16AG1

-1144-14AT2-0145-14AG3-3142-14AG2-3141-14AG1

↓

39-52-11045320-10AT239-51-01055320-10AG315-29-31025320-10AG215-29-31015320-10AG1

EDP NO.ENG. NO.EDP NO.ENG. NO.EDP NO.ENG. NO.EDP NO.ENG. NO.

5320-NAT2-LEAD FREE-5320-NAG35320-NAG25320-NAG1

646050444034302620161210

39-51-06055320-60AG315-29-36025320-60AG215-29-36015320-60AG1

39-52-15045320-50AT2↑-0505↑-50AG3↑-3502↑-50AG2↑-3501↑-50AG1

↑-1404↑-40AT2↑-0405↑-40AG3↑-3402↑-40AG2↑-3401↑-40AG1

-1344-34AT2-0345-34AG3-3342-34AG2-3341-34AG1

-1304-30AT2-3301-30AG1

-1264-26AT2-0265-26AG3-3262-26AG2-3261-26AG1

-1204-20AT2-0205-20AG3-3202-20AG2-3201-20AG1

-1164-16AT2-0165-16AG3-3162-16AG2-3161-16AG1

-1144-14AT2-0145-14AG3-3142-14AG2-3141-14AG1

↓

39-52-11045320-10AT239-51-01055320-10AG315-29-31025320-10AG215-29-31015320-10AG1

EDP NO.ENG. NO.EDP NO.ENG. NO.EDP NO.ENG. NO.EDP NO.ENG. NO.

5320-NAT2-LEAD FREE-5320-NAG35320-NAG25320-NAG1

646050444034302620161210

39-51-06055320-60AG315-29-36025320-60AG215-29-36015320-60AG1

39-52-15045320-50AT2↑-0505↑-50AG3↑-3502↑-50AG2↑-3501↑-50AG1

↑-1404↑-40AT2↑-0405↑-40AG3↑-3402↑-40AG2↑-3401↑-40AG1

-1344-34AT2-0345-34AG3-3342-34AG2-3341-34AG1

-1304-30AT2-3301-30AG1

-1264-26AT2-0265-26AG3-3262-26AG2-3261-26AG1

-1204-20AT2-0205-20AG3-3202-20AG2-3201-20AG1

-1164-16AT2-0165-16AG3-3162-16AG2-3161-16AG1

-1144-14AT2-0145-14AG3-3142-14AG2-3141-14AG1

↓

39-52-11045320-10AT239-51-01055320-10AG315-29-31025320-10AG215-29-31015320-10AG1

EDP NO.ENG. NO.EDP NO.ENG. NO.EDP NO.ENG. NO.EDP NO.ENG. NO.

5320-NAT2-LEAD FREE-5320-NAG35320-NAG25320-NAG1

646050444034302620161210

39-51-06055320-60AG315-29-36025320-60AG215-29-36015320-60AG1

39-52-15045320-50AT2↑-0505↑-50AG3↑-3502↑-50AG2↑-3501↑-50AG1

↑-1404↑-40AT2↑-0405↑-40AG3↑-3402↑-40AG2↑-3401↑-40AG1

-1344-34AT2-0345-34AG3-3342-34AG2-3341-34AG1

-1304-30AT2-3301-30AG1

-1264-26AT2-0265-26AG3-3262-26AG2-3261-26AG1

-1204-20AT2-0205-20AG3-3202-20AG2-3201-20AG1

-1164-16AT2-0165-16AG3-3162-16AG2-3161-16AG1

-1144-14AT2-0145-14AG3-3142-14AG2-3141-14AG1

↓

39-52-11045320-10AT239-51-01055320-10AG315-29-31025320-10AG215-29-31015320-10AG1

EDP NO.ENG. NO.EDP NO.ENG. NO.EDP NO.ENG. NO.EDP NO.ENG. NO.

5320-NAT2-LEAD FREE-5320-NAG35320-NAG25320-NAG1

646050444034302620161210

39-51-06055320-60AG315-29-36025320-60AG215-29-36015320-60AG1

39-52-15045320-50AT2↑-0505↑-50AG3↑-3502↑-50AG2↑-3501↑-50AG1

↑-1404↑-40AT2↑-0405↑-40AG3↑-3402↑-40AG2↑-3401↑-40AG1

-1344-34AT2-0345-34AG3-3342-34AG2-3341-34AG1

-1304-30AT2-3301-30AG1

-1264-26AT2-0265-26AG3-3262-26AG2-3261-26AG1

-1204-20AT2-0205-20AG3-3202-20AG2-3201-20AG1

-1164-16AT2-0165-16AG3-3162-16AG2-3161-16AG1

-1144-14AT2-0145-14AG3-3142-14AG2-3141-14AG1

↓

39-52-11045320-10AT239-51-01055320-10AG315-29-31025320-10AG215-29-31015320-10AG1

EDP NO.ENG. NO.EDP NO.ENG. NO.EDP NO.ENG. NO.EDP NO.ENG. NO.

5320-NAT2-LEAD FREE-5320-NAG35320-NAG25320-NAG1

646050444034302620161210

39-51-06055320-60AG315-29-36025320-60AG215-29-36015320-60AG1

39-52-15045320-50AT2↑-0505↑-50AG3↑-3502↑-50AG2↑-3501↑-50AG1

↑-1404↑-40AT2↑-0405↑-40AG3↑-3402↑-40AG2↑-3401↑-40AG1

-1344-34AT2-0345-34AG3-3342-34AG2-3341-34AG1

-1304-30AT2-3301-30AG1

-1264-26AT2-0265-26AG3-3262-26AG2-3261-26AG1

-1204-20AT2-0205-20AG3-3202-20AG2-3201-20AG1

-1164-16AT2-0165-16AG3-3162-16AG2-3161-16AG1

-1144-14AT2-0145-14AG3-3142-14AG2-3141-14AG1

↓

39-52-11045320-10AT239-51-01055320-10AG315-29-31025320-10AG215-29-31015320-10AG1

EDP NO.ENG. NO.EDP NO.ENG. NO.EDP NO.ENG. NO.EDP NO.ENG. NO.

5320-NAT2-LEAD FREE-5320-NAG35320-NAG25320-NAG1

646050444034302620161210

39-51-06055320-60AG315-29-36025320-60AG215-29-36015320-60AG1

39-52-15045320-50AT2↑-0505↑-50AG3↑-3502↑-50AG2↑-3501↑-50AG1

↑-1404↑-40AT2↑-0405↑-40AG3↑-3402↑-40AG2↑-3401↑-40AG1

-1344-34AT2-0345-34AG3-3342-34AG2-3341-34AG1

-1304-30AT2-3301-30AG1

-1264-26AT2-0265-26AG3-3262-26AG2-3261-26AG1

-1204-20AT2-0205-20AG3-3202-20AG2-3201-20AG1

-1164-16AT2-0165-16AG3-3162-16AG2-3161-16AG1

-1144-14AT2-0145-14AG3-3142-14AG2-3141-14AG1

↓

39-52-11045320-10AT239-51-01055320-10AG315-29-31025320-10AG215-29-31015320-10AG1

EDP NO.ENG. NO.EDP NO.ENG. NO.EDP NO.ENG. NO.EDP NO.ENG. NO.

5320-NAT2-LEAD FREE-5320-NAG35320-NAG25320-NAG1

646050444034302620161210

39-51-06055320-60AG315-29-36025320-60AG215-29-36015320-60AG1

39-52-15045320-50AT2↑-0505↑-50AG3↑-3502↑-50AG2↑-3501↑-50AG1

↑-1404↑-40AT2↑-0405↑-40AG3↑-3402↑-40AG2↑-3401↑-40AG1

-1344-34AT2-0345-34AG3-3342-34AG2-3341-34AG1

-1304-30AT2-3301-30AG1

-1264-26AT2-0265-26AG3-3262-26AG2-3261-26AG1

-1204-20AT2-0205-20AG3-3202-20AG2-3201-20AG1

-1164-16AT2-0165-16AG3-3162-16AG2-3161-16AG1

-1144-14AT2-0145-14AG3-3142-14AG2-3141-14AG1

↓

39-52-11045320-10AT239-51-01055320-10AG315-29-31025320-10AG215-29-31015320-10AG1

EDP NO.ENG. NO.EDP NO.ENG. NO.EDP NO.ENG. NO.EDP NO.ENG. NO.

5320-NAT2-LEAD FREE-5320-NAG35320-NAG25320-NAG1

646050444034302620161210

39-51-06055320-60AG315-29-36025320-60AG215-29-36015320-60AG1

39-52-15045320-50AT2↑-0505↑-50AG3↑-3502↑-50AG2↑-3501↑-50AG1

↑-1404↑-40AT2↑-0405↑-40AG3↑-3402↑-40AG2↑-3401↑-40AG1

-1344-34AT2-0345-34AG3-3342-34AG2-3341-34AG1

-1304-30AT2-3301-30AG1

-1264-26AT2-0265-26AG3-3262-26AG2-3261-26AG1

-1204-20AT2-0205-20AG3-3202-20AG2-3201-20AG1

-1164-16AT2-0165-16AG3-3162-16AG2-3161-16AG1

-1144-14AT2-0145-14AG3-3142-14AG2-3141-14AG1

↓

39-52-11045320-10AT239-51-01055320-10AG315-29-31025320-10AG215-29-31015320-10AG1

EDP NO.ENG. NO.EDP NO.ENG. NO.EDP NO.ENG. NO.EDP NO.ENG. NO.

5320-NAT2-LEAD FREE-5320-NAG35320-NAG25320-NAG1

646050444034302620161210

39-51-06055320-60AG315-29-36025320-60AG215-29-36015320-60AG1

39-52-15045320-50AT2↑-0505↑-50AG3↑-3502↑-50AG2↑-3501↑-50AG1

↑-1404↑-40AT2↑-0405↑-40AG3↑-3402↑-40AG2↑-3401↑-40AG1

-1344-34AT2-0345-34AG3-3342-34AG2-3341-34AG1

-1304-30AT2-3301-30AG1

-1264-26AT2-0265-26AG3-3262-26AG2-3261-26AG1

-1204-20AT2-0205-20AG3-3202-20AG2-3201-20AG1

-1164-16AT2-0165-16AG3-3162-16AG2-3161-16AG1

-1144-14AT2-0145-14AG3-3142-14AG2-3141-14AG1

↓

39-52-11045320-10AT239-51-01055320-10AG315-29-31025320-10AG215-29-31015320-10AG1

EDP NO.ENG. NO.EDP NO.ENG. NO.EDP NO.ENG. NO.EDP NO.ENG. NO.

5320-NAT2-LEAD FREE-5320-NAG35320-NAG25320-NAG1

646050444034302620161210

39-51-06055320-60AG315-29-36025320-60AG215-29-36015320-60AG1

39-52-15045320-50AT2↑-0505↑-50AG3↑-3502↑-50AG2↑-3501↑-50AG1

↑-1404↑-40AT2↑-0405↑-40AG3↑-3402↑-40AG2↑-3401↑-40AG1

-1344-34AT2-0345-34AG3-3342-34AG2-3341-34AG1

-1304-30AT2-3301-30AG1

-1264-26AT2-0265-26AG3-3262-26AG2-3261-26AG1

-1204-20AT2-0205-20AG3-3202-20AG2-3201-20AG1

-1164-16AT2-0165-16AG3-3162-16AG2-3161-16AG1

-1144-14AT2-0145-14AG3-3142-14AG2-3141-14AG1

↓

39-52-11045320-10AT239-51-01055320-10AG315-29-31025320-10AG215-29-31015320-10AG1

EDP NO.ENG. NO.EDP NO.ENG. NO.EDP NO.ENG. NO.EDP NO.ENG. NO.

5320-NAT2-LEAD FREE-5320-NAG35320-NAG25320-NAG1

646050444034302620161210

39-51-06055320-60AG315-29-36025320-60AG215-29-36015320-60AG1

39-52-15045320-50AT2↑-0505↑-50AG3↑-3502↑-50AG2↑-3501↑-50AG1

↑-1404↑-40AT2↑-0405↑-40AG3↑-3402↑-40AG2↑-3401↑-40AG1

-1344-34AT2-0345-34AG3-3342-34AG2-3341-34AG1

-1304-30AT2-3301-30AG1

-1264-26AT2-0265-26AG3-3262-26AG2-3261-26AG1

-1204-20AT2-0205-20AG3-3202-20AG2-3201-20AG1

-1164-16AT2-0165-16AG3-3162-16AG2-3161-16AG1

-1144-14AT2-0145-14AG3-3142-14AG2-3141-14AG1

↓

39-52-11045320-10AT239-51-01055320-10AG315-29-31025320-10AG215-29-31015320-10AG1

EDP NO.ENG. NO.EDP NO.ENG. NO.EDP NO.ENG. NO.EDP NO.ENG. NO.

5320-NAT2-LEAD FREE-5320-NAG35320-NAG25320-NAG1

646050444034302620161210

39-51-06055320-60AG315-29-36025320-60AG215-29-36015320-60AG1

39-52-15045320-50AT2↑-0505↑-50AG3↑-3502↑-50AG2↑-3501↑-50AG1

↑-1404↑-40AT2↑-0405↑-40AG3↑-3402↑-40AG2↑-3401↑-40AG1

-1344-34AT2-0345-34AG3-3342-34AG2-3341-34AG1

-1304-30AT2-3301-30AG1

-1264-26AT2-0265-26AG3-3262-26AG2-3261-26AG1

-1204-20AT2-0205-20AG3-3202-20AG2-3201-20AG1

-1164-16AT2-0165-16AG3-3162-16AG2-3161-16AG1

-1144-14AT2-0145-14AG3-3142-14AG2-3141-14AG1

↓

39-52-11045320-10AT239-51-01055320-10AG315-29-31025320-10AG215-29-31015320-10AG1

EDP NO.ENG. NO.EDP NO.ENG. NO.EDP NO.ENG. NO.EDP NO.ENG. NO.

5320-NAT2-LEAD FREE-5320-NAG35320-NAG25320-NAG1

646050444034302620161210

39-51-06055320-60AG315-29-36025320-60AG215-29-36015320-60AG1

39-52-15045320-50AT2↑-0505↑-50AG3↑-3502↑-50AG2↑-3501↑-50AG1

↑-1404↑-40AT2↑-0405↑-40AG3↑-3402↑-40AG2↑-3401↑-40AG1

-1344-34AT2-0345-34AG3-3342-34AG2-3341-34AG1

-1304-30AT2-3301-30AG1

-1264-26AT2-0265-26AG3-3262-26AG2-3261-26AG1

-1204-20AT2-0205-20AG3-3202-20AG2-3201-20AG1

-1164-16AT2-0165-16AG3-3162-16AG2-3161-16AG1

-1144-14AT2-0145-14AG3-3142-14AG2-3141-14AG1

↓

39-52-11045320-10AT239-51-01055320-10AG315-29-31025320-10AG215-29-31015320-10AG1

EDP NO.ENG. NO.EDP NO.ENG. NO.EDP NO.ENG. NO.EDP NO.ENG. NO.

5320-NAT2-LEAD FREE-5320-NAG35320-NAG25320-NAG1

646050444034302620161210

39-51-06055320-60AG315-29-36025320-60AG215-29-36015320-60AG1

39-52-15045320-50AT2↑-0505↑-50AG3↑-3502↑-50AG2↑-3501↑-50AG1

↑-1404↑-40AT2↑-0405↑-40AG3↑-3402↑-40AG2↑-3401↑-40AG1

-1344-34AT2-0345-34AG3-3342-34AG2-3341-34AG1

-1304-30AT2-3301-30AG1

-1264-26AT2-0265-26AG3-3262-26AG2-3261-26AG1

-1204-20AT2-0205-20AG3-3202-20AG2-3201-20AG1

-1164-16AT2-0165-16AG3-3162-16AG2-3161-16AG1

-1144-14AT2-0145-14AG3-3142-14AG2-3141-14AG1

↓

39-52-11045320-10AT239-51-01055320-10AG315-29-31025320-10AG215-29-31015320-10AG1

EDP NO.ENG. NO.EDP NO.ENG. NO.EDP NO.ENG. NO.EDP NO.ENG. NO.

5320-NAT2-LEAD FREE-5320-NAG35320-NAG25320-NAG1

646050444034302620161210

39-51-06055320-60AG315-29-36025320-60AG215-29-36015320-60AG1

39-52-15045320-50AT2↑-0505↑-50AG3↑-3502↑-50AG2↑-3501↑-50AG1

↑-1404↑-40AT2↑-0405↑-40AG3↑-3402↑-40AG2↑-3401↑-40AG1

-1344-34AT2-0345-34AG3-3342-34AG2-3341-34AG1

-1304-30AT2-3301-30AG1

-1264-26AT2-0265-26AG3-3262-26AG2-3261-26AG1

-1204-20AT2-0205-20AG3-3202-20AG2-3201-20AG1

-1164-16AT2-0165-16AG3-3162-16AG2-3161-16AG1

-1144-14AT2-0145-14AG3-3142-14AG2-3141-14AG1

↓

39-52-11045320-10AT239-51-01055320-10AG315-29-31025320-10AG215-29-31015320-10AG1

EDP NO.ENG. NO.EDP NO.ENG. NO.EDP NO.ENG. NO.EDP NO.ENG. NO.

5320-NAT2-LEAD FREE-5320-NAG35320-NAG25320-NAG1

646050444034302620161210

39-51-06055320-60AG315-29-36025320-60AG215-29-36015320-60AG1

39-52-15045320-50AT2↑-0505↑-50AG3↑-3502↑-50AG2↑-3501↑-50AG1

↑-1404↑-40AT2↑-0405↑-40AG3↑-3402↑-40AG2↑-3401↑-40AG1

-1344-34AT2-0345-34AG3-3342-34AG2-3341-34AG1

-1304-30AT2-3301-30AG1

-1264-26AT2-0265-26AG3-3262-26AG2-3261-

10 9 8 7 6 5 4 3 2 1

F






E

D

C

B

A



NOTES

- MATERIAL
HOUSING : G.F. 15% PBTP (UL94V-0)
TERMINAL : PHOSPHOR BRONZE
- FOR USE WITH AWG#26 & #28 STRANDED WIRE (CONSISTS OF 7 CONDUCTORS) AND #28 SOLID WIRE.
1.14(0.045) DIA. MAX. INSULATION RIBBON CABLE WITH 1.27(0.050) CENTERS.
- MATES WITH STRAIN RELIEF OF 5328 SERIES.
- MATES WITH CONNECTOR SERIES OF 5330,5332,5340,5342,5576 & 5578.
- LEGEND

5320 - N A * - *






BASE NUMBER _____ MATERIAL COLOR
CIRCUIT SIZE _____ BLANK : BLACK
UNLOADED UPPER HOUSING _____ GY : GREY
PLATING CODE OF TERMINAL _____

CODE : *	Δ MARK COLOR	CONTACT AREA PLATE	I. D. AREA PLATE	UNDER PLATE
GS1	YELLOW	GOLD 0.1μm(4μ") MIN.	TIN-LEAD 1 μm(39μ") MIN.	NICKEL 1 μm(39μ") MIN.
GS3	BLUE	GOLD 0.25μm(10μ") MIN.		
LEAD FREE GS17F	YELLOW	GOLD 0.1um(4u") MIN.	TIN 1 μm(39μ") MIN.	
LEAD FREE GS37F	BLUE	GOLD 0.25μm(10μ") MIN.		
LEAD FREE T2	BLACK	TIN 0.9μm(35μ") MIN. REFLOW (PRE-PLATED)	WITHOUT	WITHOUT

64	78.74 (3.100)	82.54 (3.250)	82.71 (3.256)	85.91 (3.382)
60	73.66 (2.900)	77.46 (3.050)	77.63 (3.056)	80.83 (3.182)
50	60.96 (2.400)	64.76 (2.550)	64.93 (2.556)	68.13 (2.682)
40	48.26 (1.900)	52.06 (2.050)	52.23 (2.056)	55.43 (2.182)
34	40.64 (1.600)	44.44 (1.750)	44.61 (1.756)	47.81 (1.882)
30	35.56 (1.400)	39.36 (1.550)	39.53 (1.556)	42.73 (1.682)
26	30.48 (1.200)	34.28 (1.350)	34.45 (1.356)	37.65 (1.482)
20	22.86 (.900)	26.66 (1.050)	26.83 (1.056)	30.03 (1.182)
16	17.78 (.700)	21.58 (.850)	21.75 (.856)	24.95 (.982)
14	15.24 (.600)	19.04 (.750)	19.21 (.756)	22.41 (.882)
12	12.70 (.500)	16.50 (.650)	16.67 (.656)	19.87 (.782)
10	10.16 (.400)	13.96 (.550)	14.13 (.556)	17.33 (.682)
NO. OF CKTS.	DIM. A	DIM. B	DIM. C	DIM. D

REVISED EC NO: J2006-0712 DRAWN: YANAGI MOTO 2005/10/03 CHKD: MITSUNAKA 2005/10/06 APPR: NUKITA 2005/10/14 K	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 4:1	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION	
		10 UNDER	± 0.2	DRAWN BY HIRAMOTO	DATE 1990/07/11	TITLE QIK FLECS FEMALE ASSY ENGLISH ONLY			
		10 OVER 30 UNDER	± 0.25	CHECKED BY MSASAO	DATE				
		30 OVER	± 0.3	APPROVED BY HIKESUGI	DATE	 MOLEX INCORPORATED			
		ANGULAR ±3 °	MATERIAL NO.		DOCUMENT NO.				
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE SHEET 2 OF 2		SD-5320-002		1 OF 2	
		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION							

[illegible]



注記

- 材料 ハウジング : ガラス繊維 15% 入り PBTP (UL94V-0), 黒色
ターミナル : リン青銅
- 適用電線 : 1.27 ピッチリボンケーブル 被覆外径 : $\phi 1.14$ MAX.
より線 : AWG#26 ~ #28 (芯線 7 本構成)
単線 : AWG#28
- 適合ストレイニリリーフ : 5328-N
- 嵌合相手 : 5330, 5332, 5340, 5342 シリーズ
- 使用符号の説明
ベースナンバー _____ 5320 - N A *
極数 _____
アッパーハウジング分離タイプ _____
ターミナルのメッキコード _____

コード:*	△マークの色	接点部メッキ	圧接部メッキ	下地メッキ
GS1	黄	金 $0.1\mu\text{m}$ MIN.	半田 $1\mu\text{m}$ MIN.	ニッケル
GS3	青	金 $0.25\mu\text{m}$ MIN.		$1\mu\text{m}$ MIN.
LEAD FREE GS17F	黄	金 $0.1\mu\text{m}$ MIN.	錫 $1\mu\text{m}$ MIN.	
LEAD FREE GS37F	青	金 $0.25\mu\text{m}$ MIN.		
LEAD FREE T2	黒	錫 $0.9\mu\text{m}$ MIN. リフロー処理 (前メッキ)		

60	73.66	77.46	77.63	80.83
50	60.96	64.76	64.93	68.13
40	48.26	52.06	52.23	55.43
34	40.64	44.44	44.61	47.81
30	35.56	39.36	39.53	42.73
26	30.48	34.28	34.45	37.65
20	22.86	26.66	26.83	30.03
16	17.78	21.58	21.75	24.95
14	15.24	19.04	19.21	22.41
10	10.16	13.96	14.13	17.33
極数	A 寸法	B 寸法	C 寸法	D 寸法

REVISED	EC NO: J2006-0712 DRAWN: A YANAGI MOTO 2005/10/03 CHKD: M TANAKA 2005/10/06 APPR: NUKI I TA 2005/10/14	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 4:1	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION
			10 UNDER	±0.2	DRAWN BY H. HIRAMOTO	DATE 1990/07/10	TITLE QIK FLECS FEMALE ASSY		
			10 OVER 30 UNDER	±0.25	CHECKED BY M. SASAO	DATE			
			30 OVER	±0.3	APPROVED BY H. IKESUGI	DATE	MOLEX INCORPORATED		
			ANGULAR ±3 °	MATERIAL NO.	DOCUMENT NO.				
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE SHEET 2 OF 2		SD-5320-007		
K	REV	SIZE A3	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						

	10	9	8	7	6	5	4	3	2	1		
F												F
E												E
D												D
C												C
B												B
A												A

REVISED	EC NO: J2006-0712 DRAWN: AYANAGI MOTO 2005/10/03 CHKD: MTANAKA 2005/10/06 APPR: NUKITA 2005/10/14	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 4:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	
			10 UNDER	±0.2	DRAWN BY H. HIRAMOTO	DATE 1990/07/10	QIK FLECS FEMALE ASSY			
			10 OVER 30 UNDER	±0.25	CHECKED BY M. SASAO	DATE				
			30 OVER	±0.3	APPROVED BY H. IKESUGI	DATE	MOLEX INCORPORATED			
			ANGULAR	±3 °	MATERIAL NO.	DOCUMENT NO.				
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHART		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			
					SIZE A3					

											60
	39-52-1504		5320-50AT2								50
	▲ -1404		▲ -40AT2								40
	-1344		-34AT2								34
	-1304		-30AT2								30
	-1264		-26AT2								26
	-1204		-20AT2								20
	-1164		-16AT2								16
	▼ -1144		▼ -14AT2								14
	39-52-1104		5320-10AT2								10
	EDP NO.		ENG. NO.								極 数
	5320-NAT2		-LEAD FREE-								
	39-53-3604		5320-60AGS37F			39-51-2602		5320-60AGS3			60
	▲ -3504		▲ -50AGS37F			▲ -2502		▲ -50AGS3			50
	▲ -3404		▲ -40AGS37F			▲ -2402		▲ -40AGS3			40
	▼ -3344		▼ -34AGS37F			-2342		-34AGS3			34
	-3304		-30AGS37F			-2302		-30AGS3			30
	-3264		-26AGS37F			-2262		-26AGS3			26
	-3204		-20AGS37F			-2202		-20AGS3			20
	-3164		-16AGS37F			-2162		-16AGS3			16
	-3144		-14AGS37F			▼ -2142		▼ -14AGS3			14
	39-53-3104		5320-10AGS37F			39-51-2102		5320-10AGS3			10
	EDP NO.		ENG. NO.			EDP NO.		ENG. NO.			極 数
	5320-NAGS37F		-LEAD FREE-			5320-NAGS3					
	39-53-4606		5320-60AGS17F			39-51-2600		5320-60AGS1			60
	▲ -4506		▲ -50AGS17F			▲ -2500		▲ -50AGS1			50
	▲ -4406		▲ -40AGS17F			▲ -2400		▲ -40AGS1			40
	-4346		-34AGS17F			-2340		-34AGS1			34
	-4306		-30AGS17F			-2300		-30AGS1			30
	-4266		-26AGS17F			-2260		-26AGS1			26
	-4206		-20AGS17F			-2200		-20AGS1			20
	-4166		-16AGS17F			-2160		-16AGS1			16
	▼ -4146		▼ -14AGS17F			▼ -2140		▼ -14AGS1			14
	39-53-4106		5320-10AGS17F			39-51-2100		5320-10AGS1			10
	EDP NO.		ENG. NO.			EDP NO.		ENG. NO.			極 数
	5320-NAGS17F		-LEAD FREE-			5320-NAGS1					

tb_frame_A3_J_ME_S Rev. D 2004/04/02	9	8	7	6	5	4	3	2	EN-02JA(021)	
---	---	---	---	---	---	---	---	---	--------------	--