




FCIconnect.com

Copyright FCI

PRODUCT NUMBER  
SEE TABLE



mat'l. code SEE NOTE 3				surface ISO 1302 <input checked="" type="checkbox"/>	tolerance ISO 406 ISO 1101	projection 	product family HPC
ltr	ecn	no	dr	date	tolerances unless otherwise specified	INCH/MM	title
J	V90523	HTB		3/1/99	angles	.XX $\pm$ .01/.3	4 ROW R/A HEADER
K	V00262	JWS		1/26/00	linear	.XXX $\pm$ .005/.13	SOLDER TO BOARD, 0 G.P.
L	V05-0740	DAI		10/7/05	0' $\pm$ 2'	.XXXX $\pm$ .0020/.05	dwg no
M	V05-1040	HTB	11/14/05	dr	D.SHEAFFER	6/5/91	sheet 1 of 3 size
N	M06-0283	MHT	7/27/06	enr	S.CLARK	6/5/91	50122 A3
				chr	S.CLARK	6/5/91	type
				appd	S.CLARK	6/5/91	Product Customer Drawing
sheet	revision	N	N	N			
index	sheet	1	2	3			


form: A3





FCIconnect.com

Copyright FCI

PRODUCT NO.  
SEE TABLE



SECTION U-U



SECTION X-X


mat'l. code SEE NOTE 3				surface ISO 1302 ✓	tolerance ISO 406 ISO 1101	projection INCH/MM	product family HPC
ltr	ec	no	dr	date	tolerances unless otherwise specified	scale 1:1 FCI	title 4 ROW R/A HEADER SOLDER TO BOARD, 0 G.P.
N					angles linear .XX±.01/.3		dwg no
					0'±2' .XXX±.005/.13		sheet 2 of 3 size
					.XXXX±.0020/.05		A3
			dr	D.SHEAFFER	6/5/91		type Product Customer Drawing
			enr	S.CLARK	6/5/91		
			chr	S.CLARK	6/5/91		
			appd	S.CLARK	6/5/91		
sheet index	revision sheet						

form: A3


PRODUCT NUMBER	NUMBER OF POSITIONS SEE NOTE 2	TAIL LENGTH REF.	TERMINAL PLATING
50122 -1YYYY	YYY	.180/4.57	30μ"/.76μ GOLD
50122 -1YYYJ	YYY	.120/3.05	30μ"/.76μ GOLD
50122 -3YYYY	YYY	.180/4.57	50μ"/1.27μ GOLD
50122 -3YYYJ	YYY	.120/3.05	50μ"/1.27μ GOLD
50122 -5YYYY	YYY	.180/4.57	30μ"/.76μ GXT
50122 -5YYYYLF	YYY	.180/4.57	30μ"/.76μ GXT
50122 -5YYYJ	YYY	.120/3.05	30μ"/.76μ GXT
50122 -5YYYJLF	YYY	.120/3.05	30μ"/.76μ GXT

# NOTES:

## 1. PRODUCT NUMBERING CODE:





## PRODUCT NUMBERING CODE FOR SELECT LOAD PART NUMBERS:



- THIS PRODUCT IS CONFIGURED IN SIZES OF 6 THRU 100 COLUMNS IN INCREMENTS OF ONE.  
i.e.: 6,7,8,9,.....98,99,100.
- HOUSING MATERIAL: GLASS AND MINERAL FILLED HIGH TEMP. THERMOPLASTIC. FLAME RETARDANT PER UL94V-0. COLOR: BLACK.  
PIN MATERIAL: PHOS. BRONZE
- MANUFACTURE'S NAME, P/N, AND LOT CODE TO APPEAR ON THIS SURFACE PER BUS-12-108.
- LENGTH FORMULAS:  
DIM "A" = .100/2.54 x NO. OF COLUMNS + .75/19.1  
DIM "B" = .100/2.54 x NO. OF COLUMNS + .450/11.43  
DIM "C" = .100/2.54 x NO. OF COLUMNS - .100/2.54

- THIS PRODUCT (WITH "LF" SUFFIX) MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.
- THIS HOUSING WILL WITHSTAND EXPOSURE TO 260° C PEAK TEMPERATURE FOR 10-30 SECONDS IN A CONVECTION, INFRA-RED OR VAPOR PHASE REFLOW OVEN.

mat'l. code SEE NOTE 3				surface ISO 1302 ✓	tolerance ISO 406 ISO 1101	projection INCH/MM	product family HPC
ltr	ecr	no	dr	date	tolerances unless otherwise specified		title
N					angles linear .XX±.01/.3		4 ROW R/A HEADER
					0'±2' .XXX±.005/.13		SOLDER TO BOARD, 0 G.P.
					xxx±.0020/.051		scale 1:1
				dr	D.SHEAFFER 6/5/91		dwg no
				enr	S.CLARK 6/5/91		sheet 3 of 3 size
				chr	S.CLARK 6/5/91		50122 A3
				appd	S.CLARK 6/5/91		type Product Customer Drawing
sheet index	revision sheet						

form: A3