


NOTES

- ターミナル及びネイルの平坦度は0.1MAX.とする。
COPLANARITY OF TERMINAL AND NAIL IS TO BE 0.1MAX.
- スタンドオフ寸法
DIMENSIONS OF STAND OFF.
- ロット印字は任意とする
LOT NUMBERING IS TO BE OPTIONAL.
- 肉抜き位置は任意とする。
CAVITY IS TO BE OPTIONAL.
- カード検知スイッチ
DETECT SWITCH

カード挿入時 CARD INSERTING POSITION	クローズ CLOSE
カード未挿入時 NO CARD	オープン OPEN

- ELV及びRoHS適合品
ELV AND RoHS COMPLIANT


ロットNo. : 6 7 0 7 0
 月 7 : 7月
 日 07 : 07日
 西暦 (1桁目) : 6 : 2006年
 THE YEAR OF GRACE : 6 : 2006年
 ラインNo. LINE No.



RECOMMENDED PCB PATTERN LAYOUT
 GENERAL TOLERANCE : ±0.05

EMBOSSD TAPE	502702-0891	502702-08**
CONNECTOR ONLY	502702-0811	
PACKAGE	MATERIAL NO.	MODEL NO.

DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION
DRAWN BY M. NABEI	DATE '08/02/22	TITLE MICRO SD CARD CONN. NORMAL LOW-PROFILE ASS'Y		
CHECKED BY T. HARUYAMA	DATE '08/02/22			
APPROVED BY N. UKITA	DATE '08/02/22			
			MOLEX INCORPORATED	
MATERIAL NO. SEE TABLE		DOCUMENT NO. SD-502702-003	SHEET NO. 1 OF 1	
SIZE A3	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			



TERM 1	DAT2
TERM 2	CD/DAT3
TERM 3	CMD
TERM 4	Vdd
TERM 5	CLK
TERM 6	Vss
TERM 7	DAT0
TERM 8	DAT1


RELEASED	EC NO: J2008-3093	2008/02/29	2008/02/29	2008/03/03
	DRWN:WABEI			
	CHKD:THARUYAMA			
	APPR:NUKITA			
	DESCRIPTION			
	REV			

NOTES

- 製品詳細寸法は製品単体図面を参照して下さい。
FOR DETAIL OF CONNECTOR DIMENSIONS, PLEASE SEE THE DRAWING OF CONNECTOR ITSELF (NOT PACKAGED).
- 梱包数量 : 1000 個 / リール
NUMBER OF CONNECTORS : 1000 PCS/REEL.
- リードテープ長さ LEAD TAPE LENGTH.

トップテープ接着部
TOP TAPE BONDED PART.
(空エンボス)
(EMPTY)



引き出し方向
PULL OUT DIRECTION



- 材料 MATERIAL
キャリアテープ (CARRIER TAPE) : ポリスチレン (POLYSTYRENE)
トップテープ (TOP TAPE) : PET, PE, PEF
リール (REEL) : ポリスチレン (PS) <リサイクル材含む>
POLYSTYRENE (PS) <RECYCLE MATERIAL CONTAINED>

- ELV 及び RoHS 適合品
ELV AND RoHS COMPLIANT

引き出し方向
PULL OUT DIRECTION



DETAIL "D"

502702-0811	502702-0891	502702-08**
CONNECTOR	MATERIAL NO.	MODEL NO.

RELEASED EC NO: J2008-3093 0 DRWN:WABEI 2008/02/29 CHKD:THARUYAMA 2008/02/29 APPR:NUKITA 2008/03/03	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION		
		10 UNDER	±0.2	DRAWN BY M. NABEI	DATE '08/02/22	TITLE MICRO SD CONN. LOW-PRO EMBOSSSED TAPE PACKAGE				
		10 OVER 30 UNDER	±0.25	CHECKED BY T. HARUYAMA	DATE '08/02/22					
		30 OVER	±0.3	APPROVED BY N. UKITA	DATE '08/02/22	 MOLEX INCORPORATED				
		ANGULAR	±1 °	MATERIAL NO. SEE TABLE					DOCUMENT NO. SD-502702-004	SHEET NO. 1 OF 2
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						
		REV								

10 9 8 7 6 5 4 3 2 1

F

E

D

C

B

A

F


E

D

C

B

A



RELEASED EC NO: J2008-3093 DRWN: NABEI CHKD: HARUYAMA APPR: NUKITA 0	DESCRIPTION REV	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		
		10 UNDER	± 0.2	DRAWN BY M. NABEI	DATE '08/02/22	TITLE MICRO SD CONN. LOW-PRO EMBOSSED TAPE PACKAGE				
		10 OVER 30 UNDER	± 0.25	CHECKED BY T. HARUYAMA	DATE '08/02/22					
		30 OVER	± 0.3	APPROVED BY N. UKITA	DATE '08/02/22	MOLEX INCORPORATED				
		ANGULAR ±1 °		MATERIAL NO.		DOCUMENT NO.		SHEET NO.		
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE SHEET 1		SD-502702-004		2 OF 2		
				SIZE A3	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					