



Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation ecrite du proprietaire. Propriete de c FCI. Droits de reproduction FCI.

All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

FCI

PRODUCT NO.	ROWS	SIGNAL									
		E2	8	7	6	5	4	3	2	1	E1
51740-10003200CA	DUBA		F	F	F	F	F	F	F	F	
			F	F	F	F	F	F	F	F	
			F	F	F	F	F	F	F	F	
			F	F	F	F	F	F	F	F	



CODE	DIM "M" MATING LENGTH	CONTACT TYPE
F	N/A [N/A]	SIGNAL
HA	N/A [N/A]	HOLD-DOWN

mat'l code				tolerances unless otherwise specified				CUSTOMER		www.fciconnect.com	
lfr	ecr no.	dr	date	linear	.XX±.01/0.X±0.3	projection		COPY		title	
A	V03-0457	MEM	4/23/03		.XXX±.005/0.XX±0.13					32S	
				angles	.XXX±.0020/0.XXX±0.051					VERTICAL PRESS-FIT RECEPT	
				dr	M. MOSTOLLER 4/23/03			INCH/MM		product family PwrBlade	
				enrg	M. MOSTOLLER 4/23/03			scale		code	
				chr	H. BREWBAKER 4/23/03			1:1		size	
				appd	M. MOSTOLLER 4/23/03					dwg no	
sheet index		revision	A	A	A	A				A 51740-10003200CA	
		sheet	1	2	3	4				213	
										sheet 1 of 4	

Pro/E

cage code 22526

PDM: Rev:A

STATUS: Released



Printed: Aug 14, 2007

Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire.
Propriete de c FCI. Droits de reproduction FCI.

All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor.
Property of FCI. Copyright FCI.

A
FCI

PRODUCT NUMBER
51740-10003200CA



mat'l code				SEE NOTE 2		tolerances unless otherwise specified		CUSTOMER		A FCI		www.fciconnect.com	
lfr	ecr no.	dr	date	linear		.XX±.01/0.X±0.3		COPY		title	32S		
A						.XXX±.005/0.XX±0.13		projection		VERTICAL PRESS-FIT RECEPT			
				angles		.XXX±.0020/0.XXX±0.051				product family	PwrBlade	code	213
				dr	M. MOSTOLLER	4/23/03			INCH/MM	size	dwg no	A	51740-10003200CA
				enr	M. MOSTOLLER	4/23/03				scale			
				chr	H. BREWBAKER	4/23/03						sheet	2 of 4
				appd	M. MOSTOLLER	4/23/03							
sheet index	revision			sheet									

Pro/E

cage code
22526

4


PDM: Rev:A

STATUS: Released

Printed: Aug 14, 2007

All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

[illegible]

Pro/E	3	page code	22526	4
-------	---	-----------	-------	---

1

Released



PRODUCT NUMBER
51740-10003200CA

NOTES:

1. DIMENSIONS AND TOLERANCES ARE IN ACCORDANCE WITH
ASME Y14.5M, 1994 UNLESS OTHERWISE SPECIFIED.

CONNECTOR NOTES:

- 2 HOUSING MATERIAL: UL 94 V-0 GLASS FILLED
HIGH-TEMP THERMOPLASTIC
POWER CONTACT MATERIAL: COPPER ALLOY
SIGNAL PIN MATERIAL: COPPER ALLOY
3. PLATING:
SIGNAL PINS: 30u"/0.76um Au OVER 50u"/1.27um Ni
POWER CONTACTS: 50u"/1.27um Ni UNDER ALL
WITH 30u"/0.76um Au ON CONTACT AREA
AND SnPb ON PCB INTERFACE
- 4 MANUFACTURER'S NAME, P/N, AND DATE CODE TO APPEAR ON
THIS SURFACE.
5. PRODUCT SPECIFICATION GS-12-149.
APPLICATION SPECIFICATION BUS-20-067.
6. PACKAGED IN TRAYS.
- PCB NOTES:
7. ALL HOLE DIAMETERS ARE FINISHED HOLE SIZE.
- 8 MOUNTING HOLES, WHERE APPLICABLE, ARE UNPLATED.
- 9 $\varnothing .0453 \pm .0010$ [1.151 $\pm$ 0.025] DRILLED HOLES PLATED WITH
.0003 [0.008] MIN SnPb OVER .001 [0.03]
TO .003 [0.08] Cu PLATING TO ACHIEVE
 $\varnothing .040 \pm .003$ [1.02 $\pm$.07] HOLE.
- 10 "DIM XXX" TO BE DETERMINED BY THE CUSTOMER.
- 11 CONNECTOR KEEP-OUT ZONE.

mat'l code				tolerances unless otherwise specified		CUSTOMER	
lfr	ecn no.	dr	date			COPY	
A				linear	.XX $\pm$.01/0.X $\pm$ 0.3	projection	title
					.XXX $\pm$.005/0.XX $\pm$ 0.13		32S
				angles	.XXX $\pm$.0020/0.XXX $\pm$ 0.051		VERTICAL PRESS-FIT RECEPT
				dr	M. MOSTOLLER 4/23/03	INCH/MM	product family
				enrg	M. MOSTOLLER 4/23/03	scale	PwrBlade
				chr	H. BREWBAKER 4/23/03	1:1	code
				appd	M. MOSTOLLER 4/23/03		213
sheet index	revision sheet						size
							dwg no
							A 51740-10003200CA
							sheet
							4 of 4

Pro/E

cage code 22526