



All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.



Tous droits strictement reserves. Reproduction ou communication a des tiers, interdite sous quelque forme que ce soit sans autorisation ecrite du proprietaire. Propriete de c FCI. Droits de reproduction FCI.

B

A

CODE	DIM "M" MATING LENGTH	CONTACT TYPE
E	[N/A]	SIGNAL
F	[N/A]	SIGNAL
G	[N/A]	SIGNAL
H	[N/A]	SIGNAL
PA	[1.07]	POWER

PRODUCT NO.				ROWS				SIGNAL				POWER								
P20	P19	P18	P17	P16	P15	P14	P13	P12	P11	P10	P9	P8	P7	P6	P5	P4	P3	P2	P1	E1
51915-013--				DCBA				H	H	H	H	PA	PA	PA	PA	PA	PA	PA	PA	
NOTE:3								G	G	G	G									
								F	F	F	F									
								E	E	E	E									



mat'l code				SEE NOTE		tolerances unless otherwise specified		CUSTOMER		FCI	
litr	ecn no.	dr	date	linear		0.X ±0.5		COPY		www.fciconnect.com	
A	V21246	CGD	07/31/02			0.XX ±0.25		projection		title 8P + 24S	
B	DG05-0355	CS	09/26/05			0.XXX ±0.10				R/A SOLDER RECEPTACLE	
C	DG07-0498	JW	09/15/08	angles		0° ±2°				product family PwrBlade	
				dr	C. DAILY	07/31/02				code 213	
				enrg	J. ALLISON	07/31/02				size 213	
				chr	J. ALLISON	07/31/02				sheet 1 of 4	
				appd	J. ALLISON	07/31/02				scale 1:1	
sheet index	revision sheet	C	C	C	C					cage code 22526	
		1	2	3	4						

Pro/E

3

cage code 22526

4

All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor.
Property of FCI. Copyright FCI.


Printed: Sep 26, 2008

Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire. Propriete de c FCI. Droits de reproduction FCI.



All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

PRODUCT NUMBER
51915-013--
NOTE: 3



mat'l code				SEE NOTE		tolerances unless otherwise specified		CUSTOMER		FCI	
litr	ecn no.	dr	date			linear	0.X ± 0.5	COPY		www.fciconnect.com	
C							0.XX ± 0.25	projection		title	
						angles	0.XXX ± 0.10			8P + 24S	
						dr	0° ± 2°			R/A SOLDER RECEPTACLE	
						enrg	C. DAILY 07/31/02			product family PwrBlade	
						chr	J. ALLISON 07/31/02			code	
						appd	J. ALLISON 07/31/02			size	
sheet index		revision sheet								dwg no	
										51915-013	
										sheet	
										3	
										cage code	
										22526	

Pro/E

Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation ecrite du proprietaire. Propriete de c FCI. Droits de reproduction FCI.



All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

PRODUCT NUMBER																																																																																																																									
51915-013-- NOTE: 3																																																																																																																									
NOTES: 1. DIMENSIONS AND TOLERANCES ARE IN ACCORDANCE WITH ASME Y14.5M, 1994 UNLESS OTHERWISE SPECIFIED. CONNECTOR NOTES: 2. HOUSING MATERIAL: UL 94 V-0 GLASS FILLED HIGH-TEMP THERMOPLASTIC POWER CONTACT MATERIAL: COPPER ALLOY SIGNAL PIN MATERIAL: COPPER ALLOY 3. PLATING: SEE ITEM 5 & 6 INPRINT 10064183 FOR PLATING SPEC OF 51915-013; 51915-013LF RESPECTIVELY 4. MANUFACTURER'S NAME, P/N, AND DATE CODE TO APPEAR ON THIS SURFACE. 5. PRODUCT SPECIFICATION GS-12-149. APPLICATION SPECIFICATION BUS-20-067. PCB NOTES: 6. ALL HOLE DIAMETERS ARE FINISHED HOLE SIZE. 7. MOUNTING HOLES, WHERE APPLICABLE, ARE UNPLATED. 8. $\varnothing 1.151 \pm 0.025$ DRILLED HOLES PLATED WITH 0.008 MIN SnPb OR Sn OVER 0.03 TO 0.08 Cu PLATING TO ACHIEVE $\varnothing 1.02 \pm 0.07$ HOLE. 9. "DIM XXX" TO BE DETERMINED BY THE CUSTOMER. 10. CONNECTOR KEEP-OUT ZONE. 11. A $\triangle$ SYMBOL WILL BE NEXT TO ANY DIMENSION, VIEW, OR NOTE WHICH HAS BEEN MODIFIED WITH THE CURRENT DRAWING REVISION. 13. THE VOID CORING IN BETWEEN POWER MODULES, SIGNAL MODULES AND END MODULES ARE OPTIONAL AND THE SHAPE MAY BE DIFFERENT FOR OPTIMIZING THE MOLDING PROCESS. $\triangle$ THE VOID CORING WILL NOT EFFECT TO PRODUCT FUNCTION.																																																																																																																									
<table><tr><td colspan="4">mat'l code</td><td colspan="2">SEE NOTE</td><td colspan="2">tolerances unless otherwise specified</td><td colspan="2">CUSTOMER</td><td colspan="2">FCI www.fciconnect.com</td></tr><tr><td>litr</td><td>ecn no.</td><td>dr</td><td>date</td><td>linear</td><td></td><td>$0.X \pm 0.5$</td><td colspan="2">COPY</td><td colspan="3">title</td></tr><tr><td>C</td><td></td><td></td><td></td><td></td><td></td><td>$0.XX \pm 0.25$</td><td colspan="2">projection</td><td colspan="3">8P + 24S</td></tr><tr><td></td><td></td><td></td><td></td><td>angles</td><td></td><td>$0.XXX \pm 0.10$</td><td colspan="2"></td><td colspan="3">R/A SOLDER RECEPTACLE</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>$0^\circ \pm 2^\circ$</td><td colspan="2"></td><td colspan="3">product family PwrBlade code</td></tr><tr><td></td><td></td><td></td><td></td><td>dr</td><td>C. DAILY</td><td>07/31/02</td><td colspan="2">scale</td><td colspan="2">size</td><td>213</td></tr><tr><td></td><td></td><td></td><td></td><td>engr</td><td>J. ALLISON</td><td>07/31/02</td><td colspan="2">1:1</td><td colspan="2">dwg no</td><td>sheet</td></tr><tr><td></td><td></td><td></td><td></td><td>chr</td><td>J. ALLISON</td><td>07/31/02</td><td colspan="2"></td><td colspan="2">51915-013</td><td>4</td></tr><tr><td></td><td></td><td></td><td></td><td>appd</td><td>J. ALLISON</td><td>07/31/02</td><td colspan="2"></td><td colspan="2"></td><td></td></tr><tr><td colspan="2">sheet index</td><td colspan="2">revision sheet</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>		mat'l code				SEE NOTE		tolerances unless otherwise specified		CUSTOMER		FCI www.fciconnect.com		litr	ecn no.	dr	date	linear		$0.X \pm 0.5$	COPY		title			C						$0.XX \pm 0.25$	projection		8P + 24S							angles		$0.XXX \pm 0.10$			R/A SOLDER RECEPTACLE									$0^\circ \pm 2^\circ$			product family PwrBlade code							dr	C. DAILY	07/31/02	scale		size		213					engr	J. ALLISON	07/31/02	1:1		dwg no		sheet					chr	J. ALLISON	07/31/02			51915-013		4					appd	J. ALLISON	07/31/02						sheet index		revision sheet									
mat'l code				SEE NOTE		tolerances unless otherwise specified		CUSTOMER		FCI www.fciconnect.com																																																																																																															
litr	ecn no.	dr	date	linear		$0.X \pm 0.5$	COPY		title																																																																																																																
C						$0.XX \pm 0.25$	projection		8P + 24S																																																																																																																
				angles		$0.XXX \pm 0.10$			R/A SOLDER RECEPTACLE																																																																																																																
						$0^\circ \pm 2^\circ$			product family PwrBlade code																																																																																																																
				dr	C. DAILY	07/31/02	scale		size		213																																																																																																														
				engr	J. ALLISON	07/31/02	1:1		dwg no		sheet																																																																																																														
				chr	J. ALLISON	07/31/02			51915-013		4																																																																																																														
				appd	J. ALLISON	07/31/02																																																																																																																			
sheet index		revision sheet																																																																																																																							
cage code 22526																																																																																																																									