





PRODUCT NO.	ROWS	PWR		SIGNAL						PWR	
		E2	P2	6	5	4	3	2	1	P1	E1
51940-030- NOTE: 3	D C B A			E	E	E	E	E	E	P	



CODE	DIM "M" MATING LENGTH	CONTACT TYPE
E	[N/A]	SIGNAL
PA	[1.07]	POWER
PD	[2.34]	POWER
HA	[N/A]	HOLD-DOWN

mat'l code				SEE NOTE		tolerances unless otherwise specified		CUSTOMER		FCI	
ltr	ecn no.	dr	date	linear	0.X ±0.5	projection	0.XX ±0.25	copy	title	product family	code
A	V03-0081	TAB	01/17/03	linear	0.XX ±0.25	projection	0.XXX ±0.10	copy	IP + 24S + IP	PwrBlade	213
B	V03-1171	TAB	10/30/03	angles	0° ±2°	projection	0° ±2°	copy	VERTICAL SOLDER RECEPT		sheet
C	V04-1118	TAB	11/16/04	dr	T. BRUNGARD	01/17/03	01/17/03	copy			1 of 4
D	DG05-0418	CS	11/16/05	enrg	M. MOSTOLLER	01/17/03	01/17/03	copy			
E	DG05-0508	CS	11/28/05	chr	M. MOSTOLLER	01/17/03	01/17/03	copy			
F	DG07-0498	JW	09/12/08	appd	M. MOSTOLLER	01/17/03	01/17/03	copy			
sheet index				revision	F	F	F	scale	1:1		
				sheet	1	2	3				

B

B

Tous droits strictement reserves. Reproduction ou communication a des tiers
interdite sous quelque forme que ce soit sans autorisation ecrite du proprietaire.
Propriete de c FCI. Droits de reproduction FCI.



All rights strictly reserved. Reproduction or issue to third parties in any
form whatever is not permitted without written authority from the proprietor.
Property of FCI. Copyright FCI.




1 | 2


3 |

4

PRODUCT NUMBER

51940-030--
NOTE: 3



mat'l code				SSEE NOTE				tolerances unless otherwise specified				CUSTOMER				FCI www.fciconnect.com			
lfr	ecn no.	dr	date	linear	0.X ± 0.5				COPY				title IP + 24S + IP VERTICAL SOLDER RECEPT						
F					0.XX ± 0.25				projection										
					0.XXX ± 0.10														
				angles	0° ± 2°				 scale 1:1				product family PwrBlade				code		
				dr	T. BRUNGARD 01/17/03								size		dwg no		213		
				enrg	M. MOSTOLLER 01/17/03								A		51940-030		sheet		
				chr	M. MOSTOLLER 01/17/03												2		
				appd	M. MOSTOLLER 01/17/03														
sheet index		revision sheet																	

1 | 2

Pro/E

PDM: Rev: F

STATUS: Released


Printed: Sep 26, 2008


51940-030 _ _
NOTE: 3

Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation ecrite du proprietaire. Propriete de c FCI. Droits de reproduction FCI.



All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.



mat'l code				SEE NOTE				tolerances unless otherwise specified				CUSTOMER				FCI www.fciconnect.com					
litr		ecn no.		dr		date		linear		0.X ± 0.5		COPY		projection 		title IP + 24S + IP VERTICAL SOLDER RECEPT					
f						0.XX ± 0.25															
						0.XXX ± 0.10															
								angles		0° ± 2°											
								dr		T. BRUNGARD		01/17/03		MM scale 1:1		product family		PwrBlade		code	
								engr		M. MOSTOLLER		01/17/03				size		dwg no		213	
								chr		M. MOSTOLLER		01/17/03				A		51940-030		sheet	
								appd		M. MOSTOLLER		01/17/03								3	
sheet index		revision sheet																			

A

 Δ

B

E

PRODUCT NUMBER

51940-030--
NOTE: 3

NOTES:

1. DIMENSIONS AND TOLERANCES ARE IN ACCORDANCE WITH
ASME Y14.5M, 1994 UNLESS OTHERWISE SPECIFIED.

CONNECTOR NOTES:

- 2 HOUSING MATERIAL: UL 94 V-0 GLASS FILLED
HIGH-TEMP THERMOPLASTIC
POWER CONTACT MATERIAL: COPPER ALLOY
SIGNAL PIN MATERIAL: COPPER ALLOY

3. PLATING:
SEE ITEM 586 IN PRINT 10064183 FOR PLATING SPEC OF 51940-030; 51940-030LF PRESPECTIVELY

- 4 MANUFACTURER'S NAME, P/N, AND DATE CODE TO APPEAR ON
THIS SURFACE.

5. PRODUCT SPECIFICATION GS-12-149.
APPLICATION SPECIFICATION BUS-20-067.

6. PACKAGED IN TRAYS.

PCB NOTES:

7. ALL HOLE DIAMETERS ARE FINISHED HOLE SIZE.

- 8 MOUNTING HOLES, WHERE APPLICABLE, ARE UNPLATED.

- 9 $\varnothing 1.151 \pm 0.025$ DRILLED HOLES PLATED WITH:
0.008 MIN SnPb OR Sn OVER 0.03
TO 0.08 Cu PLATING TO ACHIEVE
 $\varnothing 1.02 \pm .07$ HOLE.

- 10 "DIM XXX" TO BE DETERMINED BY THE CUSTOMER.

- 11 CONNECTOR KEEP-OUT ZONE.

- 12 A Δ SYMBOL WILL BE NEXT TO ANY DIMENSION,
VIEW, OR NOTE WHICH HAS BEEN MODIFIED WITH
THE CURRENT DRAWING REVISION.

13. THE VOID CORING IN BETWEEN POWER MODULES, SIGNAL
MODULES AND END MODULES ARE OPTIONAL AND THE SHAPE
MAY BE DIFFERENT FOR OPTIMIZING THE MOLDING PROCESS.
THE VOID CORING WILL NOT EFFECT TO PRODUCT FUNCTION.

mat'l code				SEE NOTE		tolerances unless otherwise specified		CUSTOMER		FCI www.fciconnect.com	
ltr	ecn no.	dr	date	linear	$0.X \pm 0.5$	COPY		projection		title	
F					$0.XX \pm 0.25$					IP + 24S + IP VERTICAL SOLDER RECEPT	
				angles	$0.XXX \pm 0.10$					product family	
					$0^\circ \pm 2^\circ$					PwrBlade	
				dr	T. BRUNGARD 01/17/03	MM		size		code	
				engr	M. MOSTOLLER 01/17/03	scale		dwg no		213	
				chr	M. MOSTOLLER 01/17/03	1:1		A		sheet	
				appd	M. MOSTOLLER 01/17/03					4	
sheet	revision										
index	sheet										

A

A

B

B