



Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire. Propriété de c FCI. Droits de reproduction FCI.

A
FCI

All rights strictly reserved. Reproduction or issue to third parties in any form without written authority from the proprietor. Property of FCI. Copyright FCI.

PRODUCT NO.	ROWS	POWER			SIGNAL						POWER		
		E1	P1	P2	1	2	3	4	5	6	P3	P4	
51951-001-- NOTE: (2)	D C B A												



CODE	DIM "M" MATING LENGTH	CONTACT TYPE
R	0.270 [6.86]	SIGNAL
S	0.270 [6.86]	SIGNAL
T	0.270 [6.86]	SIGNAL
U	0.270 [6.86]	SIGNAL
PA	N/A [N/A]	POWER
HA	N/A [N/A]	HOLD-DOWN

mat'l code				SEE NOTES		tolerances unless otherwise specified		CUSTOMER		CONFIDENTIAL			
lir	ecn no.	dr	date	linear	linear	linear	linear	COPY	projection	www.fciconnect.com			
A	VI2169	JRW	9/18/01	linear	.XXX±.01/0.X±0.3	.XXX±.005/0.XX±0.13	.XXX±.0020/0.XXX±0.051			title 2P + 24S + 2P			
B	DG05-0192	SJ	06/24/05	linear						RIGHT ANGLE SOLDER HEADER			
C	DG05-0472	Ryan	11/16/05	angles	0°±2°					product family PwrBlade			
				dr	J. WITMER	9/18/01		INCH/MM		code 213			
				enrg	J. ALLISON	9/18/01		scale		size 51951-001			
				chr	J. ALLISON	9/18/01		1:1		sheet 1 of 3			
				appd	J. ALLISON	9/18/01							
sheet index	revision	C	C										
	sheet	I	2										

Pro/E





code code 22526

Tous droits strictement réservés. Reproduction ou communication à des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire. Propriété de c FCI. Droits de reproduction FCI.

A
FCI

All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

PRODUCT NUMBER
51951-001--
NOTE: ②



CONFIDENTIAL

mat'l code				SEE NOTES		tolerances unless otherwise specified		CUSTOMER		A FCI	
litr	ecn no.	dr	date	linear	angles	dr	enrg	chr	appd	projection	title
C				.XX±.01/0.X±0.3	0°±2°	J. WITMER 9/18/01	J. ALLISON 9/18/01	J. ALLISON 9/18/01	J. ALLISON 9/18/01	2P + 24S + 2P	RIGHT ANGLE SOLDER HEADER
				.XXX±.005/0.XX±0.13						INCH/MM	product family
				.XXX±.002/0.XXX±0.051						scale	PwrBlade
										1:1	code
											size
											dwg no
											51951-001
											213
											sheet
											2 of 3
sheet index	revision	sheet									

cage code 22526

Pro/E

All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor.
Property of FCI. Copyright FCI.

51951-001__
NOTE: (2)

THE HOUSING WILL WITHSTAND EXPOSURE TO 260° PEAK TEMPERATURE FOR 10 SECONDS IN A WAVE SOLDER APPLICATION WITH A CIRCUIT BOARD.

7. $\varnothing 0.0453 \pm 0.0010$ [1.151 $\pm$ 0.025] DRILLED HOLES PLATED WITH 0.0003 [0.007] MIN SnPb OVER 0.001 [0.03] TO 0.003 [0.08] Cu PLATING TO ACHIEVE A $\varnothing 0.040 \pm .003$ [1.02 $\pm$ 0.07 HOLE]

[illegible]

coge code	22526
-----------	-------