







53261-****	WAFER ASSY	MODEL NO./MATERIAL NO.
50079-****	TERMINAL	
51021-****	HOUSING	

RELEASED EC NO: J2006-2426 DRWN:YA0YAGI 2006/02/02 CHKD:YMAEDA 2006/02/03 APPR:NUKITA 2006/02/07 REV 0	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		
		10 UNDER	± ---	Y.AOYAGI	2006/01/30	TITLE 1.25 W-TO-B CONN. 51021,53261 MATING CROSS SECTION				
		10 OVER 30 UNDER	± ---	Y.MAEDA	2006/01/30					
		30 OVER	± ---	N.UKITA	2006/01/30	MOLEX INCORPORATED				
		ANGULAR ±--- °		MATERIAL NO.		DOCUMENT NO.		SHEET NO.		
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHART		SD-51021-002		1 OF 1		
	REV			SIZE A3	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					


10 9 8 7 6 5 4 3 2 1



DETAIL F



SECT:X-X



SECT:V-V

16mm幅キャリアテープ
16mm WIDTH CARRIER TAPE

注記 NOTES

- 53261-**-19 の詳細寸法については図面 SD-53261-024 を参照下さい。
RE DETAILED DIMENSIONS,SEE SD-53261-024
- 梱包数量: 1000個/リール
NUMBER OF CONNECTOR:1000PCS/REEL
- リードテープ長さ LEAD TAPE LENGTH

トップテープリーダー部 TOP TAPE LEADER PART
トップテープ未接着部 TOP TAPE NON-BONDED PART

175 ±25 25 ±5

引き出し方向
PULL OUT DIRECTION




- 材料 (MATERIAL)
キャリアテープ (CARRIER TAPE): ポリプロピレン (POLYPROPYLENE)
トップテープ (TOP TAPE): PET, PE, PEF
リール (REEL): ポリスチレン (PS) <リサイクル材含む>
POLYSTYREN (PS) <RECYCLE MATERIAL CONTAINED>

△ コネクタ、ハウジング平面部
CONNECTOR, HOUSING FLAT AREA

- 本製品は 53261-**-90 の鉛フリー品である。
THIS PRODUCT IS LEAD FREE OF 53261-**-90

- ELV 及び RoHS 適合品
ELV AND RoHS COMPLIANT

MODEL NO.		53261-**-71		キャリアテープ幅 CARRIER TAPE WIDTH		D	C	B	A	MATERIAL. NO.		数量 CKT.
GENERAL TOLERANCES (UNLESS SPECIFIED)				DIMENSION STYLE MM ONLY			SCALE ---		DESIGN UNITS METRIC		◎  THIRD ANGLE PROJECTION	
				DRAWN BY DATE		TITLE						
10 UNDER		±0.2		H.SHIMABUKUR		'04/02/06		1.25 W/B CONN WAFER ASSY FOR SMT EMBSTP PKG				
10 OVER 30 UNDER		±0.25		CHECKED BY K. TOJO		DATE '04/02/06						
30 OVER		±0.3		APPROVED BY M.SASAO		DATE '04/02/06		 MOLEX INCORPORATED				
ANGULAR		±3 °		MATERIAL NO.		DOCUMENT NO.						
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				SEE CHART			SD-53261-023		1 OF 3			
				SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						



10 9 8 7 6 5 4 3 2 1

F

E

D

C

B

A

F



E

D

C

B

A



44mm幅キャリアテープ
44mm WIDTH CARRIER TAPE

mm WIDTH CARRIER TAPE										44		49.4		45.4		18.7		24.5		53261-I-1571		I5																																					
										17.45		23.25				53261-I-1471				I4																																							
MODEL NO.										53261-**-71		キャリアテープ幅 CARRIER TAPE WIDTH		D		C		B		A		MATERIAL. NO.		極致 CKT.																																			
REVISED EC NO: J2008-0056 DRWN:KSAI T001 CHKD:THARUYAWA APPR:NUKI TA 2007/07/31 2007/07/31 2007/08/10										GENERAL TOLERANCES (UNLESS SPECIFIED)										DIMENSION STYLE MM ONLY										SCALE ---				DESIGN UNITS METRIC				 THIRD ANGLE PROJECTION																					
										10 UNDER										±0.2										DRAWN BY H. SHIMABUKUR										DATE '04/02/06										TITLE 1.25 W/B CONN WAFER ASSY FOR SMT EMBSTP PKG									
										10 OVER 30 UNDER										±0.25										CHECKED BY K. TOJO										DATE '04/02/06																			
										30 OVER										±0.3										APPROVED BY M. SASAO										DATE '04/02/06										 MOLEX INCORPORATED									
										ANGULAR										±3 °										MATERIAL NO.										DOCUMENT NO.																			
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS										SEE CHART										SD-53261-023										3 OF 3										THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																			
SIZE A3																																																											

