




tb_frame_A3_J_ME_S
Rev. E 2006/04/15

F

E

D

C

B

A

F

E

D

C

B

A

10

9

8

7

6

5

4

3


2

1



引き出し方向

PULL OUT DIRECTION

53364-***27

(2.3) (4.4) (2.3)
(2.2)トップテープ
TOP TAPE

SECT. Y-Y




24mm幅キャリアテープ
24mm WIDTH CARRIER TAPE累積ピッチ 40 ±0.2
ACCUMULATIVE
PITCH 40 ±0.2トップテープ
TOP TAPE

SECT. Z-Z

引き出し方向

PULL OUT DIRECTION

53364-***27

(2.3) (4.4) (2.3)
(2.2)トップテープ
TOP TAPE32mm幅キャリアテープ
32mm WIDTH CARRIER TAPE累積ピッチ 40 ±0.2
ACCUMULATIVE
PITCH 40 ±0.2SECT. X-X
(SCALE:5-1)SECT. W-W
(SCALE:5-1)

24	25.5	14.1	12.3	53364-3091	30
キャリアテープ幅 CARRIER TAPE WIDTH	C	(B)	(A)	MATERIAL NO.	極数 CIRCUIT
				MODEL NO.	53364-***91

REVISED EC NO: J2008-3931 DRWN: NAKAMURA CHKD: T. HARUYAMA APPR: NUKITA REV D	DESCRIPTION 2008/05/26 2008/05/26 2008/08/21	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		
		10 UNDER	± ---	DRAWN BY T. ITO	DATE '93/1/28	TITLE 0.8 BTB CONN WAFER ASSY ST SMT WITHOUT BOSS EMBTP PKG (2/2)				
		10 OVER 30 UNDER	± ---	CHECKED BY T. ITO	DATE '00/12/6					
		30 OVER	± ---	APPROVED BY M. FUKUSHIMA	DATE '00/12/6	MOLEX INCORPORATED				
		ANGULAR ± --- °		MATERIAL NO.						
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE TABLE		SD-53364-006			2 OF 2	
			THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION							

9

8

7

6

5

4

3

2