


30極以下品形状  
SHAPE OF 30CIRCUITS OR LESS



1. 使用材料 MATERIAL  
ハウジング: 液晶ポリマー ガラス充填, UL94V-0 (黒)  
HOUSING: LIQUID CRYSTAL POLYMER (GLASS FILLED)  
UL94V-0, (COLOR: BLACK)  
ターミナル: リン青銅 (t=0.15)  
TERMINAL: PHOSPHOR BRONZE (t=0.15)

2. メッキ仕様 PLATING  
金メッキ 0.25 MICROMETER MINIMUM (コンタクト部)  
GOLD 0.25 MICROMETER MINIMUM. (CONTACT AREA)  
金メッキ 0.4 MICROMETER MAXIMUM (テール部)  
GOLD 0.4 MICROMETER MAXIMUM. (TAIL AREA)  
下地メッキ: ニッケルメッキ 1.5 MICROMETER MINIMUM  
UNDER PLATING : NICKEL 1.5 MICROMETER MINIMUM

③ (全極数/2) = 偶数の場合に適用。  
 APPLY FOR (CIRCUIT/2) = EVEN.  
 4 嵌合相手: 55560 シリーズ, 53794 シリーズ  
 MATE WITH : 55560 SERIES, 53794 SERIES.  
 5 テール平坦度は、0.1 MAXIMUM.  
 TAIL COPLANARITY TO BE 0.1 MAXIMUM.

|     |     |      |              |               |
|-----|-----|------|--------------|---------------|
| 8.0 | 7.0 | 10.1 | 54722-0301   | 30            |
| 6.5 | 5.5 | 8.6  | 54722-0241   | 24            |
| 6.0 | 5.0 | 8.1  | 54722-0221   | 22            |
| 5.5 | 4.5 | 7.6  | 54722-0201   | 20            |
| 4.5 | 3.5 | 6.6  | 54722-0161   | 16            |
| C   | B   | A    | MATERIAL. NO | 極數<br>CIRCUIT |

|                                                                |  |                                                  |  |                        |      |
|----------------------------------------------------------------|--|--------------------------------------------------|--|------------------------|------|
| MODEL NO. 54722-***                                            |  | DIMENSIONS:                                      |  | SHT                    | REV  |
| SIGN UNITS<br>mm □ INCH                                        |  | 20° BORD ANGLE<br>PROJECTION □ mm INCH □ mm ONLY |  | REVERSE ON<br>CAD ONLY |      |
| DATE                                                           |  | TITLE:                                           |  |                        |      |
| '00/10/5                                                       |  | 0.5 B-To-B Conn                                  |  |                        |      |
| & DATE                                                         |  | Rec HOUSING Assy (Hgt=1.5mm)                     |  |                        |      |
| '03/03/31                                                      |  |                                                  |  |                        |      |
| & DATE                                                         |  | MOLEX INCORPORATED                               |  |                        |      |
| '03/03/31                                                      |  |                                                  |  |                        |      |
| MATERIAL NO.                                                   |  | DRAWING NO.                                      |  | SHEET NO.              |      |
| SEE CHART                                                      |  | SD-54722-007                                     |  | 1 OF 2                 |      |
| THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX |  |                                                  |  |                        | SIZE |
| AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.             |  |                                                  |  |                        |      |



参考基板レイアウト（マウント面）

|                             |
|-----------------------------|
| 34極以上品形状                    |
| SHAPE OF 34CIRCUITS OR MORE |

③ (全極数/2)=偶数の場合に適用。  
 APPLY FOR (CIRCUIT/2)=EVEN.  
 4 嵌合相手: 55560 シリーズ, 53794 シリーズ  
 MATE WITH: 55560 SERIES, 53794 SERIES.  
 5 テール平坦度は、0.1 MAXIMUM。  
 TAIL COPLANARITY TO BE 0.1 MAXIMUM.

|      |      |      |              |               |
|------|------|------|--------------|---------------|
| 20.5 | 19.5 | 22.6 | 54722-0801   | 80            |
| 15.5 | 14.5 | 17.6 | 54722-0601   | 60            |
| 13.0 | 12.0 | 15.1 | 54722-0501   | 50            |
| 12.0 | 11.0 | 14.1 | 54722-0461   | 46            |
| 10.5 | 9.5  | 12.6 | 54722-0401   | 40            |
| 9.0  | 8.0  | 11.1 | 54722-0341   | 34            |
| C    | B    | A    | MATERIAL. NO | 極數<br>CIRCUIT |

|                                          |  |                                                                                                             |  |                       |     |
|------------------------------------------|--|-------------------------------------------------------------------------------------------------------------|--|-----------------------|-----|
| MODEL NO. 54722-***                      |  | DIMENSIONS:                                                                                                 |  | SHT                   | REV |
| IGN UNITS<br>mm □ INCH                   |  | <input type="checkbox"/> mm<br><input type="checkbox"/> INCH<br><input checked="" type="checkbox"/> mm ONLY |  | REVISE ON<br>CAD ONLY |     |
| DATE<br>'01/02/13<br>& DATE<br>'03/03/31 |  | TITLE:<br>Ø.5 B-To-B Conn<br>Rec HOUSING Assy (Hg+=1.5mm)                                                   |  |                       |     |
| & DATE<br>'03/03/31                      |  | MOLEX INCORPORATED                                                                                          |  |                       |     |
| MATERIAL NO.<br>SEE CHART                |  | DRAWING NO.<br>SD-54722-007                                                                                 |  | SHEET NO.<br>2 OF 2   |     |


THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.

|        |  |
|--------|--|
| SET NO |  |
| OF 2   |  |
| SIZE   |  |
| B      |  |


注記 NOTES:

1. 使用材料 MATERIAL  
ハウジング: 液晶ポリマー ガラス充填, UL94V-0 (黒)  
HOUSING: LIQUID CRYSTAL POLYMER (GLASS FILLED)  
UL94V-0, (COLOR: BLACK)  
ターミナル: リン青銅 (t=0.15)  
TERMINAL: PHOSPHOR BRONZE (t=0.15)
2. メッキ仕様 PLATING  
金メッキ 0.25 MICROMETER MINIMUM (コンタクト部)  
GOLD 0.25 MICROMETER MINIMUM. (CONTACT AREA)  
金メッキ 0.4 MICROMETER MAXIMUM (テール部)  
GOLD 0.4 MICROMETER MAXIMUM. (TAIL AREA)  
下地メッキ: ニッケルメッキ 1.5 MICROMETER MINIMUM  
UNDER PLATING : NICKEL 1.5 MICROMETER MINIMUM


引き出し方向  
PULL OUT  
DIRECTION




"F"




DETAIL "F"



1. 製品詳細寸法については図面 SD-54722-007 を参照下さい。  
RE DETAILED DIMENSION, SEE SD-54722-007
2. 梱包数量：3000個/リール  
NUMBER OF CONNECTORS : 3000PCS/REEL
3. リードテープ長さ LEAD TAPE LENGTH



4. トップテープの剥離強度：0.1N ～ 0.7N(10.2gf ～ 71.4gf)  
(剥離方向は下図参照)  
尚、本規格値は出荷時に適用。(但し、輸送時に剥離が発生しないこと。)  
PEELING OFF FORCE OF TOP TAPE : 0.1N ～ 0.7N(10.2gf ～ 71.4gf)  
(PEELING DIRECTION AS SHOWN IN FOLLOWING FIG.)  
THIS REQUIREMENT SHOULD BE APPLIED AT SHIPMENT.  
PEEL OFF SHOULD NOT BE ALLOWED . DURING TRANSPORTATION.



5. 材料
- |          |                         |
|----------|-------------------------|
| キャリアテープ: | ポリプロピレン (PP)            |
| トップテープ:  | PET, PE, PEF            |
| リール:     | ポリスチレン (PS) <リサイクル材を含む> |

MATERIAL CARRIER TAPE:POLYPROPYLENE  
TOP TAPE:PET,PE,PEF  
REEL:POLYSTYRENE(PS)  
<RECYCLE MATERIAL CONTAINED>

|                                  |                                                                                             |                                                                                           |                                                                                        |                                                                                             |                                                                                                                  |                                                   |             |                                                                                                                                |                                                                                  |                              |                           |                             |                     |           |
|----------------------------------|---------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|---------------------------------------------------|-------------|--------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------|------------------------------|---------------------------|-----------------------------|---------------------|-----------|
| EC NO.<br>DRWN:<br>CHK:<br>APPR: | REVISED<br>EC NO. J2004-1680<br>DRWN: K.SETO '03/12/22<br>CHK: H.TAKASE<br>APPR: J.MIYAZAWA | REVISED<br>EC NO. J2003-2517<br>DRWN: S.AIHARA '03/03/31<br>CHK: M.SASAO<br>APPR: M.SASAO | REVISED<br>EC NO. J2003-1929<br>DRWN: T.YASUI '03/11/23<br>CHK: T.IITO<br>APPR: T.IITO | REVISED<br>EC NO. J2003-1468<br>DRWN: T.YASUI '02/11/25<br>CHK: T.IITO<br>APPR: T.YAMAGUCHI | DESCRIPTION<br>MATERIAL<br>材料<br>注記参照<br>SEE NOTES<br>FINISH<br>仕上<br>WIRE RANGE<br>適用電線範囲<br>INS. RANGE<br>被覆外径 | GENERAL TOLERANCES:<br>(UNLESS SPECIFIED)<br>一般公差 | SCALE<br>// | MODEL NO.<br>DESIGN UNITS<br>☑mm ☐INCH                                                                                         | 54722-***7<br>THIRD ANGLE<br>PROJECTION<br>☐mm INCH ☐INCH mm ONLY                | SHT<br>REVISE ON<br>CAD ONLY | REV                       |                             |                     |           |
|                                  |                                                                                             |                                                                                           |                                                                                        |                                                                                             |                                                                                                                  | 10 UNDER<br>未満                                    | ±0.2        | DRAWN BY & DATE<br>S.AIHARA '00/10/ 6                                                                                          | TITLE:<br>0.5 B-To-B Conn Rec Assy<br>(Hgt=1.5) Embstp Pkg<br>MOLEX INCORPORATED | CAD FILENAME<br>54722008.S01 | MATERIAL NO.<br>SEE CHART | DRAWING NO.<br>SD-54722-008 | SHEET NO.<br>1 OF 5 | SIZE<br>B |
|                                  |                                                                                             |                                                                                           |                                                                                        |                                                                                             |                                                                                                                  | 10 OVER<br>以上 30 UNDER<br>未満                      | ±0.25       | CHECKED BY & DATE<br>M.SASAO '03/03/31                                                                                         |                                                                                  |                              |                           |                             |                     |           |
|                                  |                                                                                             |                                                                                           |                                                                                        |                                                                                             |                                                                                                                  | 30 OVER<br>以上                                     | ±0.3        | APPROVED BY & DATE<br>M.SASAO '03/03/31                                                                                        |                                                                                  |                              |                           |                             |                     |           |
|                                  |                                                                                             |                                                                                           |                                                                                        |                                                                                             |                                                                                                                  | ANGLE 角度                                          | ±3°         | THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION. |                                                                                  |                              |                           |                             |                     |           |

DWG. NO.  
SD-54722-008

F

D

C

B

DO NOT SCALE DRAWING

8 7 6 5 4 3 2 1

F


E

D

C

B

A



16mm幅キャリアテープ  
16mm WIDTH CARRIER TAPE

|                                                                                                                                   |       |                                                                                                                         |            |                                       |
|-----------------------------------------------------------------------------------------------------------------------------------|-------|-------------------------------------------------------------------------------------------------------------------------|------------|---------------------------------------|
| 16                                                                                                                                | 17.5  | 7.8                                                                                                                     | 54722-0207 | 20                                    |
| キャリアテープ幅<br>CARRIER TAPE WIDTH                                                                                                    |       | B                                                                                                                       | (A)        | 極数<br>CIRCUIT                         |
| MODEL NO.                                                                                                                         |       | 54722-***7                                                                                                              |            | SHT REV                               |
| DRAWN BY & DATE<br>S.AIHARA '00/10/ 6                                                                                             |       | DESIGN UNITS<br><input checked="" type="checkbox"/> mm <input type="checkbox"/> INCH                                    |            | THIRD ANGLE<br>PROJECTION             |
| CHECKED BY & DATE<br>M.SASAO '03/03/31                                                                                            |       | APPROVED BY & DATE<br>M.SASAO '03/03/31                                                                                 |            | CAD FILENAME<br>54722008.S02          |
| GENERAL TOLERANCES:<br>(UNLESS SPECIFIED)<br>一般公差                                                                                 |       | DIMENSIONS:<br><input type="checkbox"/> mm <input type="checkbox"/> INCH<br><input checked="" type="checkbox"/> mm ONLY |            | REVISIONS<br>REVISIONS ON<br>CAD ONLY |
| 10 UNDER<br>未満                                                                                                                    | ±0.2  | TITLE:<br>0.5 B-To-B Conn Rec Assy<br>(Hgt=1.5) Embstp Pkg<br><br>MOLEX INCORPORATED                                    |            |                                       |
| 10 OVER 30 UNDER<br>以上 未満                                                                                                         | ±0.25 |                                                                                                                         |            |                                       |
| 30 OVER<br>以上                                                                                                                     | ±0.3  |                                                                                                                         |            |                                       |
| ANGLE 角度                                                                                                                          | ±3°   | MATERIAL NO. SEE CHART                                                                                                  |            |                                       |
| THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX<br>INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION. |       | DRAWING NO. SD-54722-008                                                                                                |            | SHEET NO. 2 OF 5                      |
|                                                                                                                                   |       | SIZE B                                                                                                                  |            | EN-02J(097) MXJ-54                    |

|                                   |                                                                                              |                                                                                            |                                                                                         |                                                                                              |                                                                   |
|-----------------------------------|----------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|-------------------------------------------------------------------|
| EC NO.<br>DRWN:<br>CH'K:<br>APPR: | REVISED<br>EC NO. J2004-1680<br>DRWN: K.SETO '03/12/22<br>CH'K: H.TAKASE<br>APPR: J.MIYAZAWA | REVISED<br>EC NO. J2003-2517<br>DRWN: S.AIHARA '03/03/31<br>CH'K: M.SASAO<br>APPR: M.SASAO | REVISED<br>EC NO. J2003-1929<br>DRWN: T.YASUI '03/11/23<br>CH'K: T.IITO<br>APPR: T.IITO | REVISED<br>EC NO. J2003-1468<br>DRWN: T.YASUI '02/11/25<br>CH'K: T.IITO<br>APPR: T.YAMAGUCHI | DESCRIPTION<br>FINISH 仕上げ<br>WIRE RANGE 適用電線範囲<br>INS. RANGE 被覆外径 |
| 8                                 | 7                                                                                            | 6                                                                                          | 5                                                                                       | 4                                                                                            | 3                                                                 |

DWG. NO.  
SD-54722-008

F

D

C

B

DO NOT SCALE DRAWING

8 7 6 5 4 3 2 1

F




E

D

C

B

A



|                                |                           |                                  |                                                                             |              |                         |     |     |
|--------------------------------|---------------------------|----------------------------------|-----------------------------------------------------------------------------|--------------|-------------------------|-----|-----|
| 24                             | 25.5                      | 15.3                             | 54722-0507                                                                  | 50           |                         |     |     |
|                                |                           | 14.3                             | 54722-0467                                                                  | 46           |                         |     |     |
|                                |                           | 12.8                             | 54722-0407                                                                  | 40           |                         |     |     |
|                                |                           | 11.3                             | 54722-0347                                                                  | 34           |                         |     |     |
|                                |                           | 10.3                             | 54722-0307                                                                  | 30           |                         |     |     |
|                                |                           | 8.8                              | 54722-0247                                                                  | 24           |                         |     |     |
|                                |                           | 8.3                              | 54722-0227                                                                  | 22           |                         |     |     |
| キャリアテープ幅<br>CARRIER TAPE WIDTH |                           | B                                | (A)                                                                         | MATERIAL NO. | 極数<br>CIRCUIT           |     |     |
| MODEL NO.                      |                           | 54722-***7                       |                                                                             | DIMENSIONS:  |                         | SHT | REV |
| CALE<br>//                     | DESIGN UNITS<br>☒mm ☐INCH | ◎ ◻<br>THIRD ANGLE<br>PROJECTION | ☐ <sup>mm</sup> / <sub>INCH</sub> ☐ <sup>mm</sup> / <sub>mm</sub> ☒ mm ONLY |              | REVISION ON<br>CAD ONLY |     |     |

|                                  |                                                                                             |                                                                                           |                                                                                        |                                                                                             |             |                      |                                          |  |                                                   |                                                                                                                                   |                                                                                      |                                                                                                                 |                                                                                                                  |                           |  |                             |  |                     |  |
|----------------------------------|---------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|-------------|----------------------|------------------------------------------|--|---------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|---------------------------|--|-----------------------------|--|---------------------|--|
| EC NO.<br>DRWN:<br>CHK:<br>APPR: | REVISED<br>EC NO. J2004-1680<br>DRWN: K.SETO '03/12/22<br>CHK: H.TAKASE<br>APPR: J.MIYAZAWA | REVISED<br>EC NO. J2003-2517<br>DRWN: S.AIHARA '03/03/31<br>CHK: M.SASAO<br>APPR: M.SASAO | REVISED<br>EC NO. J2003-1929<br>DRWN: T.YASUI '03/11/23<br>CHK: T.IITO<br>APPR: T.IITO | REVISED<br>EC NO. J2003-1468<br>DRWN: T.YASUI '02/11/25<br>CHK: T.IITO<br>APPR: T.YAMAGUCHI | DESCRIPTION | MATERIAL<br>材料       | SHEET 1 OF 5 参照<br>REFER TO SHEET 1 OF 5 |  | GENERAL TOLERANCES:<br>(UNLESS SPECIFIED)<br>一般公差 | SCALE<br>//                                                                                                                       | DESIGN UNITS<br><input checked="" type="checkbox"/> mm <input type="checkbox"/> INCH |  THIRD ANGLE<br>PROJECTION | <input type="checkbox"/> mm<br>INCH <input type="checkbox"/> INCH <input checked="" type="checkbox"/> mm<br>ONLY | REVISE ON<br>CAD ONLY     |  |                             |  |                     |  |
|                                  | H                                                                                           | G                                                                                         | F                                                                                      | E                                                                                           | REV         | FINISH<br>仕上り        | //                                       |  | 10 UNDER<br>未満                                    | ±0.2                                                                                                                              | DRAWN BY & DATE<br>S.AIHARA '00/10/ 6                                                |                                                                                                                 |                                                                                                                  |                           |  |                             |  |                     |  |
|                                  |                                                                                             |                                                                                           |                                                                                        |                                                                                             |             | WIRE RANGE<br>適用電線範囲 | //                                       |  | 10 OVER 30 UNDER<br>以上 未満                         | ±0.25                                                                                                                             | CHECKED BY & DATE<br>M.SASAO '03/03/31                                               |                                                                                                                 |                                                                                                                  |                           |  |                             |  |                     |  |
|                                  |                                                                                             |                                                                                           |                                                                                        |                                                                                             |             | INS. RANGE<br>被覆外径   | //                                       |  | 30 OVER<br>以上                                     | ±0.3                                                                                                                              | APPROVED BY & DATE<br>M.SASAO '03/03/31                                              |                                                                                                                 |                                                                                                                  |                           |  |                             |  |                     |  |
|                                  |                                                                                             |                                                                                           |                                                                                        |                                                                                             |             |                      |                                          |  | ANGLE 角度                                          | ±3°                                                                                                                               | CAD FILENAME<br>54722008.S03                                                         |                                                                                                                 |                                                                                                                  |                           |  |                             |  |                     |  |
|                                  |                                                                                             |                                                                                           |                                                                                        |                                                                                             |             |                      |                                          |  |                                                   | THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX<br>INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION. |                                                                                      | TITLE:<br>0.5 B-To-B Conn Rec Assy<br>(Hgt=1.5) Embstp Pkg                                                      |                                                                                                                  | MATERIAL NO.<br>SEE CHART |  | DRAWING NO.<br>SD-54722-008 |  | SHEET NO.<br>3 OF 5 |  |
|                                  |                                                                                             |                                                                                           |                                                                                        |                                                                                             |             |                      |                                          |  |                                                   | MOLEX INCORPORATED                                                                                                                |                                                                                      |                                                                                                                 |                                                                                                                  |                           |  |                             |  |                     |  |
|                                  |                                                                                             |                                                                                           |                                                                                        |                                                                                             |             |                      |                                          |  |                                                   | SIZE<br>B                                                                                                                         |                                                                                      |                                                                                                                 |                                                                                                                  |                           |  |                             |  |                     |  |

8 7 6 5 4 3 2 1

EN-02J(097) MXJ-54

DWG. NO.  
SD-54722-008

F




D

C

B

DO NOT SCALE DRAWING

|                                  |                                                                                             |                                                                                           |                                                                                        |                                                                                             |
|----------------------------------|---------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|
| EC NO.<br>DRWN:<br>CHK:<br>APPR: | REVISED<br>EC NO. J2004-1680<br>DRWN: K.SETO '03/12/22<br>CHK: H.TAKASE<br>APPR: J.MIYAZAWA | REVISED<br>EC NO. J2003-2517<br>DRWN: S.AIHARA '03/03/31<br>CHK: M.SASAO<br>APPR: M.SASAO | REVISED<br>EC NO. J2003-1929<br>DRWN: T.YASUI '03/11/23<br>CHK: T.IITO<br>APPR: T.IITO | REVISED<br>EC NO. J2003-1468<br>DRWN: T.YASUI '02/11/25<br>CHK: T.IITO<br>APPR: T.YAMAGUCHI |
| H                                |                                                                                             | G                                                                                         | F                                                                                      | E                                                                                           |
| REV                              | DESCRIPTION                                                                                 |                                                                                           |                                                                                        |                                                                                             |



|                                                                                                                                |  |                                                                                      |      |                                                                                                                 |             |                                                                                                               |  |                       |     |
|--------------------------------------------------------------------------------------------------------------------------------|--|--------------------------------------------------------------------------------------|------|-----------------------------------------------------------------------------------------------------------------|-------------|---------------------------------------------------------------------------------------------------------------|--|-----------------------|-----|
| 32                                                                                                                             |  | 33.5                                                                                 | 17.8 | 54722-0607                                                                                                      |             | 60                                                                                                            |  |                       |     |
| キャリアテープ幅<br>CARRIER TAPE WIDTH                                                                                                 |  |                                                                                      |      | B                                                                                                               | (A)         | MATERIAL NO.                                                                                                  |  | 極数<br>CIRCUIT         |     |
| MODEL NO.                                                                                                                      |  | 54722-***7                                                                           |      |                                                                                                                 | DIMENSIONS: |                                                                                                               |  | SHT                   | REV |
| CALE<br>//                                                                                                                     |  | DESIGN UNITS<br><input checked="" type="checkbox"/> mm <input type="checkbox"/> INCH |      |  THIRD ANGLE<br>PROJECTION |             | <input type="checkbox"/> mm<br>INCH <input type="checkbox"/> INCH <input checked="" type="checkbox"/> mm ONLY |  | REVISE ON<br>CAD ONLY |     |
| DRAWN BY & DATE<br>T.YASUI '02/11/25                                                                                           |  |                                                                                      |      | TITLE:<br>0.5 B-To-B Conn Rec Assy<br>(Hgt=1.5) Embstp Pkg                                                      |             |                                                                                                               |  |                       |     |
| CHECKED BY & DATE<br>M.SASAO '03/03/31                                                                                         |  |                                                                                      |      |                                                                                                                 |             |                                                                                                               |  |                       |     |
| APPROVED BY & DATE<br>M.SASAO '03/03/31                                                                                        |  |                                                                                      |      |  MOLEX INCORPORATED        |             |                                                                                                               |  |                       |     |
| CAD FILENAME<br>54722008.S05                                                                                                   |  |                                                                                      |      |                                                                                                                 |             |                                                                                                               |  |                       |     |
| MATERIAL NO.<br>SEE CHART                                                                                                      |  | DRAWING NO.<br>SD-54722-008                                                          |      | SHEET NO.<br>4 OF 5                                                                                             |             | SIZE<br>B                                                                                                     |  |                       |     |
| THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION. |  |                                                                                      |      |                                                                                                                 |             |                                                                                                               |  |                       |     |

54722008.S05

|   |   |   |   |   |   |   |   |
|---|---|---|---|---|---|---|---|
| 8 | 7 | 6 | 5 | 4 | 3 | 2 | 1 |
|---|---|---|---|---|---|---|---|



44mm 幅キャリアテープ

|                                                                                                                                   |                                                                                      |                                                                                                                    |      |                                     |                                     |                                                |                       |
|-----------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------|------|-------------------------------------|-------------------------------------|------------------------------------------------|-----------------------|
| 44                                                                                                                                |                                                                                      | 45.5                                                                                                               | 22.8 | 54722-0807                          |                                     | 80                                             |                       |
| キャリアテープ幅<br>CARRIER TAPE WIDTH                                                                                                    |                                                                                      | B                                                                                                                  | (A)  | MATERIAL NO.                        |                                     | 極数<br>CIRCUIT                                  |                       |
| MODEL NO.                                                                                                                         |                                                                                      | 54722-***7                                                                                                         |      | DIMENSIONS:                         |                                     | SHT                                            | REV                   |
| SCALE<br>1/1                                                                                                                      | DESIGN UNITS<br><input checked="" type="checkbox"/> mm <input type="checkbox"/> INCH | THIRD ANGLE<br>PROJECTION<br> |      | <input type="checkbox"/> mm<br>INCH | <input type="checkbox"/> INCH<br>mm | <input checked="" type="checkbox"/> mm<br>ONLY | REVISE ON<br>CAD ONLY |
| DRAWN BY & DATE<br>T.YASUI '02/03/06                                                                                              |                                                                                      | TITLE:<br>0.5 B-To-B Conn Rec Assy<br>(Hg+=1.5) Embstp Pkg                                                         |      |                                     |                                     |                                                |                       |
| CHECKED BY & DATE<br>M.SASAO '03/03/31                                                                                            |                                                                                      |                                                                                                                    |      |                                     |                                     |                                                |                       |
| APPROVED BY & DATE<br>M.SASAO '03/03/31                                                                                           |                                                                                      | MOLEX MOLEX INCORPORATED<br>  |      |                                     |                                     |                                                |                       |
| CAD FILENAME<br>54722008.S04                                                                                                      |                                                                                      | MATERIAL NO.<br>SEE CHART                                                                                          |      | DRAWING NO.<br>SD-54722-008         |                                     | SHEET NO.<br>5 OF 5                            |                       |
| THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX<br>INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION. |                                                                                      |                                                                                                                    |      |                                     |                                     |                                                | SIZE<br>B             |

4722008.S04