

## 602-15

---

- ▶ 5 outlets
- ▶ 15 ft. cord
- ▶ 7.38" length
- ▶ No switch
- ▶ All metal housing



### DESCRIPTION

---

The Waber-by-Tripp Lite 602-15 Power Strip offers a convenient method of power distribution in workbench, wallmount or floor mount applications. Includes 5 NEMA 5-15R output receptacles with 1.188 inch center-to-center spacing, 15 foot AC line cord and keyhole mounting tabs for installation in a wide variety of applications. Corded, multi-outlet strip reduces cabling clutter and enables the connection of multiple electrical devices to a single AC wall socket. Unfiltered electrical pass-through makes 602-15 ideal for distributing alternate waveform UPS or generator power. Features rugged all-metal housing, 15 amp resettable circuit breaker and attractive blue/gray color scheme. Lifetime warranty.

PLUG / OUTLETS - Input: NEMA 5-15P / Output: 5 NEMA 5-15R

ELECTRICAL - 120VAC, 50/60Hz, 15A (Requires standard NEMA 5-15R wall receptacle)

FORMAT - Corded power distribution strip

### KEY BUYING POINTS

---

- Multi-outlet power strip offers convenient power distribution in workbench, wallmount or floor mount applications
- Includes 5 NEMA 5-15R output receptacles with 1.188 inch center-to-center outlet spacing
- Keyhole mounting tabs support permanent installation on a wide variety of surfaces
- UL1363 (USA), cUL (Canada)
- 15 amp power handling capacity with circuit breaker
- 15 foot AC line cord
- Lifetime warranty

### TYPICAL APPLICATIONS

---

- Offers multiple outlet power distribution in workbench, wallmount or floor mount applications. Unfiltered electrical pass-through makes 602-15 ideal for distributing alternate waveform UPS or generator power to protected equipment.

### PACKAGE INCLUDES

---

- 602-15 Power Strip
- Warranty information
- Instruction manual

### COMPLETE SPECIFICATIONS

---



SYSTEM OVERVIEW	
System overview:	4 outlet power strip, 15 ft. cord
Voltage compatibility:	120VAC
Frequency compatibility:	50/60 Hz
OUTPUT	
Output volt amp capacity (amps):	15A
Outlet quantity / type:	5 Nema 5-15R
Outlet orientation:	Single row of 5
Outlet spacing:	1.188 in.
INPUT	
Input connection type:	Nema 5-15P input plug
Input cord length (ft.):	15
Input cord length (m):	4.572
Recommended electrical service:	15A 120V
LEDS ALARMS & SWITCHES	
Switches:	No switch
PHYSICAL	
Unit Dimensions (HWD/in):	7.38 x 2.5 x 1.5
Unit Dimensions (HWD/cm):	18.75 x 6.35 x 3.8
Material of construction:	Metal
Integrated keyhole mounting tabs:	Keyhole mounting tabs enable mounting to a variety of surfaces
Housing color:	Blue Gray
Receptacle color:	Black
AC line cord color:	Black
CERTIFICATIONS	
UL1363 (Power Tap):	UL1363
cUL / CSA (Canada):	cUL
WARRANTY	
Product warranty:	Lifetime

*The policy of Tripp Lite is one of continuous improvement.  
Specifications are subject to change without notice.  
Therefore, your product may vary slightly from what is currently listed.*



**Tripp Lite World Headquarters**  
1111 W. 35th Street  
Chicago, IL 60609 USA

**Customer Support**  
(773) 869-1234

© 2004 Tripp Lite. All Rights Reserved.