






















PRODUCT NUMBER
SEE TABLE




















NOTES

1. MOLDING MAT'L: MODIFIED POLYPHENYLENE ETHER. COLOR: BLACK, MEETING UL 94V-0.
2. PIN LENGTH TO BE .210/5.33 MIN. RECOMMENDED PIN LENGTH IS .225±.015/5.72±0.38.
3. FOR TERMINAL APPLICATION SEE TA-531.
4. TERMINALS MUST BE CRIMPED PROPERLY FOR SATISFACTORY LATCHING. SEE TA-75 FOR CRIMPING INSTRUCTIONS. PRODUCT SPECIFICATION: BUS-12-067
5. THIS HOUSING IS INTENDED FOR USE WITH MINI PV™ TERMINAL WITH 22-36 GAUGE WIRE.
6. ALL MARKINGS EXCEPT LOGO USE 6 POINT TYPE (APPROX .06/1.52 HIGH) AND WHITE INK (MARKEM #8829 OR EQUIV.) WHEN MARKING CAVITIES. NUMERALS OR LETTERS ARE TO BE CENTERED ON RESPECTIVE CAVITIES, UNLESS OTHERWISE NOTED.
7. LOGO TO BE POSITIONED IN THIS AREA SO THAT IT IS READ FROM THE SAME EDGE OF THE CONNECTOR AS THE OTHER MARKINGS.
8. ALL MARKINGS FOR MILITARY PART NUMBERS ARE TO BE PER MIL-STD-1285 SEE TABULATION.
9. PLACE DESC P/N AND CAGE NO. ON PACKAGING LABEL. PRODUCT LENGTH IS TOO SMALL TO MARK PRINT.
10. PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.
11. THE PRODUCT IS NOT INTENDED TO BE EXPOSED TO MANUFACTURING SOLDER PROCESS.
12. EUROPEAN CUSTOMERS SHOULD ORDER PART NUMBERS WITH AN 'E' SUFFIX AS SHOWN IN TABLE TO CONTINUE TO BE SUPPLIED BY THE EUROPEAN PLANT. SEE DRAWING 65043EUR.

mat'l. code				surface			tolerance			projection			product family					
SEE NOTE 1				ASME Y14.5			ASME Y14.5						PV HOUSINGS					
ltr	ecr no	dr	date	tolerances unless otherwise specified									INCH/MM					
				angles			XX*.01/X*.3											
BF	V07-0483	HTB	2007-07-24					XXX*.005/XX*.13										
BG	V08-0022	HTB	2008-01-15				XXXX*.0020/XXX*.051											
-	-	-	-	0°±2'						scale 2.5:1								
BB	V05-0712	DAI	2005-07-27	dr	M. CLOUSER	1990-01-31				dwg no			sheet 1 of 11	size				
BC	V06-0407	HTB	2006-04-27	enrg	C. TREXLER	1990-01-31				65043			A4					
BD	V06-0549	HTB	2006-06-12	chr	C. TREXLER	1990-01-31												
BE	V06-0886	HTB	2006-08-31	appd	C. TREXLER	1990-01-31												
sheet index		revision	BG	BG	BG	BG	BG	BG	BG	BG	BG	BG	type			Product	Customer	Drawing
	sheet		1	2	3	4	5	6	7	8	9	10	11					

PRODUCT NUMBER SEE TABLE		MARK POSITION NUMBERS AS SHOWN TO LENGTH OF PART. 		MARK TOP, CO. LOGO, CUST P/N REV LEVEL, DATE OF MFG, SECOND & NEXT TO LAST POS ON BOTH SIDES IN WHITE AS SHOWN. 		MARK CAVITIES AS SHOWN. 	
MARK POSITION ONE AND CUST. NAME AS SHOWN. 		STYLE D MARK POSITIONS AS SHOWN. 		STYLE G MARK CUST P/N & FIRST & LAST POS (1 SIDE ONLY) AS SHOWN 		STYLE K MARK SECOND CAVITY AS SHOWN. 	
STYLE A MARK LOGO AND POSITIONS AS SHOWN 		STYLE E MARK CUSTOMERS P/N AND REVISION LEVEL IN AREA SHOWN. 		STYLE H MARK TOP, CO. LOGO, CUST P/N REV LEVEL, DATE OF MFG, SECOND & NEXT TO LAST POS ON BOTH SIDES IN WHITE AS SHOWN. 		STYLE L 	
STYLE B MARK ARROW IN WHITE AS SHOWN ON SURFACE OPPOSITE GATE. 		STYLE C 		STYLE F 		STYLE J 	

mat'l. code SEE NOTE 1				surface ASME Y14.5	tolerance ASME Y14.5	projection INCH/MM	product family PV HOUSINGS
ltr	ecn no	dr	date	tolerances unless otherwise specified		 INCH/MM scale 1:1	title MINI LATCH HOUSING DOUBLE ROW .100 [2.54] CC
BG				angles	$XX \pm .01 / X \pm .3$ $XXX \pm .005 / XX \pm .13$		dwg no 65043
				0' ± 2'	XXXXX.0020 / XXXX.051		sheet 2 of 11 size A4
				dr	M. CLOUSER 1990-01-31		type Product Customer Drawing
				engr	C. TREXLER 1990-01-31		
				chr	C. TREXLER 1990-01-31		
				appd	C. TREXLER 1990-01-31		
sheet index	revision sheet						


1		2		3		4	
PRODUCT NUMBER SEE TABLE		MARK CHARACTERS AS SHOWN IN WHITE.(ONE SIDE ONLY)		MARK CHARACTERS ONE SIDE ONLY.			
<p>MARK CO. LOGO, CUST P/N AND FIRST & LAST POS PLUS EVERY FOURTH POS IN WHITE AS SHOWN (ONE SIDE ONLY)</p> <p>NOTE: HOUSING WITH 16 POS OR LESS WILL NOT HAVE CO. LOGO INCLUDED.</p>		 <p>STYLE Q</p>		 <p>STYLE U</p>			
<p>MARK CO. LOGO, CUST P/N AND FIRST & LAST POS PLUS EVERY FOURTH POS IN WHITE AS SHOWN (ONE SIDE ONLY)</p> <p>NOTE: HOUSING WITH 16 POS OR LESS WILL NOT HAVE CO. LOGO INCLUDED.</p>		<p>CO. LOGO AND P/N MARKED AS SHOWN. NO CO. P/N ON HOUSING LESS THAN 2 X 8.</p>  <p>STYLE R</p>		<p>NUMBER EVERY OTHER POSITION AND SIDE A AND B AS SHOWN.</p>  <p>STYLE V</p>		<p>MARK POSITION IDENTIFICATION AS SHOWN.</p>  <p>STYLE Y</p>	
<p>MARK CAV IDENTIFICATION APPROX AS SHOWN.(ONE SIDE ONLY)</p>  <p>STYLE N</p>		<p>MARK CHARACTERS IN WHITE AS SHOWN.</p>  <p>STYLE S</p>		<p>MARK POS 1 & 26 CO. LOGO & P/N AS SHOWN SEE NOTE 6.</p>  <p>STYLE W</p>		<p>MARK POSITIONS 1, 2 AND 3 ONLY SEE NOTE 6</p>  <p>STYLE Z</p>	
<p>MARK CAVITY AS SHOWN WITH ARROW.</p>  <p>STYLE O</p>		<p>MARK CHARACTERS AS SHOWN IN WHITE.(ONE SIDE ONLY)</p>  <p>STYLE T</p>		<p>MARK POS 1 & 26 CO. LOGO & P/N AS SHOWN SEE NOTE 6.</p>  <p>STYLE W</p>		<p>MARK POSITIONS 1, 2 AND 3 ONLY SEE NOTE 6</p>  <p>STYLE Z</p>	
<p>MARK CO. LOGO, CUST P/N AND FIRST & LAST POS PLUS EVERY FOURTH POS IN WHITE AS SHOWN (ONE SIDE ONLY)</p> <p>NOTE: HOUSING WITH 16 POS OR LESS WILL NOT HAVE CO. LOGO INCLUDED.</p>		<p>MARK CHARACTERS AS SHOWN IN WHITE.(ONE SIDE ONLY)</p>  <p>STYLE P</p>		<p>MARK POS 1 & 26 CO. LOGO & P/N AS SHOWN SEE NOTE 6.</p>  <p>STYLE W</p>		<p>MARK POSITIONS 1, 2 AND 3 ONLY SEE NOTE 6</p>  <p>STYLE Z</p>	

mat'l. code SEE NOTE 1				surface ASME Y14.5		tolerance ASME Y14.5		projection INCH/MM		product family PV HOUSINGS	
ltr	ecr no	dr	date	tolerances unless otherwise specified		angles		scale 1:1		title MINI LATCH HOUSING DOUBLE ROW .100 [2.54] CC	
BG				XX*.01/X*.3		0° ± 2'				dwg no	
				XXX*.005/XX*.13		XXXX*.0020/XXX*.051				sheet 3 of 11	
				dr M. CLOUSER 1990-01-31		enr C. TREXLER 1990-01-31				size A4	
				chr C. TREXLER 1990-01-31		appd C. TREXLER 1990-01-31				65043	
sheet index				revision sheet						type Product Customer Drawing	

<p>PRODUCT NUMBER</p> <p>SEE TABLE</p> <p>NUMBER TO BE LOCATED IN CENTER OF RESPECTIVE POSITION</p> <p>STYLE AA</p>	<p>MARK FIRST AND LAST POSITION WITH APPROPRIATE NO. ALL EVEN # POSITIONS ON SAME SIDE OF HOUSING</p> <p>STYLE AD</p>	<p>NUMBER EVERY OTHER POSITION AND SIDE A AND B AS SHOWN. MARK CHARACTERS IN WHITE.</p> <p>STYLE AG</p>	<p>MARK "THIS SIDE UP" AND POSITION NUMBERS 13 & 24 AS SHOWN IN .060/1.52 HIGH CHARACTERS.</p> <p>STYLE AK</p> <p>MARK FIRST AND LAST POSITION WITH APPROPRIATE NO. ON ONE SIDE, ALSO PRINT "THIS SIDE UP-1" AS SHOWN.</p> <p>STYLE AL</p>
<p>MARK ENTIRE SURFACE WHITE</p> <p>STYLE AB</p>	<p>MARK FIRST AND LAST POSITION WITH APPROPRIATE NO. BOTH SIDES ALL EVEN # POSITIONS ON SAME SIDE OF HOUSING</p> <p>STYLE AE</p>	<p>MARK NUMBERS IN WHITE.</p> <p>STYLE AH</p>	
<p>IDENTIFY POSITIONS 1, 6, 13 WITH WHITE CHARACTERS LOCATED AS SHOWN.</p> <p>STYLE AC</p>	<p>MARK HOUSING (ONE SIDE ONLY) EVERY SECOND POSITION WITH ODD NUMBERS TO LENGTH OF PART DO NOT MARK END POSITIONS</p> <p>STYLE AF</p>	<p>MARK FIRST AND LAST POSITION BOTH SIDES AS SHOWN. TO LENGTH OF PART.</p> <p>STYLE AJ</p>	


mat'l. code SEE NOTE 1				surface ASME Y14.5 ✓	tolerance ASME Y14.5	projection INCH/MM	product family PV HOUSINGS
ltr	ecr no	dr	date	tolerances unless otherwise specified		scale 1:1	title MINI LATCH HOUSING DOUBLE ROW .100 [2.54] CC
BG				angles	XX*.01/X*.3 XXX*.005/XXX*.13		
				0'±2'	XXXX*.0020/XXX*.051		
				dr	M. CLOUSER 1990-01-31		
				enrg	C. TREXLER 1990-01-31	FCI	dwg no 65043
				chr	C. TREXLER 1990-01-31		
				appd	C. TREXLER 1990-01-31		
sheet index	revision sheet						type Product Customer Drawing

PRODUCT NUMBER
 SEE TABLE

 MARK FIRST AND LAST POSITION
 WITH APPROPRIATE NO. ON ONE
 SIDE. ALSO PRINT "THIS
 SIDE UP-2" AS SHOWN.



STYLE AM

DATE CODE


 MARK DESC P/N, CAGE NO.,
 DATE CODE IN AREA'S SHOWN.
 NOTE 8 & 9


STYLE AN

MARK NUMBERS IN WHITE






STYLE AP

MARK NUMBERS IN WHITE



STYLE AR

mat'l. code SEE NOTE 1				surface ASME Y14.5 ✓		tolerance ASME Y14.5		projection 		product family PV HOUSINGS			
ltr	ecr no	dr	date	tolerances unless otherwise specified				INCH/MM 	title				
BG				angles	<div>linear</div>	XXX+.01/-X+.3			MINI LATCH HOUSING				
						XXX+.005/-XX+.13			DOUBLE ROW .100 [2.54] CC				
				0'±2"		.XXXX+.0020/-XXX+.051			scale 1:1				
		dr	M. CLOUSER	1990-01-31				dwg no		sheet 5 of 11		size	
		enrg	C. TREXLER	1990-01-31				65043				A	
		chr	C. TREXLER	1990-01-31									
		appd	C. TREXLER	1990-01-31				type		Product Customer Drawing			
sheet index		revision sheet											



PRODUCT NO.	NO OF POS	DIM K	EUROPEAN VERSION-NOTE 12
65043-001LF	2 X 36	3.600/91.44	65043-001ELF
65043-002LF	2 X 35	3.500/88.90	65043-002ELF
65043-003LF	2 X 34	3.400/86.36	65043-003ELF
65043-004LF	2 X 33	3.300/83.82	65043-004ELF
65043-005LF	2 X 32	3.200/81.28	65043-005ELF
65043-006LF	2 X 31	3.100/78.74	65043-006ELF
65043-007LF	2 X 30	3.000/76.20	65043-007ELF
65043-008LF	2 X 29	2.900/73.66	65043-008ELF
65043-009LF	2 X 28	2.800/71.12	65043-009ELF
65043-010LF	2 X 27	2.700/68.58	65043-010ELF
65043-011LF	2 X 26	2.600/66.04	65043-011ELF
65043-012LF	2 X 25	2.500/63.50	65043-012ELF
65043-013LF	2 X 24	2.400/60.96	65043-013ELF
65043-014LF	2 X 23	2.300/58.24	65043-014ELF
65043-015LF	2 X 22	2.200/55.88	65043-015ELF
65043-016LF	2 X 21	2.100/53.34	65043-016ELF
65043-017LF	2 X 20	2.000/50.80	65043-017ELF
65043-018LF	2 X 19	1.900/48.26	65043-018ELF
65043-019LF	2 X 18	1.800/45.72	65043-019ELF
65043-020LF	2 X 17	1.700/43.18	65043-020ELF
65043-021LF	2 X 16	1.600/40.64	65043-021ELF
65043-022LF	2 X 15	1.500/38.10	65043-022ELF
65043-023LF	2 X 14	1.400/35.56	65043-023ELF
65043-024LF	2 X 13	1.300/33.02	65043-024ELF
65043-025LF	2 X 12	1.200/30.48	65043-025ELF
65043-026LF	2 X 11	1.100/27.94	65043-026ELF
65043-027LF	2 X 10	1.000/25.40	65043-027ELF
65043-028LF	2 X 9	.900/22.86	65043-028ELF
65043-029LF	2 X 8	.800/20.32	65043-029ELF
65043-030LF	2 X 7	.700/17.78	65043-030ELF
65043-031LF	2 X 6	.600/15.24	65043-031ELF
65043-032LF	2 X 5	.500/12.70	65043-032ELF
65043-033LF	2 X 4	.400/10.16	65043-033ELF
65043-034LF	2 X 3	.300/7.62	65043-034ELF
65043-035LF	2 X 2	.200/5.08	65043-035ELF

mat'l. code SEE NOTE 1				surface ASME Y14.5		tolerance ASME Y14.5		projection 		product family PV HOUSINGS			
ltr	ecr no	dr	date	tolerances unless otherwise specified						title			
BG				angles	to leg	XX*.01/X*.3		INCH/MM		MINI LATCH HOUSING			
						XXX*.005/XX*.13				DOUBLE ROW .100 [2.54] CC			
				0'±2'		XXXX*.0020/XXX*.051		scale 1:1		dwg no			
				dr	M. CLOUSER	1990-01-31				sheet 6 of 11			
				engr	C. TREXLER	1990-01-31				size			
				chr	C. TREXLER	1990-01-31				A4			
				appd	C. TREXLER	1990-01-31				type			
sheet index		revision sheet											



MILITARY PRODUCT NO.	MADE FROM	MARKING STYLE	DESC P/N	CAGE NO.	
65043-001 -MIL	65043-001	AN	86038-72	22526	OBSOLETE
-002	-002		-70		OBSOLETE
-003	-003		-68		OBSOLETE
-004	-004		-66		OBSOLETE
-005	-005		-64		OBSOLETE
-006	-006		-62		OBSOLETE
-007	-007		-60		OBSOLETE
-008	-008		-58		OBSOLETE
-009	-009		-56		OBSOLETE
-010	-010		-54		OBSOLETE
-011	-011		-52		OBSOLETE
-012	-012		-50		OBSOLETE
-013	-013		-48		OBSOLETE
-014	-014		-46		OBSOLETE
-015	-015		-44		OBSOLETE
-016	-016		-42		OBSOLETE
-017	-017		-40		OBSOLETE
-018	-018		-38		OBSOLETE
-019	-019		-36		OBSOLETE
-020	-020		-34		OBSOLETE
-021	-021		-32		OBSOLETE
-022	-022		-30		OBSOLETE
-023	-023		-28		OBSOLETE
-024	-024		-26		OBSOLETE
-025	-025		-24		OBSOLETE
-026	-026		-22		OBSOLETE
-027	-027		-20		OBSOLETE
-028	-028		-18		OBSOLETE
-029	-029		-16		OBSOLETE
-030	-030		-14		OBSOLETE
-031	-031		-12		OBSOLETE
-032	-032		-10		OBSOLETE
-033	-033		-08		OBSOLETE
-034	-034		-06		OBSOLETE
65043-035 -MIL	65043-035	AN	86038-04	22526	SEE NOTE 9

SEE NOTE 9

mat'l. code SEE NOTE 1				surface ASME Y14.5 ✓		tolerance ASME Y14.5		projection 		product family PV HOUSINGS	
ltr	ecr no	dr	date	tolerances unless otherwise specified						title	
BG				angles	XX*01/X*3			INCH/MM		MINI LATCH HOUSING	
				0'±2'	XXX*005/XX*13			scale 1:1		DOUBLE ROW .100 [2.54] CC	
				dr	M. CLOUSER	1990-01-31					dwg no
				enr	C. TREXLER	1990-01-31					sheet 7 of 11
				chr	C. TREXLER	1990-01-31					size
				appd	C. TREXLER	1990-01-31					A4
sheet index		revision sheet								type Product Customer Drawing	



PRODUCT NO.	NO OF POS	DIM K	MARKINGS STYLE	CUSTOMER RESTRICTED
65043-037LF	2 X 13	1.300/33.02	A	*
65043-038LF	2 X 22	2.200/55.88	B	
65043-039LF	2 X 12	1.200/30.48	C	
65043-040LF	2 X 16	1.600/40.64	C	
65043-041LF	2 X 20	2.000/50.80	C	
65043-042LF	2 X 24	2.400/60.96	C	
65043-043LF	2 X 4	.400/10.16	C	
65043-044LF	2 X 8	.800/20.32	C	
65043-045LF	2 X 30	3.000/76.20	D	
65043-046LF	2 X 10	1.000/25.40	E	
65043-047LF	2 X 13	1.300/33.02	E	
65043-048LF	2 X 20	2.000/50.80	F	*
65043-049LF	2 X 10	1.000/25.40	F	*
65043-050LF	2 X 15	1.500/38.10	C	
65043-051LF	2 X 2	.200/5.08	C	*
65043-052LF	2 X 13	1.300/33.02	K	*
65043-053LF	2 X 3	.300/7.62	L	*
65043-054LF	2 X 15	1.500/38.10	J	*
65043-055LF	2 X 22	2.200/55.88	G	*
65043-056LF	2 X 20	2.000/50.80	H	*
65043-057LF	2 X 20	2.000/50.80	E	
65043-058LF	2 X 5	.500/12.70	M	*
65043-059LF	2 X 6	.600/15.24	M	*
65043-060LF	2 X 10	1.000/25.40	M	*
65043-061LF	2 X 13	1.300/33.02	M	*
65043-062LF	2 X 16	1.600/40.64	M	*
65043-063LF	2 X 17	1.700/43.18	M	*
65043-064LF	2 X 20	2.000/50.80	M	*
65043-065LF	2 X 4	.400/10.16	N	
65043-066LF	2 X 14	1.400/35.56	E	
65043-067LF	2 X 13	1.300/33.02	G	*
65043-068LF	2 X 17	1.700/43.18	G	*
65043-069LF	2 X 20	2.000/50.80	G	*
65043-070LF	2 X 12	1.200/30.48	O	
65043-071LF	2 X 19	1.900/48.26	O	

mat'l. code SEE NOTE 1				surface ASME Y14.5 ✓		tolerance ASME Y14.5		projection 		product family PV HOUSINGS			
ltr	ecn no	dr	date	tolerances unless otherwise specified								title	
BG				angles		<div><div>inch</div><div>XX*.01/X*.3</div><div>XXX*.005/XX*.13</div><div>0'±2'</div><div>XXXX*.0020/XXX*.051</div></div>		INCH/MM				MINI LATCH HOUSING	
								scale 1:1		DOUBLE ROW .100 [2.54] CC			
				dr	M. CLOUSER	1990-01-31				dwg no		sheet 8 of 11	size
				engr	C. TREXLER	1990-01-31				65043		A4	
				chr	C. TREXLER	1990-01-31							
				appd	C. TREXLER	1990-01-31							
sheet index	revision sheet												



PRODUCT NO.	NO OF POS	DIM K	SPECIAL MARKINGS STYLE	CUSTOMER RESTRICTED
65043-072LF	2 X 22	2.200/55.88	O	
65043-073LF	2 X 27	2.700/68.58	P	
65043-074LF	2 X 10	1.000/25.40	Q	
65043-075LF	2 X 10	1.000/25.40	O	
65043-076LF	2 X 10	1.000/25.40	M	
65043-077LF	2 X 22	2.200/55.88	R	
65043-078LF	2 X 20	2.000/50.80	R	
65043-079LF	2 X 6	.600/15.24	R	
65043-080LF	2 X 8	.800/20.32	R	
65043-081LF	2 X 7	.700/17.78	R	
65043-082LF	2 X 11	1.100/27.94	R	
65043-083LF	2 X 12	1.200/30.48	R	
65043-084LF	2 X 20	2.000/50.80	O	
65043-085LF	2 X 10	1.000/25.40	R	
65043-086LF	2 X 19	1.900/48.26	C	
65043-087LF	2 X 10	1.000/25.40	C	
65043-088LF	2 X 5	.500/12.70	C	
65043-089LF	2 X 3	.300/7.62	N	
65043-090LF	2 X 9	.900/22.86	O	
65043-091LF	2 X 13	1.300/33.02	O	
65043-092LF	2 X 13	1.300/33.02	S	
65043-093LF	2 X 3	.300/7.62	T	
65043-094LF	2 X 11	1.100/27.94	U	
65043-095LF	2 X 13	1.300/33.02	V	
65043-096LF	2 X 13	1.300/33.02	W	
65043-097LF	2 X 13	1.300/33.02	M	
65043-098LF	2 X 25	2.500/63.50	M	*
65043-099LF	2 X 4	.400/10.16	O	
65043-100LF	2 X 13	1.300/33.02	Y	
65043-101LF	2 X 7	.700/17.78	Z	
65043-102LF	2 X 22	2.200/55.88	Z	
65043-103LF	2 X 26	2.600/66.04	Z	
65043-104LF	2 X 32	3.200/81.28	Z	
65043-105LF	2 X 10	1.000/25.40	Z	
65043-106LF	2 X 8	.800/20.32	Z	

mat'l. code SEE NOTE 1				surface ASME Y14.5	tolerance ASME Y14.5	projection 	product family PV HOUSINGS
ltr	ecn no	dr	date	tolerances unless otherwise specified		INCH/MM	title MINI LATCH HOUSING DOUBLE ROW .100 [2.54] CC
BG				angles	XX*.01/X*.3 XXX*.005/XX*.13 XXXX*.0020/XXX*.051		
				0'±2'		scale 1:1	dwg no
				dr	M. CLOUSER 1990-01-31	FCI	sheet 9 of 11 size
				engr	C. TREXLER 1990-01-31		65043 A4
				chr	C. TREXLER 1990-01-31		
				appd	C. TREXLER 1990-01-31		type Product Customer Drawing
sheet index	revision sheet						



PRODUCT NO	NO OF POS	DIM K	MARKINGS STYLE	CUSTOMER RESTRICTED
65043-107LF	2 X 5	.500/12.70	Z	
65043-108LF	2 X 15	1.500/38.10	Z	
65043-109LF	2 X 30	3.000/76.20	Z	
65043-110LF	2 X 13	1.300/33.02	Z	
65043-111LF	2 X 2	.200/5.08	AA	
65043-112LF	2 X 5	.500/12.70	AA	
65043-113LF	2 X 6	.600/15.24	AA	
65043-114LF	2 X 7	.700/17.78	AA	
65043-115LF	2 X 8	.800/20.32	AA	
65043-116LF	2 X 7	.700/17.78	AB	*
65043-117LF	2 X 7	.700/17.78	O	
65043-118LF	2 X 13	1.300/33.02	C	
65043-119LF	2 X 13	1.300/33.02	AC	
65043-120LF	2 X 2	.200/5.08	Z	
65043-121LF	2 X 4	.400/10.16	Z	
65043-122LF	2 X 17	1.700/43.18	Z	
65043-123LF	2 X 20	2.000/50.80	Z	
65043-124LF	2 X 8	.800/20.32	O	
65043-125LF	2 X 15	1.500/38.10	D	
65043-126LF	2 X 30	3.000/76.20	Y	
65043-127LF	2 X 15	1.500/38.10	AD	
65043-128LF	2 X 32	3.200/81.28	AD	
65043-129LF	2 X 15	1.500/38.10	AE	
65043-130LF	2 X 32	3.200/81.28	AE	
65043-131LF	2 X 22	2.200/55.88	AF	
65043-132LF	2 X 7	.700/17.78	AF	
65043-133LF	2 X 19	1.900/48.26	AF	
65043-134LF	2 X 12	1.200/30.48	AF	
65043-135LF	2 X 15	1.500/38.10	M	
65043-136LF	2 X 12	1.200/30.48	Z	
65043-137LF	2 X 18	1.800/45.72	Z	
65043-138LF	2 X 25	2.500/63.50	Z	
65043-139LF	2 X 36	3.600/91.44	Z	
65043-140LF	2 X 15	1.500/38.10	AG	
65043-141LF	2 X 7	.700/17.78	AG	

mat'l. code				surface		tolerance		projection		product family			
SEE NOTE 1				ASME Y14.5		ASME Y14.5				PV HOUSINGS			
ltr	ecr no	dr	date	tolerances unless otherwise specified						title			
BG				angles	$XX \pm 01 / X \pm 3$ $XXX \pm 005 / XX \pm 13$			INCH/MM		MINI LATCH HOUSING			
				0' ± 2'	$XXXX \pm 0020 / XXX \pm 051$			scale 1:1		DOUBLE ROW .100 [2.54] CC			
				dr	M. CLOUSER	1990-01-31					dwg no		
				enr	C. TREXLER	1990-01-31					sheet 10 of 11		
				chr	C. TREXLER	1990-01-31					size		
				appd	C. TREXLER	1990-01-31					A4		
sheet index		revision sheet										type Product Customer Drawing	

PRODUCT NO	NO OF POS	DIM K	SPECIAL MARKINGS STYLE	CUSTOMER RESTRICTED
65043-142LF	2 X 7	.700/17.78	D	
65043-143LF	2 X 3	.300/7.62	Y	
65043-144LF	2 X 5	.500/12.70	Y	
65043-145LF	2 X 10	1.000/25.40	Y	
65043-146LF	2 X 12	1.200/30.48	Y	
65043-147LF	2 X 13	1.300/33.02	Y	
65043-148LF	2 X 15	1.500/38.10	Y	
65043-149LF	2 X 17	1.700/43.18	Y	
65043-150LF	2 X 18	1.800/45.72	Y	
65043-151LF	2 X 20	2.000/50.80	Y	
65043-152LF	2 X 25	2.500/63.50	Y	
65043-153LF	2 X 35	3.500/88.90	Y	
65043-154LF	2 X 36	3.600/91.44	Y	
65043-155LF	2 X 30	3.000/76.20	E	
65043-156LF	2 X 13	1.300/33.02	AH	
65043-157LF	2 X 14	1.400/35.56	AJ	
65043-158LF	2 X 12	1.200/30.48	AK	
65043-159LF	2 X 27	2.700/68.58	D	
65043-160LF	2 X 12	1.200/30.48	E	
65043-161LF	2 X 24	2.400/60.96	E	
65043-162LF	2 X 12	1.200/30.48	D	
65043-163LF	2 X 4	.400/10.16	AG	
65043-164LF	2 X 23	2.300/58.42	AJ	
65043-165LF	2 X 7	.700/17.78	AJ	
65043-166LF	UNAVAILABLE			
65043-167LF	UNAVAILABLE			
65043-168LF	UNAVAILABLE			
65043-169LF	UNAVAILABLE			
65043-170LF	UNAVAILABLE			
65043-171LF	2 X 9	.900/22.86	AP	
65043-172LF	2 X 9	.900/22.86	AR	

mat'l. code		surface		tolerance		projection		product family	
SEE NOTE 1		ASME Y14.5		ASME Y14.5				PV HOUSINGS	
ltr	ecn no	dr	date	tolerances unless otherwise specified				title	
BG				angles	XX*.01/X*.3			MINI LATCH HOUSING	
					XXX*.005/XX*.13			DOUBLE ROW .100 [2.54] CC	
				0"±2"	XXXX*.0020/XXX*.051	scale 1:1		dwg no	
				dr	M. CLOUSER	1990-01-31		sheet 11 of 11	
				engr	C. TREXLER	1990-01-31		size	
				chr	C. TREXLER	1990-01-31		A4	
				appd	C. TREXLER	1990-01-31		type	
sheet index		revision sheet						Product Customer Drawing	