


PRODUCT NO.
SEE SHT. 2



NOTES

1. HOUSING MATERIAL: PLAIN VALOX FLAME RETARDENT, PER UL 94-VE-0 OR EQUIVALENT. COLOR BLACK
2. .100/2.54 MAX. APPLIES TO HOUSING BODY. .105/2.67 MAX. APPLIES TO BODY AND LID, AFTER LID IS CLOSED PER TMS-258-88
3. ADD 'LF' SUFFIX AT THE END OF PART NUMBERS FOR LEAD FREE OPTION.
4. IF "LF" THE P/N THE PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATION AS DESCRIBED IN GS-22-008.
5. THE PRODUCT IS NOT INTENDED TO BE EXPOSED TO A MANUFACTURING SOLDER PROCESS.

mat'l. code				surface ISO 1302	tolerance ISO 406 ISO 1101	projection INCH/MM	product family JUMPER
ltr	ecn no	dr	date	tolerances unless otherwise specified		scale 10:1 FCI	title
F	M06-0187	MHT	5/15/06	angles	linear		MINI JUMP
G	M07-0112	MHT	2/14/07	0°±2'	linear		CONNECTOR ASS'Y 200 cc
							dwg no
				dr	J.W. BAIR	2/3/89	sheet 1 of 2 size
				enr	M.HAHN	2/3/89	65771
				chr			A3
				appd	M.HAHN	2/3/89	type
sheet	revision	G	G				Product Customer Drawing
index	sheet	1	2				



FCIconnect.com

Copyright FCI

form: A3

PRODUCT NO. NOTE 3	TERMINAL		TERMINAL SPRING	
	BODY MATERIAL	CONTACT PLATING	MATERIAL	PLATING
65771-001	.010/.025 THK. 1/4 HD. BRASS ALLOY UNS C26000	1.02 μ /40 μ " AU OVER 1.27 μ /50 μ " NICKEL	.122/.0048 THK BE-CU ALLOY	GOLD FLASH
65771-002		TIN LEAD	UNS C17200 HEAT TREATED	TIN PLATED
65771-003	—	—	—	—
65771-004	.010/.025 THK. 1/4 HD CU-NI ALLOY UNS C72500	.03/.001 MIN THK. GOLD DOT	.122/.0048 THK BE-CU ALLOY UNS C17200 HEAT TREATED	GOLD FLASH
65771-005	.25/.010 BRASS	.76 μ /30 μ " AU		GOLD FLASH

OBSOLETE

LEAD FREE OPTION

PRODUCT NO.	TERMINAL		TERMINAL SPRING	
	BODY MATERIAL	CONTACT PLATING	MATERIAL	PLATING
65771-001LF	.010/.025 THK. 1/4 HD. BRASS ALLOY UNS C26000	1.02 μ /40 μ " AU OVER 1.27 μ /50 μ " NICKEL	.122/.0048 THK BE-CU ALLOY	GOLD FLASH
65771-002LF		TIN	UNS C17200 HEAT TREATED	TIN PLATED
65771-004LF	.010/.025 THK. 1/4 HD CU-NI ALLOY UNS C72500	.03/.001 MIN THK. GOLD DOT	.122/.0048 THK BE-CU ALLOY UNS C17200 HEAT TREATED	GOLD FLASH
65771-005LF	.25/.010 BRASS	.76 μ /30 μ " AU		GOLD FLASH

mat'l. code				surface ISO 1302 <input checked="" type="checkbox"/>	tolerance ISO 406 ISO 1101	projection 	product family JUMPER
ltr	ecn	no	dr	date	tolerances unless otherwise specified		title
G					angles	linear	MINI JUMP
					0'±2'	.XX±.01/0.3 .XXX±.005/0.13 .XXXX±.0020/0.051	CONNECTOR ASS'Y 200 cc
					dr	J.W. BAIR 2/3/89	dwg no
					enr	M.HAHN 2/3/89	sheet 2 of 2 size
					chr		65771 A3
					appd	M.HAHN 2/3/89	type Product Customer Drawing
sheet index	revision sheet						