



PRODUCT NUMBER
SEE TABLE



NOTES:

1. FOR PRODUCT GEOMETRY AND GENERAL INFORMATION SEE DRAWING 93197.
2. PACKAGED IN POLYBAGS, EXCEPT PART NUMBERS WITH A "T" SUFFIX ARE PACKED IN TUBES.
3. ADD "HLF" SUFFIX AT THE END OF PART NUMBER FOR LEAD FREE OPTION.
4. THESE PRODUCTS MEET EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATION AS DESCRIBED IN GS-22-008.
5. PART NUMBERS WITH "H" SUFFIX WILL WITHSTAND EXPOSURE TO 260°C PEAK TEMPERATURE FOR 20 SECONDS IN WAVE SOLDER, INFRA-RED OR VAPOR PHASE SOLDER PROCESS.

BODY MATERIAL:

BERGSTIK: MANUFACTURER'S OPTION OF NYLON, PCT GLASS FIBER REINFORCED, FLAME RETARDANT PER UL-94V-0. COLOR : BLACK OR MINERAL FILLED LCP, FLAME RETARDANT PER UL-94V-0. COLOR BLACK.

PART NUMBERS WITHOUT "H" SUFFIX WILL WITHSTAND EXPOSURE TO 260°C PEAK TEMPERATURE FOR WAVE SOLDER PROCESS.

6. PLATING OPTIONS:
MAY BE EITHER GOLD OR GXT PLATED AT MANUFACTURER'S OPTION.
7. "THIS PRODUCT HAS 100% TIN PLATING IN THE INTERFACE AND HAS NOT BEEN TESTED FOR WHISKER GROWTH IN ALL INTERCONNECT ENVIRONMENTS."

mat'l. code				surface ISO 1902	tolerance ISO 406 ISO 1101	projection ISO 1001	product family BERGSTIK			
ltr	ecn no	dr	date	tolerances unless otherwise specified		INCH/MM	title BERGSTIK® II HDR. D/R .100/2.54cc POLARIZED			
DG	V20890	GIP	07/30/02	angles	linear		scale 1:1			
DH	V21909	MRA	06/20/03				sheet 1 of 12 size			
DJ	V04-0163	HTB	02/16/04	0'±2'			A3			
DK	M05-0175	ERE	07/28/05	dr	T.BREWBAKER	12/14/94	FCJ			
DL	M06-0268	MHT	7/17/06	engr	T.HANNA	12/14/94				
DM	M06-0435	MHT	10/31/06	chr	T.HANNA	12/14/94				
DN	M08-0291	MHT	10/06/08	appd	T.HANNA	12/14/94				
sheet	revision	DN	DN	DN	DN	DN	DN	DN	DN	DN
index	sheet	1	2	3	4	5	6	7	8	9

PRODUCT NUMBER	SIZE	TOT. PIN LGTH		TAIL LENGTH		MATING LENGTH		PIN PLATING CODE	POLARIZED POSITION	LEAD FREE OPTION
		DIM F ENGLISH	DIM F METRIC	DIM G ENGLISH	DIM G METRIC	DIM H ENGLISH	DIM H METRIC			
68449-001	2x17	0.533	13.54	0.115	2.92	0.318	8.08	2	A-6	NOTE 3, 4
68449-002	2x17	0.548	13.92	0.130	3.30	0.318	8.08	2	A-4	
68449-003	2x13	0.548	13.92	0.130	3.30	0.318	8.08	2	A-2	
68449-004	2x17	0.548	13.92	0.130	3.30	0.318	8.08	2	A-12	
68449-005	2x13	0.548	13.92	0.130	3.30	0.318	8.08	2	A-7	
68449-006	2x10	0.548	13.92	0.130	3.30	0.318	8.08	2	A-9	
68449-007	2x19	0.548	13.92	0.130	3.30	0.318	8.08	2	A-13	
68449-008	2x25	0.548	13.92	0.130	3.30	0.318	8.08	2	A-6.10.19 B-22	
68449-009	2x7	0.548	13.92	0.130	3.30	0.318	8.08	2	A-6	
68449-010	2x17	0.533	13.54	0.115	2.92	0.318	8.08	2	A-1	
68449-011	2x13	0.548	13.92	0.130	3.30	0.318	8.08	2	A-13	
68449-012	2x8	0.533	13.54	0.115	2.92	0.318	8.08	2	A-5	
68449-013	2x10	0.533	13.54	0.115	2.92	0.318	8.08	2	A-6	
68449-014	2x10	0.533	13.54	0.115	2.92	0.318	8.08	2	A-7	
68449-015	2x10	0.533	13.54	0.115	2.92	0.318	8.08	2	A-8	
68449-016	2x10	0.533	13.54	0.115	2.92	0.318	8.08	2	A-9	
68449-017	2x10	0.533	13.54	0.115	2.92	0.318	8.08	2	A-10	
68449-018	2x10	0.533	13.54	0.115	2.92	0.318	8.08	2	A-4	
68449-019	2x13	0.533	13.54	0.115	2.92	0.318	8.08	2	A-1	
68449-020	2x6	0.533	13.54	0.115	2.92	0.318	8.08	2	A-6	
68449-021	2x12	0.533	13.54	0.115	2.92	0.318	8.08	2	A-1	
68449-022	2x20	0.533	13.54	0.115	2.92	0.318	8.08	2	A-1	
68449-023	2x25	0.533	13.54	0.115	2.92	0.318	8.08	2	A-1.3.5.10.14.18.22	
68449-024	2x20	0.650	16.51	0.120	3.05	0.430	10.92	2	A-17	
68449-025	2x20	0.533	13.54	0.115	2.92	0.318	8.08	2	A-7	
68449-026	2x10	0.533	13.54	0.115	2.92	0.318	8.08	2	A-5	
68449-027	2x8	0.533	13.54	0.115	2.92	0.318	8.08	2	A-3	

mat'l. code				surface ISO 1902 <input checked="" type="checkbox"/> tolerance ISO 406 ISO 1101		projection 		product family BERGSTIK	
ltr	ecn no	dr	date	tolerances unless otherwise specified				title BERGSTIK® II HDR. D/R .100/2.54cc POLARIZED	
DN				angles	linear	<div> <div>XXXL01/XXL03</div> <div>XXXL005/XXL013</div> <div>XXXL0020/XXXL0051</div> </div>		scale 1:1	
				0°±2'					
				dr	T.BREWBAKER	12/14/94			dwg no
				engr	T.HANNA	12/14/94			sheet 2 of 12 size
				chr	T.HANNA	12/14/94			68449 A3
				appd	T.HANNA	12/14/94			type Product Customer Drawing
sheet index	revision sheet								

PRODUCT NUMBER	SIZE	TOT. PIN LGTH		TAIL LENGTH		MATING LENGTH		PIN PLATING CODE	POLARIZED POSITION	LEAD FREE OPTION
		DIM F	DIM F	DIM G	DIM G	DIM H	DIM H			
		ENGLISH	METRIC	ENGLISH	METRIC	ENGLISH	METRIC			
68449-028	2x15	0.525	13.34	0.107	2.72	0.318	8.08	1	A-11	NOTE 3, 4
68449-029	2x10	0.533	13.54	0.115	2.92	0.318	8.08	2	A-2	
68449-030	2x26	0.548	13.92	0.130	3.30	0.318	8.08	2	A-4.14.16.24.26 B-2.5.21	
68449-031	2x20	0.533	13.54	0.115	2.92	0.318	8.08	2	A-6	
68449-032	2x20	0.533	13.54	0.115	2.92	0.318	8.08	2	A-11 B-1	
68449-033	2x5	0.548	13.92	0.130	3.30	0.318	8.08	2	A-2	
68449-034	2x6	0.538	13.67	0.120	3.05	0.318	8.08	2	A-3	
68449-035	2x20	0.525	13.34	0.107	2.72	0.318	8.08	1	A-12	
68449-036	2x7	0.525	13.34	0.107	2.72	0.318	8.08	1	A-7	
68449-037	2x10	0.450	11.43	0.120	3.05	0.230	5.84	3	A-2	
68449-038	2x17	0.430	10.92	0.100	2.54	0.230	5.84	2	A-8	
68449-039	2x10	0.430	10.92	0.100	2.54	0.230	5.84	2	A-7	
68449-040	2x17	0.430	10.92	0.100	2.54	0.230	5.84	2	A-3	
68449-041	2x8	0.450	11.43	0.120	3.05	0.230	5.84	1	A-8	
68449-042	2x10	0.525	13.34	0.107	2.72	0.318	8.08	1	A-7	
68449-043	2x16	0.938	23.83	0.520	13.21	0.318	8.08	1	A-2.9 B-6.13.15	
68449-044	2x3	0.450	11.43	0.120	3.05	0.230	5.84	1	A-2 B-2	
68449-045	2x3	0.825	20.96	0.115	2.92	0.610	15.49	1	A-1.3 B-1.3	
68449-046	2x15	0.425	10.80	0.095	2.41	0.230	5.84	1	A-1	
68449-047	2x6	0.450	11.43	0.120	3.05	0.230	5.84	1	A-2	
68449-048	2x15	0.425	10.80	0.095	2.41	0.230	5.84	1	A-2.6.10.14 B-2.6.10.14	
68449-049	2x12	0.425	10.80	0.095	2.41	0.230	5.84	3	A-2	
68449-050	2x16	0.425	10.80	0.095	2.41	0.230	5.84	3	A-2	
68449-051	2x16	0.425	10.80	0.095	2.41	0.230	5.84	3	A-2 B-2	
68449-052	2x18	0.425	10.80	0.095	2.41	0.230	5.84	3	A-17	
68449-053	2x2	0.425	10.80	0.095	2.41	0.230	5.84	3	A-2	
68449-054	2x9	0.425	10.80	0.095	2.41	0.230	5.84	3	A-2	NOTE 3, 4

mat'l. code				surface ISO 1902		tolerance ISO 406 ISO 1101		projection 		product family BERGSTIK	
ltr	ecn no	dr	date	tolerances unless otherwise specified						title BERGSTIK® II HDR. D/R .100/2.54cc POLARIZED	
DN				angles	linear	XX±.01/XX±0.3 XXX±.005/XXX±0.13 0'±2'		INCH/MM		dwg no 68449	
						XXX±.0020/XXX±0.051		scale 1:1		sheet 3 of 12 size A3	
				dr	T.BREWBAKER 12/14/94				type Product Customer Drawing		
				engr	T.HANNA 12/14/94						
				chr	T.HANNA 12/14/94						
				appd	T.HANNA 12/14/94						
sheet index	revision sheet										

1		2 3						4		5		6
PRODUCT NUMBER		TOT. PIN LGTH		TAIL LENGTH		MATING LENGTH				LEAD FREE WIRE CODE	LEAD FREE OPTION	
		DIM F	DIM F	DIM G	DIM G	DIM H	DIM H	PIN PLATING	POLARIZED POSITION			
	SIZE	ENGLISH	METRIC	ENGLISH	METRIC	ENGLISH	METRIC	CODE				
68449-055	2x4	0.425	10.80	0.095	2.41	0.230	5.84	3	A-2	3	NOTE 3, 4	
68449-056	2x13	0.533	13.54	0.115	2.92	0.318	8.08	2	A-13	2		
68449-057	2x20	0.533	13.54	0.115	2.92	0.318	8.08	2	A-15	2		
68449-058	2x20	0.533	13.54	0.115	2.92	0.318	8.08	2	A-20	2		
68449-059	2x13	0.533	13.54	0.115	2.92	0.318	8.08	2	A-11	2		
68449-060	2x17	0.533	13.54	0.115	2.92	0.318	8.08	2	A-5	2		
68449-061	2x6	0.533	13.54	0.115	2.92	0.318	8.08	2	A-3	2		
68449-062	2x8	0.533	13.54	0.115	2.92	0.318	8.08	2	A-6	2		
68449-063	2x8	0.533	13.54	0.115	2.92	0.318	8.08	2	A-1	2		
68449-064	2x16	0.533	13.54	0.115	2.92	0.318	8.08	2	A-1	2		
68449-065	2x13	0.533	13.54	0.115	2.92	0.318	8.08	2	A-2	2		
68449-066	2x17	0.533	13.54	0.115	2.92	0.318	8.08	2	A-11	2		
68449-067	2x3	0.450	11.43	0.120	3.05	0.230	5.84	1	A-1	1		
68449-068	2x25	0.533	13.54	0.115	2.92	0.318	8.08	2	A-1	2		
68449-069	2x17	0.533	13.54	0.115	2.92	0.318	8.08	2	A-12	2		
68449-070	2x7	0.533	13.54	0.115	2.92	0.318	8.08	2	A-3	2		
68449-071	2x7	0.533	13.54	0.115	2.92	0.318	8.08	2	A-6	2		
68449-072	2x2	0.450	11.43	0.120	3.05	0.230	5.84	1	A-2	1		
68449-073	2x25	0.533	13.54	0.115	2.92	0.318	8.08	2	A-6.10.19 B-22	2		
68449-074	2x13	0.533	13.54	0.115	2.92	0.318	8.08	2	A-9	2		
68449-075	2x8	0.548	13.92	0.130	3.30	0.318	8.08	2	A-3	2		
68449-076	2x6	0.525	13.34	0.107	2.72	0.318	8.08	2	A-1.A-6 B-1.B-6	2		
68449-077	2x10	0.425	10.80	0.095	2.41	0.230	5.84	4	A-9 B-5.B-8	4LF		
68449-078	2x6	0.450	11.43	0.120	3.05	0.230	5.84	2	A-4	2		
68449-079	2x8	0.450	11.43	0.120	3.05	0.230	5.84	1	A-5	1		
68449-080	2x5	0.450	11.43	0.120	3.05	0.230	5.84	4	A-4	4LF		
68449-081	2x5	0.450	11.43	0.120	3.05	0.230	5.84	4	A-2	4LF		NOTE 3, 4

mat'l. code				surface ISO 1902 <input checked="" type="checkbox"/> tolerance ISO 406 ISO 1101		projection 		product family BERGSTIK	
ltr	ecr no	dr	date	tolerances unless otherwise specified				title BERGSTIK® II HDR. D/R .100/2.54cc POLARIZED	
DN				angles	linear XXL01/XXL03 XXXL005/XXXL013 XXXL0020/XXXL0051	INCH/MM		dwg no 68449	
				0'±2'		scale 1:1		sheet 4 of 12 size A3	
				dr	T.BREWBAKER 12/14/94			type Product Customer Drawing	
				engr	T.HANNA 12/14/94				
				chr	T.HANNA 12/14/94				
				appd	T.HANNA 12/14/94				
sheet index	revision sheet								

PRODUCT NUMBER	SIZE	TOT. PIN LGTH		TAIL LENGTH		MATING LENGTH		PIN PLATING	POLARIZED POSITION	LEAD FREE OPTION
		DIM F	DIM F	DIM G	DIM G	DIM H	DIM H			
		ENGLISH	METRIC	ENGLISH	METRIC	ENGLISH	METRIC			
68449-136	2x15	0.425	10.80	0.095	2.41	0.230	5.84	2	A-13	NOTE 3, 4
68449-137	2x4	0.825	20.96	0.225	5.72	0.500	12.70	3	A-2.4 B-1.3	
68449-138	2x18	0.825	20.96	0.225	5.72	0.500	12.70	3	A-2.4.6.8.9.10.11.12.14.15.16.18 B-1.3.5.7.9.10.11.12.13.15.16.17	
68449-139	2x12	0.825	20.96	0.225	5.72	0.500	12.70	3	A-2.4.6.8.10.12 B-1.3.5.7.9.11	
68449-140	2x8	0.825	20.96	0.225	5.72	0.500	12.70	3	A-2.4.6.8 B-1.3.5.7	
68449-141	2x10	0.825	20.96	0.225	5.72	0.500	12.70	3	A-2.4.6.8.10 B-1.3.5.7.9	
68449-142	2x24	0.825	20.96	0.225	5.72	0.500	12.70	3	A-2.4.6.8.10.12.13.14.15.16.18.20.22.24 B-1.3.5.7.9.11.13.14.15.16.17.19.21.23	
68449-143	2x14	0.825	20.96	0.225	5.72	0.500	12.70	3	A-2.4.5.6.8.10.12.14 B-1.3.5.6.7.9.11.13	
68449-144	2x14	0.825	20.96	0.225	5.72	0.500	12.70	3	A-2.4.6.8.10.12.14 B-1.3.5.7.9.11.13	
68449-145	2x36	0.825	20.96	0.225	5.72	0.500	12.70	3	A-2 THRU 36 EVEN NO'S B-1 THRU 35 ODD NO'S	
68449-146	2x16	0.825	20.96	0.225	5.72	0.500	12.70	3	A-2.4.6.8.10.12.14.16 B-1.3.5.7.9.11.13.15	
68449-147	2x36	0.825	20.96	0.225	5.72	0.500	12.70	3	A-2.4 THRU 12.14.16.18.20.22.24.26.28.30.32.34.36 B-1.3.5 THRU 13.15.17.19.21.23.25.27.29.31.33.35.36	
68449-148	2x6	0.825	20.96	0.225	5.72	0.500	12.70	3	A-2.4.6 B-1.3.5	
68449-149	2x20	0.825	20.96	0.225	5.72	0.500	12.70	3	A-2.4.6.8.9.10.11.12.14.16.18.20 B-1.3.5.7.9.10.11.12.13.15.17.19	
68449-150	2x36	0.825	20.96	0.225	5.72	0.500	12.70	3	A-2.4.6.8.9.10.12.14.16.18.20.22.24.26.27.28.30.32.34.36 B-1.3.5.7.9.10.11.13.15.17.19.21.23.25.27.28.29.31.33.35	
68449-151	2x36	0.825	20.96	0.225	5.72	0.500	12.70	3	A-2.4.6.8.10.12.14.16.18.19.20.21.22.23.24.26.28.30.31.32.34.36 B-1.3.5.7.9.11.13.15.17.19.20.21.22.23.24.25.27.29.31.32.33.35	
68449-152	2x18	0.825	20.96	0.225	5.72	0.500	12.70	3	A-2 THRU 18 EVEN NO'S B-1 THRU 17 ODD NO'S	
68449-153	2x22	0.825	20.96	0.225	5.72	0.500	12.70	3	A-2 THRU 22 EVEN NO'S B-1 THRU 21 ODD NO'S	
68449-154	2x20	0.825	20.96	0.225	5.72	0.500	12.70	3	A-2 THRU 20 EVEN NO'S B-1 THRU 19 ODD NO'S	
68449-155	2x36	0.825	20.96	0.225	5.72	0.500	12.70	3	A-2.4.6.8.10.12.14.16.18.19.20.21.22.23.24.25.26.28.30.32.34.36 B-1.3.5.7.9.11.13.15.17.19.20.21.22.23.24.25.26.27.29.31.33.35	
68449-156	2x16	0.825	20.96	0.225	5.72	0.500	12.70	3	A-2.4.5.6.8.10.11.12.14.16 B-1.3.5.6.7.9.11.12.13.15	
68449-157	2x28	0.825	20.96	0.225	5.72	0.500	12.70	3	A-2 THRU 28 EVEN NO'S B-1 THRU 27 ODD NO'S	
68449-158	2x5	0.450	11.43	0.120	3.05	0.230	5.84	2	A-1	NOTE 3, 4
68449-159	2x13	0.450	11.43	0.120	3.05	0.230	5.84	2	A-1	
68449-160	2x17	0.450	11.43	0.120	3.05	0.230	5.84	2	A-3	
68449-161	2x9	0.548	13.92	0.120	3.05	0.328	8.33	1	A-7	
68449-162	2x7	0.450	11.43	0.120	3.05	0.230	5.84	2	A-1	

mat'l. code		surface <input checked="" type="checkbox"/> ISO 1902 <input checked="" type="checkbox"/> tolerance <input checked="" type="checkbox"/> ISO 406 <input checked="" type="checkbox"/> ISO 1101		projection		product family BERGSTIK	
ltr	ecn no	dr	date	tolerances unless otherwise specified		title	
DN				angles	linear	BERGSTIK® II HDR. D/R	
						.100/2.54cc POLARIZED	
				0°±2'		scale 1:1	
				dr	T.BREWBAKER	12/14/94	
				engr	T.HANNA	12/14/94	
				chr	T.HANNA	12/14/94	
				appd	T.HANNA	12/14/94	
sheet	revision					dwg no 68449 sheet 7 of 12 size A3	
index	sheet					type Product Customer Drawing	

PRODUCT NUMBER	TOT. PIN LGTH		TAIL LENGTH		MATING LENGTH		PIN PLATING		POLARIZED POSITION	LEAD FREE WIRE CODE	LEAD FREE OPTION
	SIZE	DIM F ENGLISH	DIM F METRIC	DIM G ENGLISH	DIM G METRIC	DIM H ENGLISH	DIM H METRIC	CODE			
68449-217H	2x5	0.450	11.43	0.120	3.05	0.230	5.84	4	B-1. B-2	4LF	NOTE 3, 4
68449-218H	2x7	0.450	11.43	0.120	3.05	0.230	5.84	1	A-4	1	
68449-219H	2x27	0.543	13.79	0.125	3.18	0.318	8.08	2	A-1. A-27. B-1. B-27	2	
68449-220H	2x10	0.450	11.43	0.120	3.05	0.230	5.84	2	B-2	2	
68449-221H	2x9	0.455	11.56	0.125	3.18	0.230	5.84	1	A-6. B-7	1	
68449-222H	2x5	0.455	11.56	0.125	3.18	0.230	5.84	1	B-4	1	
68449-223H	2x13	0.538	13.67	0.120	3.05	0.318	8.08	4	A-13	4LF	
68449-224H	2x4	0.538	13.67	0.120	3.05	0.318	8.08	4	A-1	4LF	
68449-225H	2x4	0.538	13.67	0.120	3.05	0.318	8.08	4	B-1 B-2	4LF	
68449-226H	2x12	0.525	13.34	0.107	2.72	0.318	8.08	4	A-12	4LF	
68449-227H	2x12	0.525	13.34	0.107	2.72	0.318	8.08	4	B-11	4LF	
68449-228H	2x12	0.525	13.34	0.107	2.72	0.318	8.08	4	B-8	4LF	
68449-229H	2x12	0.525	13.34	0.107	2.72	0.318	8.08	4	B-5	4LF	
68449-230H	2x20	0.450	11.43	0.120	3.05	0.230	5.84	2	B-20	2	
68449-231H	2x4	0.425	10.80	0.095	2.41	0.230	5.84	1	B-4	1	
68449-232H	2x13	0.450	11.43	0.120	3.05	0.230	5.84	2	A-7	2	
68449-233H	2x15	0.450	11.43	0.120	3.05	0.230	5.84	2	A-14	2	
68449-234H	2x11	0.620	15.75	0.120	3.05	0.400	10.16	2	A-2.4.6.8.10 B-2.4.6.8.10	2	
68449-235H	2x4	0.465	11.81	0.135	3.43	0.230	5.84	1	B-4	1	
68449-236H	2x7	0.730	18.54	0.200	5.08	0.430	10.92	3	A-2 B-2	3	
68449-237H	2x17	0.513	13.03	0.095	2.41	0.318	8.08	2	A-16	2	
68449-238HT	2x13	0.450	11.43	0.120	3.05	0.230	5.84	2	A-13	2	
68449-239H	2X20	0.425	10.80	0.095	2.41	0.230	5.84	2	A-13 A-14 B-14	2	
68449-240H	2X8	0.538	13.67	0.120	3.05	0.318	8.08	2	A-8	2	
68449-241H	2X11	0.830	21.08	0.365	9.27	0.365	9.27	2	B-6	2	
68449-242H	2X8	0.450	11.43	0.120	3.05	0.230	5.84	1	B-7	1	
68449-243H	2X20	0.755	19.18	0.095	2.41	0.560	14.22	1	A-4.5.6.15.16.17 B-4.5.6.15.16.17	1	NOTE 3, 4

mat'l. code		surface ISO 1902		tolerance ISO 406 ISO 1101		projection INCH/MM		product family BERGSTIK	
ltr	ecr no	dr	date	tolerances unless otherwise specified		scale 1:1		title BERGSTIK® II HDR. D/R .100/2.54cc POLARIZED	
DN				angles	linear			dwg no 68449	
				0'±2'				sheet 10 of 12 size A3	
				dr	T.BREWBAKER	12/14/94			type Product Customer Drawing
				engr	T.HANNA	12/14/94			
				chr	T.HANNA	12/14/94			
				appd	T.HANNA	12/14/94			
sheet index	revision	sheet							

1		2 3						4		5		6	
PRODUCT NUMBER		TOT. PIN LGTH	TAIL LENGTH	MATING LENGTH						LEAD FREE WIRE CODE	LEAD FREE OPTION		
	SIZE	DIM F ENGLISH	DIM F METRIC	DIM G ENGLISH	DIM G METRIC	DIM H ENGLISH	DIM H METRIC	PIN PLATING CODE	POLARIZED POSITION				
68449-244H	2x7	0.450	11.43	0.120	3.05	0.230	5.84	2	A-3 . B-3 . B-4	2	NOTE 3, 4		
68449-245H	2x9	0.450	11.43	0.120	3.05	0.230	5.84	2	A-4 . B-4	2			
68449-246H	2x11	0.830	21.08	0.365	9.27	0.365	9.27	1	B-6	1			
68449-247H	2x4	0.450	11.43	0.120	3.05	0.230	5.84	2	A-3 & B-4	2			
68449-248H	2x5	0.450	11.43	0.120	3.05	0.230	5.84	2	A-1	2			
68449-249H	2x5	0.450	11.43	0.120	3.05	0.230	5.84	1	A-1	1			
68449-250H	2x13	0.630	16.00	0.200	5.08	0.330	8.38	2	A-13	2			
68449-251H	2x4	0.450	11.43	0.120	3.05	0.230	5.84	4	B-1	4LF			
68449-252H	2x13	0.450	11.43	0.120	3.05	0.230	5.84	4	A-3	4LF			
68449-253H	2x13	0.538	13.67	0.120	3.05	0.318	8.08	1	A-13	1			
68449-254H	2x7	0.480	12.19	0.095	2.41	0.285	7.24	1	A-4	1			
68449-255H	2x13	0.425	10.80	0.095	2.41	0.230	5.84	2	A-3 . A-11 . B-3 . B-9 . B-11	2			
68449-256H	2x5	0.450	11.43	0.120	3.05	0.230	5.84	2	A-4 . B-4	2			
68449-257H	2x14	0.450	11.43	0.120	3.05	0.230	5.84	2	A-3.4.6.7.10 B-3.10	2			
68449-258H	2x13	0.425	10.80	0.095	2.41	0.230	5.84	2	A-3 . A-6 . A-11 . B-3 . B-9 . B-11	2			
68449-259H	2x4	0.425	10.80	0.095	2.41	0.230	5.84	4	A-3	4LF			
68449-260H	2x8	0.450	11.43	0.120	3.05	0.230	5.84	1	B-7	1			
68449-261H	2x15	0.525	13.34	0.107	2.72	0.318	8.08	2	A-11	2			
68449-262H	2x8	0.450	11.43	0.120	3.05	0.230	5.84	2	B-1	2			
68449-263H	2x14	0.440	11.18	0.110	2.79	0.230	5.84	2	A-7 & B-5	2			
68449-264H	2x4	0.450	11.43	0.120	3.05	0.230	5.84	4	A-1	4LF			
68449-265H	2x7	0.450	11.43	0.120	3.05	0.230	5.84	2	B-6	2			
68449-266H	2x8	0.450	11.43	0.120	3.05	0.230	5.84	2	A-1	2			
68449-267H	2x7	0.620	15.75	0.120	3.05	0.400	10.16	2	A-4 & B-4	2			
68449-268H	2x36	0.530	13.46	0.200	5.08	0.230	5.84	2	A & B 1,5,6,10,11,15,16,20,21,25,26,30,31,35,36	2			
68449-269H	2x7	0.676	17.17	0.125	3.18	0.451	11.46	2	A & B 2,3,5,6	2		NOTE 3, 4	

mat'l. code				surface <input checked="" type="checkbox"/> ISO 1902 <input type="checkbox"/> ISO 406 <input type="checkbox"/> ISO 1101		projection		product family BERGSTIK	
ltr	ecn no	dr	date	tolerances unless otherwise specified				title	
DN				angles	linear	X.XX ± .01 / X.XX ± .03		BERGSTIK® II HDR. D/R	
						XXX ± .005 / XXX ± .013		.100/2.54cc POLARIZED	
				0° ± 2'		XXX ± .0020 / XXX ± .0051		scale 1:1	
				dr	T.BREWBAKER	12/14/94		dwg no	
				engr	T.HANNA	12/14/94		sheet 11 of 12 size	
				chr	T.HANNA	12/14/94		68449 A3	
				appd	T.HANNA	12/14/94		type Product Customer Drawing	
sheet	revision								
index	sheet								

PRODUCT NUMBER	SIZE	1 TOT. PIN LGTH		2 3 TAIL LENGTH		MATING LENGTH		PIN PLATING CODE	POLARIZED POSITION	5 LEAD FREE OPTION	6
		DIM F	DIM F	DIM G	DIM G	DIM H	DIM H				
		ENGLISH	METRIC	ENGLISH	METRIC	ENGLISH	METRIC				
68449-270H	2x5	0.425	10.80	0.095	2.41	0.230	5.84	2	B-1	NOTE 3, 4 ↑ ↓ NOTE 3, 4	A
68449-271H	2x5	0.425	10.80	0.095	2.41	0.230	5.84	2	B-4		
68449-272H	2x13	0.425	10.80	0.095	2.41	0.230	5.84	2	B-13		
68449-273H	2x7	0.425	10.80	0.095	2.41	0.230	5.84	1	A-2,4,6 B-2,4,6		
68449-274H	2x8	0.430	10.92	0.100	2.54	0.230	5.84	2	A-1		
68449-275	2x8	0.425	10.80	0.095	2.41	0.230	5.84	1	B-7		
68449-275H	2x8	0.425	10.80	0.095	2.41	0.230	5.84	1	B-7		
68449-276H	2x7	0.425	10.80	0.095	2.41	0.230	5.84	1	B-3		
68449-277H	2x15	0.425	10.80	0.095	2.41	0.230	5.84	1	B-6		
68449-278H	2x5	0.410	10.41	0.110	2.79	0.200	5.08	2	A-5		
68449-279H	2x7	0.450	11.43	0.120	3.05	0.230	5.84	1	A-4		
68449-280H	2x5	0.450	11.43	0.120	3.05	0.230	5.84	2	A-1		
68449-281H	2x8	0.450	11.43	0.120	3.05	0.230	5.84	2	A-1		
68449-282H	2x11	0.615	15.62	0.285	7.24	0.230	5.84	1	A-2,4,6,8 B-2,4,6,8,11		
68449-283H	2x5	0.450	11.43	0.120	3.05	0.230	5.84	2	A-5		

PIN PLATING CODES

1	30u"/0.76u MIN (SEE NOTE 6) OVER 50u" /1.27u MIN Ni
2	15u"/0.38u MIN (SEE NOTE 6) OVER 50u" /1.27u MIN Ni
3	50u"/1.27u MIN Au OVER 50u" /1.27u MIN Ni
4	
4HLF	LEAD FREE OPTION 100u"/2.54u MIN Sn OVER 50u"/1.27u MIN Ni (SEE NOTE 7)

mat'l. code				surface ISO 1902 <input checked="" type="checkbox"/> tolerance ISO 406 ISO 1101		projection 		product family BERGSTIK	
ltr	ecn no	dr	date	tolerances unless otherwise specified				title BERGSTIK® II HDR. D/R	
DN				angles	linear	X.XX ± 0.1 / X.XX ± 0.3 X.XX ± 0.05 / X.XX ± 0.13 X.XX ± 0.020 / X.XX ± 0.051		.100/2.54cc POLARIZED	
				0° ± 2'		scale 1:1		dwg no 68449	
				dr	T.BREWBAKER	12/14/94		sheet 12 of 12 size A3	
				engr	T.HANNA	12/14/94			
				chr	T.HANNA	12/14/94			
				appd	T.HANNA	12/14/94			
sheet index	revision sheet							type Product Customer Drawing	