




All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

Printed: Feb 19, 2008

Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation écrite du Propriete de c FCI. Droits de reproduction FCI.

All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

PRODUCT NO.



2 X 5
STYLE B





2 X 7
STYLE C



2 X 8 THUR 2 X 30
STYLE D

NOTES:

- ① SAME PIN POSITION TOLERANCE APPLIES TO BOTH ENDS OF EACH TERMINAL.
- ② MOLDING MATERIAL: 30% GLASS-FILLED POLYESTER, FLAME RETARDANT PER UL-94-V0 COLOR: BLUE.
3. 1° MAX DRAFT PERMISSIBLE ON ALL SURFACES.
4. 4 POUNDS / 1.8 KILOGRAMS MIN. TERMINAL PULL-OUT FORCE.
5. TERMINAL MATERIAL: 3/4 HARD PHOSPHORUS BRONZE.
6. POLARIZING KEYS INSTALLED IN HEADERS.
- ⑦ THIS PRODUCT IS MADE FROM HEADER NO. 66506 AND POLARIZING KEY NO. 66423.
- ⑧ MOLDED-IN KEYS ARE MANUFACTURER'S OPTION.
9. 68794-***LF IS JUST A LEAD FREE PRODUCT.
10. THE HOUSING OF XXXXX-XYLF WILL WITHSTAND EXPOSURE TO 260°C PEAK TEMPERATURE FOR 10 SECONDS IN A WAVE SOLDER PROCESS.

mat'l. code				tolerances unless otherwise specified				CUSTOMER COPY		FCI www.fciconnect.com									
ltr	ecn no	dr	date	linear	.X ± 0.3				projection 	title HEADER QUICKIE SLIM LINE VERTICAL 4 WALLED									
E					.XX ± 0.13														
					.XXX ± 0.05														
				angles	±					product family QUICKIE								code	
				dr	J.W. BAIR	8/1/90		size		dwg no								sheet 2 of 8	
				enrg	M.SMYK	8/1/90													
				chr	M.SMYK	8/1/90													
				appd	M.SMYK	8/1/90		scale 1:1	A3	68794									
sheet index		revision sheet																	

Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation ecrite du Propriete de c FCI. Droits de reproduction FCI.

FCI

All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

1			2			3							4	5			6
	SIZE	STYLE	DIM A	DIM B	DIM C		DIM J		TERMINAL PLATING				TERM TYPE	CUSTOMER RESTRICTED			
68794-001(LF)	UNASSIGNED																
-002(LF)	UNASSIGNED																
-003(LF)	UNASSIGNED																
-004(LF)	UNASSIGNED																
-005(LF)	UNASSIGNED																
-006(LF)	UNASSIGNED																
-007(LF)	2 x 10	D	1. 28/32. 5	1. 22/31. 0	. 900/22. 86		. 105/2. 67		30U* /. 76u Au OVER 50u* /1. 27u Ni				ROUND	NO			
-008(LF)	2 x 10		1. 28/32. 5	1. 22/31. 0	. 900/22. 86		. 150/3. 81		30U* /. 76u Au OVER 50u* /1. 27u Ni				ROUND				
-009(LF)	2 x 10		1. 28/32. 5	1. 22/31. 0	. 900/22. 86		. 675/17. 15		30U* /. 76u Au OVER 50u* /1. 27u Ni				SQ				
-010(LF)	2 x 10		1. 28/32. 5	1. 22/31. 0	. 900/22. 86		. 105/2. 67		150u* /3. 81u Sn				SQ				
-011(LF)	2 x 10		1. 28/32. 5	1. 22/31. 0	. 900/22. 86		. 150/3. 81		150u* /3. 81u Sn				SQ				
-012(LF)	2 x 10		1. 28/32. 5	1. 22/31. 0	. 900/22. 86		. 675/17. 15		150u* /3. 81u Sn				SQ				
-013(LF)	2 x 13		1. 58/40. 1	1. 52/38. 6	1. 200/30. 48		. 105/2. 67		30U* /. 76u Au OVER 50u* /1. 27u Ni				ROUND				
-014(LF)	2 x 13		1. 58/40. 1	1. 52/38. 6	1. 200/30. 48		. 150/3. 81		30U* /. 76u Au OVER 50u* /1. 27u Ni				ROUND				
-015(LF)	2 x 13		1. 58/40. 1	1. 52/38. 6	1. 200/30. 48		. 675/17. 15		30U* /. 76u Au OVER 50u* /1. 27u Ni				SQ				
-016(LF)	2 x 13		1. 58/40. 1	1. 52/38. 6	1. 200/30. 48		. 105/2. 67		150u* /3. 81u Sn				SQ				
-017(LF)	2 x 13		1. 58/40. 1	1. 52/38. 6	1. 200/30. 48		. 150/3. 81		150u* /3. 81u Sn				SQ				
-018(LF)	2 x 13		1. 58/40. 1	1. 52/38. 6	1. 200/30. 48		. 675/17. 15		150u* /3. 81u Sn								
-019(LF)	2 x 17		1. 98/50. 3	1. 92/48. 8	1. 600/40. 64		. 105/2. 67		30U* /. 76u Au OVER 50u* /1. 27u Ni				ROUND				
-020(LF)	2 x 17		1. 98/50. 3	1. 92/48. 8	1. 600/40. 64		. 150/3. 81		30U* /. 76u Au OVER 50u* /1. 27u Ni				ROUND				
-021(LF)	2 x 17		1. 98/50. 3	1. 92/48. 8	1. 600/40. 64		. 675/17. 15		30U* /. 76u Au OVER 50u* /1. 27u Ni				SQ				
-022(LF)	2 x 17		1. 98/50. 3	1. 92/48. 8	1. 600/40. 64		. 105/2. 67		150u* /3. 81u Sn				SQ				
-023(LF)	2 x 17		1. 98/50. 3	1. 92/48. 8	1. 600/40. 64		. 150/3. 81		150u* /3. 81u Sn				SQ				
-024(LF)	2 x 17		1. 98/50. 3	1. 92/48. 8	1. 600/40. 64		. 675/17. 15		150u* /3. 81u Sn				SQ				
-025(LF)	2 x 20		2. 28/57. 9	2. 22/56. 4	1. 900/48. 26		. 105/2. 67		30U* /. 76u Au OVER 50u* /1. 27u Ni				ROUND				
-026(LF)	2 x 20		2. 28/57. 9	2. 22/56. 4	1. 900/48. 26		. 150/3. 81		30U* /. 76u Au OVER 50u* /1. 27u Ni				ROUND				
-027(LF)	2 x 20		2. 28/57. 9	2. 22/56. 4	1. 900/48. 26		. 675/17. 15		30U* /. 76u Au OVER 50u* /1. 27u Ni				SQ				
-028(LF)	2 x 20		2. 28/57. 9	2. 22/56. 4	1. 900/48. 26		. 105/2. 67		150u* /3. 81u Sn				SQ				
-029(LF)	2 x 20		2. 28/57. 9	2. 22/56. 4	1. 900/48. 26		. 150/3. 81		150u* /3. 81u Sn				SQ				
-030(LF)	2 x 20		2. 28/57. 9	2. 22/56. 4	1. 900/48. 26		. 675/17. 15		150u* /3. 81u Sn				SQ				
-031(LF)	2 x 25		2. 78/70. 6	2. 72/69. 1	2. 400/60. 96		. 105/2. 67		30U* /. 76u Au OVER 50u* /1. 27u Ni				ROUND				
-032(LF)	2 x 25		2. 78/70. 6	2. 72/69. 1	2. 400/60. 96		. 150/3. 81		30U* /. 76u Au OVER 50u* /1. 27u Ni				ROUND				
-033(LF)	2 x 25		2. 78/70. 6	2. 72/69. 1	2. 400/60. 96		. 675/17. 15		30U* /. 76u Au OVER 50u* /1. 27u Ni				SQ				
-034(LF)	2 x 25		2. 78/70. 6	2. 72/69. 1	2. 400/60. 96		. 105/2. 67		150u* /3. 81u Sn				SQ				
66506-035(LF)	2 x 25	D	2. 78/70. 6	2. 72/69. 1	2. 400/60. 96		. 150/3. 81		150u* /3. 81u Sn				SQ	NO			

mat'l. code				tolerances unless otherwise specified				CUSTOMER COPY		 www.fciconnect.com					
ltr	ecn no	dr	date	linear	.X ± 0.3			projection	title HEADER QUICKIE SLIM LINE VERTICAL 4 WALLED						
E					.XX ± 0.13										
					.XXX ± 0.05										
				angles	±				product family QUICKIE size dwg no 68794						
				dr	J.W. BAIR	8/1/90	INCH/MM								
				enr	M.SMYK	8/1/90	← →								
				chr	M.SMYK	8/1/90	scale	1:1	A3	sheet 3 of 8					
				appd	M.SMYK	8/1/90									
sheet index	revision														

Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation ecrite du Propriete de c FCI. Droits de reproduction FCI.

FCI

All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

	SIZE	STYLE	DIM A	DIM B	DIM C	DIM J	TERMINAL PLATING	TERM TYPE	CUSTOMER RESTRICTED
68794-036(LF)	2 X 25	D	2. 78/70. 6	2. 72/69. 1	2. 400/60. 96	. 675/17. 15	150u"/3. 81u TIN	SQUARE	NO
-037(LF)	2 X 7	C	. 98/24. 9	. 92/23. 4	. 600/15. 24	. 105/2. 67	30u' /0. 76U Au OVER 50u"/1. 27u Ni	ROUND	
-038(LF)	2 X 7					. 150/3. 81	30u' /0. 76U Au OVER 50u"/1. 27u Ni	ROUND	
-039(LF)	2 X 7					. 675/17. 15	30u' /0. 76U Au OVER 50u"/1. 27u Ni	SQUARE	
-040(LF)	2 X 7					. 105/2. 67	150u"/3. 81u TIN	SQUARE	
-041(LF)	2 X 7					. 150/3. 81	150u"/3. 81u TIN	SQUARE	
-042(LF)	2 X 7	C	. 98/24. 9	. 92/23. 4	. 600/15. 24	. 675/17. 15	150u"/3. 81u TIN	SQUARE	
-043(LF)	2 X 8	D	1. 08/27. 4	1. 02/25. 9	. 700/17. 78	. 105/2. 67	30u' /0. 76U Au OVER 50u"/1. 27u Ni	ROUND	
-044(LF)	2 X 8					. 150/3. 81	30u' /0. 76U Au OVER 50u"/1. 27u Ni	ROUND	
-045(LF)	2 X 8					. 675/17. 15	30u' /0. 76U Au OVER 50u"/1. 27u Ni	SQUARE	
-046(LF)	2 X 8					. 105/2. 67	150u"/3. 81u TIN	SQUARE	
-047(LF)	2 X 8					. 150/3. 81	150u"/3. 81u TIN	SQUARE	
-048(LF)	2 X 8	D	1. 08/27. 4	1. 02/25. 9	. 700/17. 78	. 675/17. 15	150u"/3. 81u TIN	SQUARE	NO
-049(LF)	U N A S S I G N E D								
-050(LF)	2 X 10	D	1. 28/32. 5	1. 22/31. 0	. 900/22. 86	. 150/3. 81	30u' /. 76u GXT WITH GOLD FLASH	ROUND	NO
-051(LF)	2 X 13	D	1. 58/40. 1	1. 52/38. 6	1. 200/30. 48				
-052(LF)	2 X 17	D	1. 98/50. 3	1. 92/48. 8	1. 600/40. 64				
-053(LF)	2 X 23	D	2. 28/57. 9	2. 22/56. 4	1. 900/48. 26				
-054(LF)	2 X 25	D	2. 78/70. 6	2. 72/69. 1	2. 400/60. 96				
-055(LF)	2 X 7	C	. 98/24. 9	. 92/23. 4	. 600/15. 24				
-056(LF)	2 X 8	D	1. 08/27. 4	1. 02/25. 9	. 700/17. 78	. 150/3. 81	30u' /. 76u GXT WITH GOLD FLASH		
-057(LF)	2 X 30		3. 28/83. 3	3. 22/81. 8	2. 900/73. 66	. 105/2. 67	30u' /0. 76U Au OVER 50u"/1. 27u Ni		
-058(LF)	2 X 30					. 150/3. 81	30u' /0. 76U Au OVER 50u"/1. 27u Ni	ROUND	
-059(LF)	2 X 30					. 675/17. 15	30u' /0. 76U Au OVER 50u"/1. 27u Ni	SQUARE	
-060(LF)	2 X 30					. 105/2. 67	150u"/3. 81u TIN	SQUARE	
-061(LF)	2 X 30					. 150/3. 81	150u"/3. 81u TIN	SQUARE	
-062(LF)	2 X 30					. 675/17. 15	150u"/3. 81u TIN	SQUARE	
-063(LF)	2 X 30					. 105/2. 67	30u' /. 76u GXT WITH GOLD FLASH	ROUND	
-064(LF)	2 X 30					. 150/3. 81	30u' /. 76u GXT WITH GOLD FLASH	ROUND	
-065(LF)	2 X 30	D	3. 28/83. 3	3. 22/81. 8	2. 900/73. 66	. 675/17. 15	30u' /. 76u GXT WITH GOLD FLASH	SQUARE	
-066(LF)	U N A S S I G N E D								
-067(LF)	U N A S S I G N E D								
-068(LF)	2 X 7	C	. 98/24. 9	. 92/23. 4	. 600/15. 24	. 105/2. 67	30u' /. 76u GXT WITH GOLD FLASH	ROUND	
-069(LF)	2 X 7	C	. 98/24. 9	. 92/23. 4	. 600/15. 24	. 675/17. 15	30u' /. 76u GXT WITH GOLD FLASH	SQUARE	
68794-070(LF)	2 X 8	D	1. 08/27. 4	1. 02/25. 9	. 700/17. 78	. 105/2. 67	30u' /. 76u GXT WITH GOLD FLASH	ROUND	NO

mat'l. code				tolerances unless otherwise specified				CUSTOMER COPY		 www.fciconnect.com		
ltr	ecn no	dr	date	linear	.X ± 0.3			projection 	title	HEADER QUICKIE SLIM LINE VERTICAL 4 WALLED		
E					.XX ± 0.13							
					.XXX ± 0.05							
				angles	±			INCH/MM 	scale 1:1	A3	product family QUICKIE	code
				dr	J.W. BAIR	8/1/90	size					
				enr	M.SMYK	8/1/90						
				chr	M.SMYK	8/1/90						
				appd	M.SMYK	8/1/90						
sheet index	revision	sheet									sheet 4 of 8	

D

mat'l. code					tolerances unless otherwise specified			CUSTOMER COPY		 www.fciconnect.com	
ltr	ecn no		dr		linear	.X ± 0.3		projection 	title HEADER QUICKIE SLIM LINE VERTICAL 4 WALLED		
E				.XX ± 0.13							
				.XXX ± 0.05							
					angles	±					
			dr	J.W. BAIR	8/1/90	INCH/MM ←→	scale 1 : 1	A3	product family QUICKIE		code
			enrg	M.SMYK	8/1/90				size	dwg no	
			chr	M.SMYK	8/1/90					68794	sheet
			appd	M.SMYK	8/1/90						5 of 8
sheet index	revision sheet										

Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation écrite du Propriete de c FCI. Droits de reproduction FCI.

FCI

All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

PRODUCT NO.	SIZE	STYLE	DIM A	DIM B	DIM C	DIM J	TERMINAL PLATING	TERM TYPE	CUSTOMER RESTRICTED
68794-106(LF)	2 X 30	D	3. 28/83. 3	3. 22/81. 8	2. 900/73. 66	. 105/2. 67	15u/. 38u Au OVER 50u*/1. 27u Ni	ROUND	NO
-107(LF)	2 X 30	D	3. 28/83. 3	3. 22/81. 8	2. 900/73. 66	. 150/3. 81	15u/. 38u Au OVER 50u*/1. 27u Ni	ROUND	
-108(LF)	2 X 30	D	3. 28/83. 3	3. 22/81. 8	2. 900/73. 66	. 675/17. 15	15u/. 38u Au OVER 50u*/1. 27u Ni	SQ	
-109(LF)	2 X 5	B	. 780/19. 81	. 72/18. 3	. 400/10. 16	. 105/2. 67	30u*/. 76u Au OVER 50u*/1. 27u Ni	ROUND	
-110(LF)						. 150/3. 81	30u*/. 76u Au OVER 50u*/1. 27u Ni	ROUND	
-111(LF)						. 675/17. 15	30u*/. 76u Au OVER 50u*/1. 27u Ni	SQ	
-112(LF)						. 105/2. 67	150u*/3. 81u Sn	SQ	
-113(LF)						. 150/3. 81	150u*/3. 81u Sn	SQ	
-114(LF)						. 675/17. 15	150u*/3. 81u Sn	SQ	
-115(LF)						. 105/2. 67	15u*/. 38u Au OVER 50u*/1. 27u Ni	ROUND	
-116(LF)						. 150/3. 81	15u*/. 38u Au OVER 50u*/1. 27u Ni	ROUND	
-117(LF)						. 675/17. 15	15u*/. 38u Au OVER 50u*/1. 27u Ni	SQ	
-118(LF)						. 105/2. 67	30u*/. 76u GXT WITH GOLD FLASH	ROUND	
-119(LF)						. 150/3. 81	30u*/. 76u GXT WITH GOLD FLASH	ROUND	
68794-120(LF)	2 x 5	B	. 780/19. 81	. 72/18. 3	. 400/10. 16	. 675/17. 15	30u*/. 76u GXT WITH GOLD FLASH	SQ	NO
68794-121(LF)	DISCONTINUED								
THRU (LF)									
68794-216(LF)									
68794-217(LF)	2 x 12	D	1. 48/38. 0	1. 42/36. 1	1. 100/27. 94	. 105/2. 67	15u/. 38u Au OVER 50u*/1. 27u Ni	ROUND	NO
-218(LF)						. 105/2. 67	30u*/. 76u Au OVER 50u*/1. 27u Ni	ROUND	
-219(LF)						. 105/2. 67	30u*/. 76u GXT WITH GOLD FLASH	ROUND	
-220(LF)						. 105/2. 67	150u*/3. 81u Sn	SQ	
-221(LF)						. 150/3. 81	15u/. 38u Au OVER 50u*/1. 27u Ni	ROUND	
-222(LF)						. 150/3. 81	30u*/. 76u Au OVER 50u*/1. 27u Ni	ROUND	
-223(LF)						. 150/3. 81	30u*/. 76u GXT WITH GOLD FLASH	ROUND	
-224(LF)						. 150/3. 81	150u*/3. 81u Sn	SQ	
-225(LF)						. 675/17. 15	15u/. 38u Au OVER 50u*/1. 27u Ni	SQ	
-226(LF)						. 675/17. 15	30u*/. 76u Au OVER 50u*/1. 27u Ni	SQ	
-227(LF)						. 675/17. 15	30u*/. 76u GXT WITH GOLD FLASH	SQ	
-228(LF)	2 x 12		1. 48/38. 0	1. 42/36. 1	1. 100/27. 94	. 675/17. 15	150u*/3. 81u Sn	SQ	
-229(LF)	2 x 15		1. 78/45. 2	1. 72/43. 7	1. 400/35. 56	. 105/2. 67	15u/. 38u Au OVER 50u*/1. 27u Ni	ROUND	
-230(LF)						. 105/2. 67	30u*/. 76u Au OVER 50u*/1. 27u Ni	ROUND	
-231(LF)						. 105/2. 67	30u*/. 76u GXT WITH GOLD FLASH	ROUND	
-232(LF)						. 105/2. 67	150u*/3. 81u Sn	SQ	
68794-233(LF)	2 x 15	D	1. 78/45. 2	1. 72/43. 7	1. 400/35. 56	. 150/3. 81	15u/. 38u Au OVER 50u*/1. 27u Ni	ROUND	NO

mat'l. code				tolerances unless otherwise specified				CUSTOMER COPY		 www.fciconnect.com	
ltr	ecm no	dr	date	linear	.X ± 0.3			projection 	title HEADER QUICKIE SLIM LINE VERTICAL 4 WALLED		
E					.XX ± 0.13						
					.XXX ± 0.05						
				angles	±			INCH/MM 	product family QUICKIE size dwg no 68794		
				dr	J.W. BAIR	8/1/90	scale 1:1				
				enr	M.SMYK	8/1/90					
				chr	M.SMYK	8/1/90					
				appd	M.SMYK	8/1/90					
sheet index	revision										
	sheet										

	POSITION	STYLE	DIM A	DIM B	DIM C	DIM J	TERMINAL PLATING	TERM TYPE	CUSTOMER RESTRICTED
68794-234(LF)	2 X 15	D	1. 78/45. 2	1. 72/43. 7	1. 400/35. 56	. 150/3. 81	30u" / . 76u Au OVER 50u" /1/. 27u Ni	ROUND	NO
-235(LF)						. 150/3. 81	30u" / . 76u GXT WITH GOLD FLASH	ROUND	
-236(LF)						. 150/3. 81	150u" /3. 81u Sn	SQ	
-237(LF)						. 675/17. 15	15u" / . 38u Au OVER 50u" /1. 27u Ni	SQ	
-238(LF)						. 675/17. 15	30u" / . 76u Au OVER 50u" /1/. 27u Ni	SQ	
-239(LF)						. 675/17. 15	30u" / . 76u GXT WITH GOLD FLASH	SQ	
-240(LF)	2 X 15		1. 78/45. 2	1. 72/43. 7	1. 400/35. 56	. 675/17. 15	150u" /3. 81u Sn	SQ	
-241(LF)	2 X 22		2. 48/63. 0	2. 42/61. 5	2. 100/53. 34	. 105/2. 67	15u" / . 38u Au OVER 50u" /1. 27u Ni	ROUND	
-242(LF)						. 105/2. 67	30u" / . 76u Au OVER 50u" /1/. 27u Ni	ROUND	
-243(LF)						. 105/2. 67	30u" / . 76u GXT WITH GOLD FLASH	ROUND	
-244(LF)						. 105/2. 67	150u" /3. 81u Sn	SQ	
-245(LF)						. 150/3. 81	15u" / . 38u Au OVER 50u" /1. 27u Ni	ROUND	
-246(LF)						. 150/3. 81	30u" / . 76u Au OVER 50u" /1/. 27u Ni	ROUND	
-247(LF)						. 150/3. 81	30u" / . 76u GXT WITH GOLD FLASH	ROUND	
-248(LF)						. 150/3. 81	150u" /3. 81u Sn	SQ	
-249(LF)						. 675/17. 15	15u" / . 38u Au OVER 50u" /1. 27u Ni	SQ	
-250(LF)						. 675/17. 15	30u" / . 76u Au OVER 50u" /1/. 27u Ni	SQ	
-251(LF)						. 675/17. 15	30u" / . 76u GXT WITH GOLD FLASH	SQ	
-252(LF)	2 X 22	D	2. 48/63. 0	2. 42/61. 5	2. 100/53. 34	. 675/17. 15	150u" /3. 81u Sn	SQ	
-253(LF)	2 X 17	A	1. 98/50. 3	1. 92/48. 8	1. 600/40. 64	. 105/2. 67	15u" / . 38u Au OVER 50u" /1. 27u Ni	SQ	NO
-254(LF)	U N A S S I G N E D								
-255(LF)	2 X 5	B	. 78/19. 8	. 72/18. 3	. 400/10. 16	. 105/2. 67	30u" / . 76u Au OVER 50u" /1/. 27u Ni	ROUND	YES
-256(LF)	2 X 7	C	. 98/24. 9	. 92/23. 4	. 600/15. 24				
-257(LF)	2 X 8	D	1. 08/27. 4	1. 02/25. 9	. 700/17. 78				
-258(LF)	2 X 10		1. 28/32. 5	1. 22/31. 0	. 900/22. 86				
-259(LF)	2 X 12		1. 48/38. 0	1. 42/36. 1	1. 100/27. 94				
-260(LF)	2 X 13		1. 58/40. 1	1. 52/38. 6	1. 200/30. 48				
-261(LF)	2 X 15		1. 78/45. 2	1. 72/43. 7	1. 400/35. 56				
-262(LF)	2 X 17		1. 98/50. 3	1. 92/48. 8	1. 600/40. 64				
-263(LF)	2 X 20		2. 28/57. 9	2. 22/56. 4	1. 900/48. 26				
-264(LF)	2 X 22		2. 48/63. 0	2. 42/61. 5	2. 100/53. 34				
-265(LF)	2 X 25		2. 78/70. 6	2. 72/69. 1	2. 400/60. 96				
-266(LF)	2 X 30	D	3. 28/83. 3	3. 22/81. 8	2. 900/73. 66	. 105/2. 67	30u" / . 76u Au OVER 50u" /1/. 27u Ni	ROUND	YES
-267(LF)	U N A S S I G N E D								
68794-268(LF)	2 X 5	B	. 78/19. 8	. 72/18. 3	. 400/10. 16	. 105/2. 67	30u" / . 76u GXT WITH GOLD FLASH	ROUND	YES

mat'l. code				tolerances unless otherwise specified		CUSTOMER COPY		 www.fciconnect.com	
ltr	ecn no	dr	date	linear	.X ± 0.3	projection 	title HEADER QUICKIE SLIM LINE VERTICAL 4 WALLED	product family QUICKIE	code
E					.XX ± 0.13				
					.XXX ± 0.05				
				angles	±	INCH/MM ←→ scale 1:1	size A3	dwg no 68794	sheet 7 of 8
				dr	J.W. BAIR	8/1/90			
				enrg	M.SMYK	8/1/90			
				chr	M.SMYK	8/1/90			
				appd	M.SMYK	8/1/90			
sheet index	revision sheet								




1

2

3

4

	POSITION	STYLE	DIM A	DIM B	DIM C	DIM J	TERMINAL PLATING	TERM TYPE	CUSTOMER RESTRICTED
68794-269(LF)	2 X 7	C	. 98/24. 9	. 92/23. 4	. 600/15. 24	. 105/2. 67	30u" / . 76u GXT WITH GOLD FLASH	ROUND	YES
-270(LF)	2 X 8	D	1. 08/27. 4	1. 02/25. 9	. 700/17. 78				
-271(LF)	2 X 10		1. 28/32. 5	1. 22/31. 0	. 900/22. 86				
-272(LF)	2 X 12		1. 48/38. 0	1. 42/36. 1	1. 100/27. 94				
-273(LF)	2 X 13		1. 58/40. 1	1. 52/38. 6	1. 200/30. 48				
-274(LF)	2 X 15		1. 78/45. 2	1. 72/43. 7	1. 400/35. 56				
-275(LF)	2 X 17		1. 98/50. 3	1. 92/48. 8	1. 600/40. 64				
-276(LF)	2 X 20		2. 28/57. 9	2. 22/56. 4	1. 900/48. 26				
-277(LF)	2 X 22		2. 48/63. 0	2. 42/61. 5	2. 100/53. 34				
-278(LF)	2 X 25		2. 78/70. 6	2. 72/69. 1	2. 400/60. 96				
-279(LF)	2 X 30		3. 28/83. 3	3. 22/81. 8	2. 900/73. 66		30u" / . 76u GXT WITH GOLD FLASH	ROUND	YES
68794-280(LF)	2 X 10	D	1. 28/32. 5	1. 22/31. 0	. 900/22. 86	. 105/2. 67	150u" / 3. 81u Sn	SQUARE	NO

mat'l. code				tolerances unless otherwise specified			CUSTOMER COPY		A FCI www.fciconnect.com			
ltr	ecn no	dr	date	linear	.XX±.01/.X±.3		projection 	title HEADER QUICKIE SLIM LINE VERTICAL 4 WALLED				
E					.XXX±.005/.XX±.13							
					.XXX±.0020/.XXX±.051							
				angles	0°±2°		INCH/MM ↔	product family Quickie	size dwg no		code	
				dr	J.W.BAIR	8/1/90					—	
				engr	M.SMYK	8/1/90						
				chr	M.SMYK	8/1/90			sheet			
				appd	M.SMYK	8/1/90	scale 5:1		A	68794		8 of 8
sheet index	revision sheet											

1

2

PDM: Rev:E

3

STATUS:Released

Printed: Feb 19, 2008

4