




PRODUCT NUMBER
73305-XXXLF

PLATING OPTION
1= GXT 0.76 µm
3= GOLD 0.76 µm
5= GOLD 1.27 µm

PACKAGE OPTION
1= TAPE ON REEL
2= TUBE

TERMINAL LOADING
1= FULLY LOADED
2= POS 2,3,4,5
3= POS 1,2,5,6

WHEN NEEDED, SUFFIX LETTER "LF"
INDICATES THE PRODUCT IS RoHS
COMPATIBLE, SEE NOTE 4.

- NOTES:
- 1- MATERIAL: HOUSING: HIGH TEMP. NYLON, COLOUR BLACK.
TERMINAL: PHOSPHOR BRONZE.
 - 2 - PLATING: CONTACT AREA: SEE TABLE.
SOLDER TAIL : 90/10 SnPb 2µm MIN.
WHEN SUFFIX "LF" IS REQUIRED, 2µm MIN MATTE
TIN OVER 1.27 MIN Ni IS SUPPLIED INSTEAD OF SnPb.
NO RAW EDGES EXEPT SOLDER TAIL TIPS
 - 3 - SOLDER TAILS COPLANARITY : 0.1 mm
 - 4 - RoHS COMPATIBLE PRODUCT SPECIFICATIONS

- a - PLATING:
 - "LF" MEANS THE PRODUCT IS LEAD-FREE,
2µm MINIMUM MATTE TIN OVER 1.27µm
MINIMUM NICKEL UNDERPLATE.
- b - MANUFACTURING PROCESS COMPATIBILITY
 - THE HOUSING WILL WITHSTAND EXPOSURE TO
245°C PEAK TEMPERATURE FOR 30 SECONDS
MAX IN A CONVECTION, INFRA-RED OR VAPOR
PHASE OR REFLOW OVEN.
- c - LABELING:
 - MEETS PACKAGING SPECS AS PER GS-14-920
- d - LEGAL STATEMENT: SEE GS-22-008

VIEW ACCORDING "V"

SEE NOTE 3


CUSTOMER COPY FOR REFERENCE ONLY

mat'l. code				surface	tolerance	projection	product family			
				ISO 1302	ISO 406 ISO 1101		MOD JACK			
ltr	ecn no	dr	date	tolerances unless otherwise specified		mm	title			
H	F06-0240	DLE	06.07.18	angles	linear					
C	FB0608	DLE	98.08.19	±2'		scale 2:1	SMT RA JACK 6 POS OUTSIDE			
D	FB0620	DLE	98.11.26	dr	D LEGRAND	04.10.18				
E	F03020	DLE	03.01.27	engr	P NIZZI	04.10.18	dwg no			
F	F04-0363	DLE	04.10.18	chr	D LEGRAND	04.10.18				
G	F05-0247	DLE	05.09.12	appd	P.NZ	04.10.18	73305			
sheet		revision	H	E	B					
index		sheet	1	2	3		type			
							CUSTOMER Drawing			



2

RECOMMENDED FOOT PRINT
SCALE 5:1



A

B

CUSTOMER COPY FOR REFERENCE ONLY

mat'l. code				surface	tolerance	projection	product family	
				ISO 1302	ISO 406 ISO 1101		MOD JACK	
ltr	ecn no	dr	date	tolerances unless otherwise specified		 mm scale 2:1	title	
A	F04-0363	DLE	04.10.18	angles	±0.13		SMT RA JACK	
B	F06-0240	DLE	06.07.18	linear			6 POS OUTSIDE	
				±2°			dwg no	sheet 3 of -
				dr	D LEGRAND		04.10.18	size
				engr	P NIZZI		04.10.18	
				chr	D LEGRAND		04.10.18	
				appd	P NZ		04.10.18	
sheet index	revision	sheet					type	CUSTOMER Drawing