



FCIconnect.com

Copyright FCI

PRODUCT NUMBER

73306-XXXLF

PLATING OPTION

1= GXT 0.76 μm
3= GOLD 0.76 μm
5= GOLD 1.27 μm

PACKAGE OPTION

1= TAPE ON REEL
2= TUBE


TERMINAL LOADING

1= FULLY LOADED





WHEN NEEDED, SUFFIX LETTER "LF"
INDICATES THE PRODUCT IS RoHS
COMPATIBLE, SEE NOTE 4.

NOTES:

- 1- MATERIAL: HOUSING: HIGH TEMP. NYLON, COLOUR BLACK.
TERMINAL: PHOSPHOR BRONZE.
- 2 - PLATING: CONTACT AREA: SEE TABLE.
SOLDER TAIL : 90/10 SnPb 2 μm MIN.
WHEN SUFFIX "LF" IS REQUIRED, 2 μm MIN MATTE
TIN OVER 1.27 MIN Ni IS SUPPLIED INSTEAD OF SnPb.
NO RAW EDGES EXEPT SOLDER TAIL TIPS
- 3 - SOLDER TAILS COPLANARITY : 0.1 mm
- 4 - RoHS COMPATIBLE PRODUCT SPECIFICATIONS
- a - PLATING:
- "LF" MEANS THE PRODUCT IS LEAD-FREE,
2 μm MINIMUM MATTE TIN OVER 1.27 μm
MINIMUM NICKEL UNDERPLATE.
- b - MANUFACTURING PROCESS COMPATIBILITY
- THE HOUSING WILL WITHSTAND EXPOSURE TO
245°C PEAK TEMPERATURE FOR 30 SECONDS
MAX IN A CONVECTION, INFRA-RED OR VAPOR
PHASE OR REFLOW OVEN.
- c - LABELING:
- MEETS PACKAGING SPECS AS PER GS-14-920
- d - LEGAL STATEMENT: SEE GS-22-008




CUSTOMER COPY FOR REFERENCE ONLY

mat'l. code				surface		tolerance		projection		product family			
				ISO 1302 ✓		ISO 406 ISO 1101				MOD JACK			
ltr	ecn no	dr	date	tolerances unless		otherwise specified				title			
H	F05-0247	DLE	05.09.12	angles	linear	±0.13				SMT RA JACK			
J	F06-0240	DLE	06.07.18							4 POS NARROW OUTSIDE			
				±2'				scale 2:1					
D	F80620	DLE	98.11.26	dr	D LEGRAND	04.10.18				dwg no		sheet 1 of 3	size
E	F90120	DLE	99.02.01	engr	P NIZZI	04.10.18				73306		A3	
F	F03020	DLE	03.01.27	chr	D LEGRAND	04.10.18							
G	F04-0363	DLE	04.10.18	appd	P NZ	04.10.18							
sheet index		revision		J	F	B				type			
		sheet		1	2	3				CUSTOMER Drawing			



2

RECOMMENDED FOOT PRINT
SCALE 5:1



CUSTOMER COPY FOR REFERENCE ONLY

mat'l. code				surface			tolerance			projection		product family			
				ISO 1302			ISO 406 ISO 1101					MOD JACK			
ltr	ecn no	dr	date	tolerances unless otherwise specified								title			
A	F04.0363	DLE	04.10.18	angles			±0.13			mm		SMT RA JACK			
B	F06-0240	DLE	06.07.18	linear						scale 2:1		4 POS NARROW OUTSIDE			
				±2°											
				dr			D LEGRAND					dwg no			
				engr			P NIZZI					sheet 3 of -			
				chr			D LEGRAND					73306			
				appd			P NZ					CUSTOMER Drawing			
							04.10.18					size			
sheet index	revision	sheet													