



FCIconnect.com

Copyright FCI

PRODUCT NUMBER
73334-XXXLF

PLATING OPTION
1= GXT 0.76 μm
3= GOLD 0.76 μm
5= GOLD 1.27 μm


PACKAGE OPTION
1= TAPE ON REEL
2= TUBE

TERMINAL LOADING
1= FULLY LOADED
2= POS 2,3,4,5
3= POS 1,2,5,6



WHEN NEEDED, SUFFIX LETTER "LF"
INDICATES THE PRODUCT IS RoHS
COMPATIBLE, SEE NOTE 4.


NOTES:

- 1- MATERIAL: HOUSING: HIGH TEMP. NYLON, COLOUR BLACK.
TERMINAL: PHOSPHOR BRONZE.
- 2 - PLATING: CONTACT AREA: SEE TABLE.
SOLDER TAIL : 90/10 SnPb 2 μm MIN.
WHEN SUFFIX "LF" IS REQUIRED, 2 μm MIN MATTE
TIN OVER 1.27 MIN Ni IS SUPPLIED INSTEAD OF SnPb.
NO RAW EDGES EXEPT SOLDER TAIL TIPS
- 3 - SOLDER TAILS COPLANARITY : 0.1 mm
- 4 - RoHS COMPATIBLE PRODUCT SPECIFICATIONS
 - a - PLATING:
 - "LF" MEANS THE PRODUCT IS LEAD-FREE,
2 μm MINIMUM MATTE TIN OVER 1.27 μm
MINIMUM NICKEL UNDERPLATE.
 - b - MANUFACTURING PROCESS COMPATIBILITY
 - THE HOUSING WILL WITHSTAND EXPOSURE TO
245°C PEAK TEMPERATURE FOR 30 SECONDS
MAX IN A CONVECTION, INFRA-RED OR VAPOR
PHASE OR REFLOW OVEN.
 - c - LABELING:
 - MEETS PACKAGING SPECS AS PER GS-14-920
 - d - LEGAL STATEMENT: SEE GS-22-008



CUSTOMER COPY FOR REFERENCE ONLY

mat'l. code				surface ISO 1302 ✓		tolerance ISO 406 ISO 1101		projection 		product family MODULAR JACK									
ltr	ecn no	dr	date	tolerances unless		otherwise specified			title SMT RA JACK 6 POS INSIDE										
A	F70603	JLC	97.08.27	angles	linear	±0.13													
B	F80608	DLE	98.08.19																
C	F80620	DLE	98.11.26			±2°													
D	F03020	DLE	03.01.27	dr	D LEGRAND	04.10.19	scale 2:1		dwg no 73334 sheet 1 of 3 size A3										
E	F04-0363	DLE	04.10.19	engr	P NIZZI	04.10.19													
F	F05-0247	DLE	05.09.12	chr	D LEGRAND	04.10.19													
G	F06-0240	DLE	06.07.18	appd	P NZ	04.10.19													
sheet index		revision		G	D	B													
		sheet		1	2	3													



PRODUCT NUMBER
SEE SHEET 1

LTR	PART NAME	QTY
1	PRODUCT	230
2	TAPE	1
3	REEL	1
4	COVER TAPE	1

SCALE 1:4

DIRECTION OF UNREELING

LEADER
390 mm
EMPTY

TRAILER
160mm
EMPTY

360 DIA REF


1- IN ACCORDANCE WITH EIA-481 AND IEC 296-3

CUSTOMER COPY FOR REFERENCE ONLY

mat'l. code				surface ISO 1302	tolerance ISO 406 ISO 1101	projection	product family MOD-JACK			
Ltr	ecn no	dr	date	tolerances unless otherwise specified		mm	title SMT RA JACK 6 POS. INSIDE			
C	F80620	DLE	98.11.26	angles	linear					
D	F06-0240	DLE	06.07.18			scale 1:1	dwg no 73334			
				dr	D LEGRAND	06.07.18				
				enrg	P NIZZI	06.07.18	sheet 2 of 3			
				chr	D LE	06.07.18				
				appd	P NZ	06.07.18	size A3			
sheet index	revision sheet									
							type CUSTOMER Drawing			



2



RECOMMENDED FOOT PRINT
SCALE 5:1

A

B

CUSTOMER COPY FOR REFERENCE ONLY

mat'l. code				surface			tolerance			projection		product family	
				ISO 1302			ISO 406 ISO 1101					MODULAR JACK	
ltr	ecn no	dr	date	tolerances unless otherwise specified							title		
A	F04-0363	DLE	04.10.19	angles			±0.13				SMT RA JACK		
B	F06-0240	DLE	06.07.18	linear							6 POS INSIDE		
				±2°					mm		dwg no		
				D LEGRAND			04.10.19				sheet 3 of -		
				engr P NIZZI			04.10.19				size		
				chr D LEGRAND			04.10.19				A4		
				appd P NZ			04.10.19				CUSTOMER Drawing		
sheet index	revision	sheet											