


RING TONGUE TERMINALS

Solderless terminals are made of pure electrolytic (ETP) copper and tin plated. Insulation is color coded vinyl.


NON-INSULATED



Hand Crimp Tool
CAT. NO. 1345

CAT. NO.	WIRE RANGE (AWG)	FOR STUD SIZE	W	C	L	E	THICK	BARREL	
								250 (6.4) LONG I.D.	MAX. INSUL. DIA.
8200	22/18	6	.25 (6.4)	.22 (5.6)	.60 (15.2)	.47 (11.9)	.030 (.76)	.070 (1.78)	
8201		8	.33 (8.4)	.29 (7.4)	.70 (17.8)	.54 (13.7)			
8202		10	.33 (8.4)	.29 (7.4)	.70 (17.8)	.54 (13.7)			
8203	16/14	6	.25 (6.4)	.22 (5.6)	.60 (15.2)	.47 (11.9)	.030 (.76)	.090 (2.29)	
8204		8	.33 (8.4)	.29 (7.4)	.70 (17.8)	.54 (13.7)			
8205		10	.33 (8.4)	.29 (7.4)	.70 (17.8)	.54 (13.7)			
8206	12/10	6	.28 (7.1)	.29 (7.4)	.68 (17.3)	.54 (13.7)	.040 (1.02)	.135 (3.4)	
8207		8	.38 (9.7)	.29 (7.4)	.73 (18.5)	.54 (13.7)			
8208		10	.38 (9.7)	.29 (7.4)	.73 (18.5)	.54 (13.7)			

VINYL INSULATED




Hand Crimp Tool
CAT. NO. 1345

CAT. NO.	WIRE RANGE (AWG)	FOR STUD SIZE	W	C	L	E	THICK	BARREL		MAX. INSUL. DIA.
								250 (6.4) LONG I.D.	MAX. INSUL. DIA.	
8209	22/18 (Red)	6	.25 (6.4)	.22 (5.6)	.80 (20.3)	.67 (17.0)	.030 (.76)	.070 (1.78)	.145 (3.7)	
8210		8	.33 (8.4)	.29 (7.4)	.90 (22.9)	.74 (18.8)				
8211		10	.33 (8.4)	.29 (7.4)	.90 (22.9)	.74 (18.8)				
8212	16/14 (Blue)	6	.25 (6.4)	.22 (5.6)	.80 (20.3)	.67 (17.0)	.030 (.76)	.090 (2.29)	.170 (4.3)	
8213		8	.33 (8.4)	.29 (7.4)	.90 (22.9)	.74 (18.8)				
8214		10	.33 (8.4)	.29 (7.4)	.90 (22.9)	.74 (18.8)				
8215	12/10 (Yellow)	6	.28 (7.1)	.29 (7.4)	.98 (24.9)	.84 (21.3)	.040 (1.02)	.135 (3.4)	.250 (6.4)	
8216		8	.38 (9.7)	.29 (7.4)	1.03 (26.2)	.84 (21.3)				
8217		10	.38 (9.7)	.29 (7.4)	1.03 (26.2)	.84 (21.3)				

BLOCK SPADE TERMINALS

Solderless terminals are made of pure electrolytic (ETP) copper and tin plated. Insulation is color coded vinyl.


NON-INSULATED



Flanged
Hand Crimp Tool
CAT. NO. 1345

CAT. NO.	WIRE RANGE (AWG)	FOR STUD SIZE	W	C	L	E	THICK	BARREL		FLANGED		
								250 (6.4) LONG I.D.	CAT. NO.			
8218	22/18	6	.30 (7.6)	.25 (6.4)	.65 (16.5)	.50 (12.7)	.030 (.76)	.070 (1.78)		.8236	8236	
8219		8										8237
8220		10										8238
8221	16/14	6	.30 (7.6)	.25 (6.4)	.65 (16.5)	.50 (12.7)	.030 (.76)	.090 (2.29)		.8239	8240	
8222		8										8241
8223		10										8242
8224	12/10	6	.32 (8.1)	.29 (7.4)	.73 (18.5)	.54 (13.7)	.040 (1.02)	.135 (3.4)		.8243	8244	
8225		8										8243
8226		10										8244

VINYL INSULATED




Flanged
Hand Crimp Tool
CAT. NO. 1345

CAT. NO.	WIRE RANGE (AWG)	FOR STUD SIZE	W	C	L	E	THICK	BARREL		FLANGED		
								250 (6.4) LONG I.D.	MAX. INSUL. DIA.	CAT. NO.		
8227	22/18 (Red)	6	.30 (7.6)	.25 (6.4)	.85 (21.6)	.70 (17.8)	.030 (.76)	.070 (1.78)	.145 (3.7)		8245	
8228		8										8246
8229		10										8247
8230	16/14 (Blue)	6	.30 (7.6)	.25 (6.4)	.85 (21.6)	.70 (17.8)	.030 (.76)	.090 (2.29)	.175 (4.4)		8248	
8231		8										8249
8232		10										8250
8233	12/10 (Yellow)	6	.32 (8.1)	.29 (7.4)	1.03 (26.2)	.84 (21.3)	.040 (1.02)	.135 (3.4)	.255 (6.5)		8251	
8234		8										8252
8235		10										8253

SNAP-SPADE TERMINALS

Solderless terminals are made of pure electrolytic (ETP) copper and tin plated. Insulation is color coded vinyl.



NON-INSULATED



Hand Crimp Tool
CAT. NO. 1345

CAT. NO.	WIRE RANGE (AWG)	FOR STUD SIZE	W	C	L	E	THICK	BARREL	
								250 (6.4) LONG I.D.	MAX. INSUL. DIA.
8254	22/18	6	.25 (6.4)	.25 (6.4)	.68 (17.3)	.50 (12.7)	.030 (.76)	.070 (1.78)	
8255		8	.30 (7.6)						
8256		10	.32 (8.1)						
8257	16/14	6	.25 (6.4)	.25 (6.4)	.68 (17.3)	.50 (12.7)	.030 (.76)	.090 (2.29)	
8258		8	.30 (7.6)						
8259		10	.32 (8.1)						
8260	12/10	6	.28 (7.3)	.28 (7.3)	.73 (18.5)	.53 (13.6)	.040 (1.02)	.135 (3.4)	
8261		8	.32 (8.1)						
8262		10	.32 (8.1)						

VINYL INSULATED



Hand Crimp Tool
CAT. NO. 1345

CAT. NO.	WIRE RANGE (AWG)	FOR STUD SIZE	W	C	L	E	THICK	BARREL		MAX. INSUL. DIA.
								250 (6.4) LONG I.D.	MAX. INSUL. DIA.	
8263	22/18 (Red)	6	.25 (6.4)	.25 (6.4)	.88 (22.4)	.70 (17.8)	.030 (.76)	.070 (1.78)	.145 (3.7)	
8264		8	.30 (7.6)							
8265		10	.32 (8.1)							
8266	16/14 (Blue)	6	.25 (6.4)	.25 (6.4)	.88 (22.4)	.70 (17.8)	.030 (.76)	.090 (2.29)	.170 (4.3)	
8267		8	.30 (7.6)							
8268		10	.32 (8.1)							
8269	12/10 (Yellow)	6	.28 (7.3)	.28 (7.3)	1.03 (26.2)	.83 (21.2)	.040 (1.02)	.135 (3.4)	.250 (6.4)	
8270		8	.32 (8.1)							
8271		10	.32 (8.1)							