





# PLATING CONTACT AREA:

DASH NR:	PERFORMANCE LEVEL:
-1YY/1YYLF	TELCORDIA CO
-2YY/2YYLF	CUSTOMER SPECIAL
-3YY/3YYLF	CUSTOMER SPECIAL
-9YY/9YYLF	TELCORDIA CO

# PC BOARD VERSIONS

PRODUCT NR:	PCB THICKNESS	DIM A
85863-X02/X02LF	1.6	2.90
85863-X12/X12LF	2.4	3.53




## NOTES:

- BODY MAT'L: LIQUID CRYSTAL POLYMER 30% GLASS  
FLAME RETARDANT ACC. UL 94-V0
- TERMINAL MATERIAL: PHOSPHOR BRONZE.
- INDICATED HOLES ARE UNPLATED.
- PLATING SOLDER TAILS 2-8  $\mu$ m SnPb 90-97 OR 2-8  $\mu$ m PURE Sn
- PRODUCT MARKING: PART NUMBER & BATCH ID.
- SET BACK FOR TAIL BLOCK
- TOP SURFACE OF PRESS BLOCK MAY EXTEND UP TO 0.4MM HIGHER THAN HOUSING. THIS MAY AFFECT THE TAIL LENGTH BEFORE APPLICATION TO A BOARD.
- THIS PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.
- THE HOUSING WILL WITHSTAND EXPOSURE TO 260DEGREE PEAK TEMPERATURE FOR 10 SECONDS IN A WAVE SOLDER APPLICATION.

PC BOARD THICKNESS  $\approx$  0.2  
(SEE TABLE)

SEE NOTE 6



RECOMMENDED HOLE PATTERN,  
COMPONENT SIDE.

mat'l. code	SEE NOTE	tolerances unless otherwise specified	CUSTOMER COPY	FCI ELECTRONICS
ltr	ecm no	dr date	linear	projection
A	H40627	RVI 941005		
B	V00578	LLA 000316		
C	V00850	GNV 000512	angles	
D	p004-0104	CLW 041222	dr R. VISSCHERS 941005	
E	D007-0189	Cent 05/15/07	engr E. FEIJEN 941005	
F	D008-0171	TER 8/26/08	chr E. FEIJEN 941005	
		app E. FEIJEN 941005	scale 5:1	
sheet index	revision	F	1	

PDM: Rev:F

STATUS: Released

Printed: Nov 10, 2008