






- NOTES:
- MATERIALS : HOUSING AND BASEPLATE
 - LCP, GLASS FILLED, UL 94V-0, BLACK LATCH
 - HIGH TEMP. NYLON, GLASS FILLED, UL 94-0, NATURAL (OFF WHITE)TERMINALS AND FORKLICK - COPPER ALLOY
 - PLATING : CONTACT AREA - SEE TABLE IN SHEET 5
SOLDERTAIL - SEE TABLE IN SHEET 5
 - REFER TO PRODUCT SPECIFICATION, PS-87803-003 FOR PERFORMANCE SPECIFICATIONS.
 - CARD SLOTS ACCEPTS 1.27±0.10 MM MODULE THICKNESS. (MEASURED OVER PC PADS)
 - RECOMMENDED MODULE CARD LAYOUT SHALL BE AS PER JEDEC MO-237.
 - PRODUCT IS PACKED IN TRAY.
 - MOLEX LOGO, DATE CODE AND PART NUMBER INDICATED ON HOUSING.
 - CONTACT MOLEX FOR AVAILABILITY OF PRODUCT OPTIONS.

OBS DIMENSION TIN/LEAD P/N EC NO: S2006-0802	2006/02/22 2006/02/22 2006/02/23	DESCRIPTION	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	
						DRAWN BY DATE		TITLE			
						MLONG 2004/03/25		DDR2 DIMM, 1.00MM PITCH 240 CKTS, 25 DEG.			
						CHECKED BY DATE					
	2 PLACES ± 0.25 ± ---		SRAMESH 2004/03/26		MOLEX INCORPORATED						
	1 PLACE ± --- ± ---		APPROVED BY DATE								
			GGLEE 2004/03/26		SD-87803-010						
	ANGULAR ± 5 °		MATERIAL NO.						DOCUMENT NO.		SHEET NO.
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				1 OF 5			
B		REV									






KEY LOCATION	VOLTAGE	DIM 'X'	DIM 'Y'
CENTER	1.8V	2.50	4.00

ADD DIMENSION OBS. TIN/LEAD P/N. EC NO: S2006-0802 DRWN: J.TAN CHKD: SRRAMESH APPR: GGLEE REV B	DESCRIPTION 2006/02/22 2006/02/22 2006/02/23	QUALITY SYMBOLS ▽=0 ▽C=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION			
				mm	INCH	DRAWN BY	DATE	TITLE				
			4 PLACES	± ---	± ---	MLONG	2004/03/25	DDR2 DIMM, 1.00MM PITCH 240 CKTS, 25 DEG.				
			3 PLACES	± ---	± ---	CHECKED BY	DATE					
			2 PLACES	± 0.25	± ---	SRRAMESH	2004/03/26					
			1 PLACE	± ---	± ---	APPROVED BY	DATE					
			ANGULAR ± 5 °		GGLEE	2004/03/26	molex MOLEX INCORPORATED					
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		MATERIAL NO.		DOCUMENT NO.			SHEET NO.		
SEE TABLE		SD-87803-010			3 OF 5							
		SIZE A3	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									

NOTES :
1. MODULE CARD USED IN PRODUCT TESTING ARE CHAMFERED.



	10	9	8	7	6	5	4	3	2	1																																																																			
F											F																																																																		
E											E																																																																		
D											D																																																																		
C											C																																																																		
B											B																																																																		
A											A																																																																		
<table><tr><td rowspan="9">PART NO.</td><td rowspan="8">VOLTAGE KEY</td><td>DIM 'P'</td><td>DIM 'Q'</td><td>RECOMMENDED PCB THICKNESS</td><td>CONTACT AREA PLATING</td><td>SOLDERTAIL PLATING</td><td>LUBRICATION</td></tr><tr><td>2.79</td><td>3.18</td><td>1.57</td><td rowspan="3">0.38uM/ 15u" GOLD OVER 1.27uM/ 50u" MIN NICKEL</td><td rowspan="8">2.54uM/ 100u" MIN. TIN OVER 1.27uM/ 50u" MIN NICKEL</td><td>NO</td></tr><tr><td></td><td></td><td></td><td>YES</td></tr><tr><td>3.18</td><td>4.83</td><td>2.36</td><td>NO</td></tr><tr><td></td><td></td><td></td><td>YES</td></tr><tr><td>2.79</td><td>3.18</td><td>1.57</td><td>NO</td></tr><tr><td></td><td></td><td></td><td>YES</td></tr><tr><td>3.18</td><td>4.83</td><td>2.36</td><td>NO</td></tr><tr><td></td><td></td><td></td><td>YES</td></tr></table>												PART NO.	VOLTAGE KEY	DIM 'P'	DIM 'Q'	RECOMMENDED PCB THICKNESS	CONTACT AREA PLATING	SOLDERTAIL PLATING	LUBRICATION	2.79	3.18	1.57	0.38uM/ 15u" GOLD OVER 1.27uM/ 50u" MIN NICKEL	2.54uM/ 100u" MIN. TIN OVER 1.27uM/ 50u" MIN NICKEL	NO				YES	3.18	4.83	2.36	NO				YES	2.79	3.18	1.57	NO				YES	3.18	4.83	2.36	NO				YES																								
PART NO.	VOLTAGE KEY	DIM 'P'	DIM 'Q'	RECOMMENDED PCB THICKNESS	CONTACT AREA PLATING	SOLDERTAIL PLATING	LUBRICATION																																																																						
		2.79	3.18	1.57	0.38uM/ 15u" GOLD OVER 1.27uM/ 50u" MIN NICKEL	2.54uM/ 100u" MIN. TIN OVER 1.27uM/ 50u" MIN NICKEL	NO																																																																						
							YES																																																																						
		3.18	4.83	2.36			NO																																																																						
					YES																																																																								
		2.79	3.18	1.57	NO																																																																								
					YES																																																																								
		3.18	4.83	2.36	NO																																																																								
				YES																																																																									
<table><tr><td rowspan="5">ADD DIMENSION OBS. TIN/LEAD P/N EC NO: S2006-0802</td><td rowspan="7">DRWN: JIAN CHKD: SRRAMESH APPR: GGLEE</td><td rowspan="7">2006/02/22 2006/02/22 2006/02/23</td><td rowspan="7">DESCRIPTION REV</td><td rowspan="7">QUALITY SYMBOLS ▽=0 ▽C=0</td><td colspan="3">GENERAL TOLERANCES (UNLESS SPECIFIED)</td><td colspan="2">DIMENSION STYLE MM ONLY</td><td>SCALE NTS</td><td>DESIGN UNITS METRIC</td><td colspan="2">THIRD ANGLE PROJECTION</td></tr><tr><td></td><td>mm</td><td>INCH</td><td>DRAWN BY MLONG</td><td>DATE 2004/03/25</td><td colspan="4" rowspan="2">TITLE DDR2 DIMM, 1.00MM PITCH 240 CKTS, 25 DEG.</td></tr><tr><td>4 PLACES</td><td>± ---</td><td>± ---</td><td>CHECKED BY SRRAMESH</td><td>DATE 2004/03/26</td></tr><tr><td>3 PLACES</td><td>± ---</td><td>± ---</td><td>APPROVED BY GGLEE</td><td>DATE 2004/03/26</td><td colspan="4" rowspan="2">MOLEX INCORPORATED</td></tr><tr><td>2 PLACES</td><td>± 0.25</td><td>± ---</td><td>MATERIAL NO.</td><td></td></tr><tr><td>1 PLACE</td><td>± ---</td><td>± ---</td><td colspan="3">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td colspan="2">SEE TABLE</td><td colspan="2">DOCUMENT NO. SD-87803-010</td><td colspan="2">SHEET NO. 5 OF 5</td></tr><tr><td colspan="5"></td><td>SIZE A3</td><td colspan="6">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td></tr></table>												ADD DIMENSION OBS. TIN/LEAD P/N EC NO: S2006-0802	DRWN: JIAN CHKD: SRRAMESH APPR: GGLEE	2006/02/22 2006/02/22 2006/02/23	DESCRIPTION REV	QUALITY SYMBOLS ▽=0 ▽C=0	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION			mm	INCH	DRAWN BY MLONG	DATE 2004/03/25	TITLE DDR2 DIMM, 1.00MM PITCH 240 CKTS, 25 DEG.				4 PLACES	± ---	± ---	CHECKED BY SRRAMESH	DATE 2004/03/26	3 PLACES	± ---	± ---	APPROVED BY GGLEE	DATE 2004/03/26	MOLEX INCORPORATED				2 PLACES	± 0.25	± ---	MATERIAL NO.		1 PLACE	± ---	± ---	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			SEE TABLE		DOCUMENT NO. SD-87803-010		SHEET NO. 5 OF 5							SIZE A3	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					
ADD DIMENSION OBS. TIN/LEAD P/N EC NO: S2006-0802	DRWN: JIAN CHKD: SRRAMESH APPR: GGLEE	2006/02/22 2006/02/22 2006/02/23	DESCRIPTION REV	QUALITY SYMBOLS ▽=0 ▽C=0	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC						THIRD ANGLE PROJECTION																																																												
						mm	INCH	DRAWN BY MLONG	DATE 2004/03/25	TITLE DDR2 DIMM, 1.00MM PITCH 240 CKTS, 25 DEG.																																																																			
					4 PLACES	± ---	± ---	CHECKED BY SRRAMESH	DATE 2004/03/26																																																																				
					3 PLACES	± ---	± ---	APPROVED BY GGLEE	DATE 2004/03/26	MOLEX INCORPORATED																																																																			
					2 PLACES	± 0.25	± ---	MATERIAL NO.																																																																					
1 PLACE					± ---	± ---	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			SEE TABLE		DOCUMENT NO. SD-87803-010					SHEET NO. 5 OF 5																																																												
					SIZE A3	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																																							
	10	9	8	7	6	5	4	3	2	1																																																																			