


Printed: Apr 18, 2008



PDM: Rev:V

STATUSReleased

Printed: Apr 18, 2008

SEE NOTE 9 LEAD FREE В OPTION CONTACT CODE MOD. 2 MOD. 3 MOD. 4 MOD. 5 MOD. 6 MOD. MOD. 8 METRAL MOD P/N 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 9 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 ROW 88954-X02 C SEE NOTE 9 LEAD FREE OPTION В CONTACT CODE MOD. I MOD. 2 MOD. 3 MOD. MOD. MOD. 6 MOD. MOD. 8 METRAL P/N 7 8 9 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 88954-X03 SEE NOTE 9 С LEAD FREE OPTION В CONTACT CODE MOD. 2 MOD. 3 MOD. 4 MOD. 5 MOD. 6 MOD. 7 MOD. 8 METRAL MOD. P/N 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 88954-X04 D SEE NOTE 9 LEAD FREE 3 3 3 3 3 3 3 3 3 3 3 3 C 3 3 3 3 OPTION CONTACT CODE MOD. 2 MOD. 3 MOD. MOD. 5 MOD. MOD. MOD. 8 METRAL MOD P/N 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 ROW 88954-X05 SEE NOTE 9 LEAD FREE C В 3 3 3 3 OPTION A 3

mat'l code

CUSTOMER otherwise specified ltr ecn no. dr date COPY www.fciconnect.com $0.X \pm 0.3$ projection ٧ linear 0.XX ±0.13 METRAL SIGNAL HEADER XXX ±.051 8 MOD, 4 ROW STB 0° ±2° METRAL code T.BRUNGARD dr 11/19/99 MM product family M.STRAWSER 11/19/99 size dwg no engr M.STRAWSER 11/19/99 scale 88954 sheet Д appd M.STRAWSER 02/29/00 sheet revision sheet cage code 3 l 4 Pro/E 22526

3

MOD. 8

1 2

2

MOD. 3

MOD. 4

MOD. 5

MOD. 6

19|20|21|22|23|24|25|26|27|28|29|30|31|32|33|34|35|36|37|38|39|40|41|42|43|44|45|46|47|48|

MOD. 7

MOD. 2

CONTACT CODE

MOD

METRAL

P/N

88954-X0I

Α

tolerances unless

STATUS: Released

Printed: Apr 18, 2008

В

4

Α

REV E - 2006-04-18

В

This document is the property of and embadies CONFIDENTIAL and PROPRIETARY information of FCI. No part of the information shown on this shown and this document may be used in any way or disclosed to others without the written consent of FCI. Copyright FCI.

2 SEE NOTE 9 LEAD FREE 2 2 2 2 2 2 OPTION CONTACT CODE MOD. 2 MOD. 3 MOD. 4 MOD. 5 MOD. 6 MOD. MOD. 8 METRAL MOD P/N 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 9 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 88954-X07 С SEE NOTE 9 В LEAD FREE OPTION CONTACT CODE MOD. 2 MOD. 3 MOD. MOD. 5 MOD. 6 MOD. MOD. 8 METRAL MOD P/N 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 88954-X08 SEE NOTE 9 С LEAD FREE OPTION В CONTACT CODE MOD. 2 MOD. 3 MOD. 4 MOD. 5 MOD. 6 MOD. MOD. 8 METRAL MOD. P/N 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 88954-X09 SEE NOTE 9 LEAD FREE OPTION 4 4 4 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 C 4 4 14 | 4 | 4 | 4 | 4 | 4 CONTACT CODE MOD. 2 MOD. 3 MOD. MOD. 5 MOD. 6 MOD. MOD. 8 METRAL MOD P/N 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 ROW 88954-XI0 SEE NOTE 9 LEAD FREE C В 3 3 3 3 3 3 3 3 OPTION | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 4 4 4 4 4 4 4 4 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 4 4 4 4 4 4

2

1 2

MOD. 3

MOD.

MOD. 5

8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48

MOD. 6

MOD. 7

MOD. 2

CONTACT CODE

MOD

METRAL

P/N

88954-X06

mat'l code tolerances unless CUSTOMER otherwise specified Itr ecn no. dr date COPY www.fciconnect.com $0.X \pm 0.3$ projection ٧ linear 0.XX ±0.13 METRAL SIGNAL HEADER XXX ±.051 8 MOD, 4 ROW STB 0° ±2° METRAL code T.BRUNGARD dr 11/19/99 MM product family M.STRAWSER 11/19/99 size dwg no engr 11/19/99 scale sheet M.STRAWSER 88954 Д 4 appd M.STRAWSER 02/29/00 sheet revision sheet cage code 3 | 4

3

MOD. 8

Pro/E

PDM: Rev:V

STATUS: Released

Printed: Apr 18, 2008

22526

В

4

Α

This document is the property of and embadies CONFIDENTIAL and PROPRIETARY information of FCI. No part of the information shown on this shown and this document may be used in any way or disclosed to others without the written consent of FCI. Copyright FCI.

Α

В

SEE NOTE 9 LEAD FREE В OPTION CONTACT CODE MOD. 2 MOD. 3 MOD. 4 MOD. 5 MOD. 6 MOD. MOD. 8 METRAL MOD P/N 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 9 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 4 4 4 4 4 4 4 4 4 4 4 4 88954-XI2 D C SEE NOTE 9 LEAD FREE В OPTION CONTACT CODE MOD. I MOD. 2 MOD. 3 MOD. MOD. 5 MOD. 6 MOD. MOD. 8 METRAL P/N 7 8 9 9 10 1 1 1 2 1 3 1 4 1 5 1 6 1 7 1 8 1 9 20 2 1 2 2 2 3 2 4 2 5 2 6 2 7 2 8 2 9 3 0 3 1 3 2 3 3 3 4 3 5 3 6 3 7 3 8 3 9 4 0 4 1 4 2 4 3 4 4 4 5 4 6 4 7 4 8 88954-XI3 SEE NOTE 9 С LEAD FREE OPTION В CONTACT CODE MOD. 2 MOD. 3 MOD. 4 MOD. 5 MOD. 6 MOD. MOD. 8 METRAL MOD. P/N 121314151617181920212223242526627282930313233343536373839404142434445464748 88954-XI5 D SEE NOTE 9 C LEAD FREE OPTION CONTACT CODE MOD. 2 MOD. 3 MOD. MOD. 5 MOD. MOD. MOD. 8 METRAL MOD P/N 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 88954-XI6 SEE NOTE 9 LEAD FREE OPTION C В | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 A 3

2

MOD. 3

MOD.

MOD. 5

8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48

MOD. 6

MOD. 7

MOD. 2

CONTACT CODE

MOD

METRAL

P/N

88954-XII

mat'l code tolerances unless CUSTOMER otherwise specified ltr ecn no. dr date COPY www.fciconnect.com $0.X \pm 0.3$ projection ٧ linear 0.XX ±0.13 METRAL SIGNAL HEADER XXX ±.051 8 MOD, 4 ROW STB 0° ±2° METRAL code T.BRUNGARD dr 11/19/99 MM product family M.STRAWSER 11/19/99 size dwg no engr 11/19/99 scale 88954 sheet M.STRAWSER Д 5 appd M.STRAWSER 02/29/00 sheet revision sheet cage code 3 l 4 Pro/E 22526

3

MOD. 8

1 2

STATUS: Released

Printed: Apr 18, 2008

В

4

Α

REV E - 2006-04-18

В

Α

This document is the property of and embadies CONFIDENTIAL and PROPRIETARY information of FCI. No part of the information shown on this shown and this document may be used in any way or disclosed to others without the written consent of FCI. Copyright FCI.

2 2 2 2 2 2 2 2 SEE NOTE 9 LEAD FREE В 2 2 2 2 OPTION CONTACT CODE MOD. 2 MOD. 3 MOD. 4 MOD. 5 MOD. 6 MOD. MOD. 8 METRAL MOD P/N 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 9 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 88954-X31 C SEE NOTE 9 LEAD FREE В OPTION CONTACT CODE MOD. 2 MOD. 3 MOD. MOD. MOD. 6 MOD. MOD. 8 METRAL MOD P/N 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 88954-X32 SEE NOTE 9 С LEAD FREE OPTION В CONTACT CODE MOD. 2 MOD. 3 MOD. 4 MOD. 5 MOD. 6 MOD. 7 MOD. 8 METRAL MOD. P/N 121314151617181920212223242526627282930313233343536373839404142434445464748 88954-X33 SEE NOTE 9 6 6 6 6 6 6 6 C 6 6 LEAD FREE OPTION CONTACT CODE MOD. 2 MOD. 3 MOD. MOD. 5 MOD. MOD. MOD. 8 METRAL MOD P/N 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 88954-X34 SEE NOTE 9 LEAD FREE C В OPTION A | 8 | 8 | 8 | 8

2

MOD. 3

MOD.

MOD. 5

8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48

MOD. 6

MOD. 7

MOD. 2

CONTACT CODE

MOD

METRAL

P/N

88954-XI7

mat'l code tolerances unless CUSTOMER otherwise specified Itr ecn no. dr date COPY www.fciconnect.com $0.X \pm 0.3$ projection ٧ linear 0.XX ±0.13 METRAL SIGNAL HEADER XXX ±.051 8 MOD, 4 ROW STB 0° ±2° METRAL code T.BRUNGARD dr 11/19/99 MM product family M.STRAWSER 11/19/99 size dwg no engr M.STRAWSER 11/19/99 scale sheet 88954 Д 6 appd M.STRAWSER 02/29/00 sheet revision sheet cage code 3 l 4 Pro/E 22526

3

MOD. 8

1 2

PDM: Rev:V

STATUS: Released

Printed: Apr 18, 2008

В

4

Α

This document is the property of and embadies CONFIDENTIAL and PROPRIETARY information of FCI. No part of the information shown on this shown and this document may be used in any way or disclosed to others without the written consent of FCI. Copyright FCI.

В

Α

SEE NOTE 9 LEAD FREE В OPTION CONTACT CODE MOD. 2 MOD. 3 MOD. 4 MOD. 5 MOD. 6 MOD. MOD. 8 METRAL MOD P/N 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 9 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 88954-X36 С SEE NOTE В LEAD FREE OPTION CONTACT CODE MOD. I MOD. 2 MOD. 3 MOD. MOD. 5 MOD. 6 MOD. MOD. 8 METRAL P/N 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 88954-X37 SEE NOTE 9 LEAD FREE С OPTION CONTACT CODE MOD. 2 MOD. 3 MOD. 4 MOD. 5 MOD. 6 MOD. 7 MOD. 8 METRAL MOD. P/N 12131415161718192021222324252612728293031323334353613738394041424344454614748 88954-X38 SEE NOTE 9 LEAD FREE OPTION C 5 | 5 | 5 | 5 | 5 | 5 CONTACT CODE MOD. 2 MOD. 3 MOD. MOD. 5 MOD. MOD. MOD. 8 METRAL MOD P/N 1 2 3 4 5 6 7 8 9 10 1 1 1 2 1 3 1 4 1 5 1 6 1 7 1 8 1 9 10 1 1 1 2 1 3 1 4 1 5 1 6 1 7 1 8 1 9 2 0 2 1 2 2 2 3 2 4 2 5 2 6 2 7 2 8 2 9 3 0 3 1 3 2 3 3 3 4 3 5 3 6 3 7 3 8 3 9 4 0 4 1 4 2 4 3 4 4 4 5 4 6 4 7 4 8 88954-X39 SEE NOTE 9 LEAD FREE C В 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 OPTION A 8 8 8 8 8 8 8 8 8 |8|8|8|8|8|8|8|8|8| 8 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 |

MOD. 4

MOD. 5

MOD. 6

19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48

MOD. 7

2

MOD. 3

MOD. 2

CONTACT CODE

MOD

METRAL

P/N

88954-X35

mat'l code tolerances unless CUSTOMER otherwise specified Itr ecn no. dr date COPY www.fciconnect.com $0.X \pm 0.3$ projection ٧ linear 0.XX ±0.13 METRAL SIGNAL HEADER XXX ±.051 8 MOD, 4 ROW STB 0° ±2° METRAL code T.BRUNGARD dr 11/19/99 MM product family M.STRAWSER 11/19/99 size dwg no engr M.STRAWSER 11/19/99 scale sheet 88954 Д appd M.STRAWSER 02/29/00 sheet revision sheet cage code 3 l 4 Pro/E 22526

3

MOD. 8

1 2

STATUS: Released

Printed: Apr 18, 2008

В

4

Α

This document is the property of and embadies CONFIDENTIAL and PROPRIETARY information of FCI. No part of the information shown on this shown and this document may be used in any way or disclosed to others without the written consent of FCI. Copyright FCI.

В

Α

REV E - 2006-04-18

6 6 6 6 6 6 6 6 6 6 6 6 6 SEE NOTE 9 LEAD FREE OPTION В CONTACT CODE MOD. 2 MOD. 3 MOD. 4 MOD. 5 MOD. 6 MOD. MOD. 8 METRAL MOD P/N 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 9 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 ROW 88954-X41 С SEE NOTE В LEAD FREE OPTION CONTACT CODE MOD. 2 MOD. 3 MOD. MOD. 5 MOD. 6 MOD. MOD. 8 METRAL MOD P/N 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 88954-X42 SEE NOTE 9 С LEAD FREE OPTION В CONTACT CODE MOD. 2 MOD. 3 MOD. 4 MOD. 5 MOD. 6 MOD. 7 MOD. 8 METRAL MOD. P/N 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 88954-X43 D SEE NOTE 9 LEAD FREE OPTION 5 | 5 | 5 | 5 C 5 | 5 | 5 | 5 | 5 | CONTACT CODE MOD. 2 MOD. 3 MOD. MOD. 5 MOD. MOD. MOD. 8 METRAL MOD P/N 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 88954-X45 SEE NOTE 9 LEAD FREE C В OPTION 5 | 5 | 5 | 5 5 5 5 5 5

2

MOD. 3

MOD.

MOD. 5

| 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48

MOD. 6

MOD. 7

MOD. 2

CONTACT CODE

MOD

METRAL

P/N

88954-X40

Α

mat'l code tolerances unless CUSTOMER otherwise specified Itr ecn no. dr date COPY www.fciconnect.com $0.X \pm 0.3$ projection ٧ linear 0.XX ±0.13 METRAL SIGNAL HEADER XXX ±.051 8 MOD, 4 ROW STB 0° ±2° METRAL code T.BRUNGARD dr 11/19/99 MM product family M.STRAWSER 11/19/99 size dwg no engr 11/19/99 scale sheet M.STRAWSER 88954 Д 8 appd M.STRAWSER 02/29/00 sheet revision sheet cage code 3 l 4 Pro/E 22526

3

MOD. 8

1 2

STATUS: Released

Printed: Apr 18, 2008

В

4

Α

REV E - 2006-04-18

В

This document is the property of and embadies CONFIDENTIAL and PROPRIETARY information of FCI. No part of the information shown on this shown and this document may be used in any way or disclosed to others without the written consent of FCI. Copyright FCI.

88954-X47 D C SEE NOTE 9 LEAD FREE В OPTION CONTACT CODE MOD. 2 MOD. 3 MOD. MOD. 5 MOD. 6 METRAL MOD P/N 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 88954-X61 SEE NOTE 9 LEAD FREE С OPTION В 9 9 9 9 9 9 9 9 CONTACT CODE MOD. 2 MOD. 3 MOD. 4 MOD. 5 MOD. 6 METRAL MOD. P/N 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 9 9 9 9 9 88954-X62 D SEE NOTE 9 LEAD FREE OPTION С 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 CONTACT CODE MOD. 2 MOD. 3 MOD. MOD. 5 MOD. 6 METRAL MOD P/N 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 ROW 88954-X63 SEE NOTE 9 LEAD FREE C В OPTION

1 2

2

MOD. 3

MOD. 3

MOD.

MOD. 4

MOD. 5

7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48

MOD. 5

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 9 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48

MOD. 6

MOD. 6

MOD. 7

8 8 8 8 8

MOD.

6 6 6 6 6

MOD.

MOD. 7

MOD.

9 9 9 9 9

9 9

9 9

MOD. 2

MOD. 2

CONTACT CODE

CONTACT CODE

MOD

4 5 6

MOD

METRAL

P/N

88954-X46 SEE NOTE 9 LEAD FREE

OPTION

METRAL

P/N

Α

mat'l code tolerances unless CUSTOMER otherwise specified ltr ecn no. dr date COPY www.fciconnect.com $0.X \pm 0.3$ projection ٧ linear 0.XX ±0.13 METRAL SIGNAL HEADER XXX ±.051 8 MOD, 4 ROW STB 0° ±2° METRAL code T.BRUNGARD dr 11/19/99 MM product family M.STRAWSER 11/19/99 size dwg no engr 11/19/99 scale sheet M.STRAWSER 88954 Д 9 appd M.STRAWSER 02/29/00 sheet revision sheet cage code 3 | 4 Pro/E 22526

3

MOD. 8

MOD. 8

MOD. 8

MOD. 8

9 9 9 9 9 9 9

MOD. 8

PDM: Rev:V

STATUS: Released

Printed: Apr 18, 2008

В

4

Α

This document is the property of and embadies CONFIDENTIAL and PROPRIETARY information of FCI. No part of the information shown on this shown and this document may be used in any way or disclosed to others without the written consent of FCI. Copyright FCI.

В

C SEE NOTE 9 LEAD FREE В OPTION CONTACT CODE MOD. I MOD. 2 MOD. 3 MOD. 4 MOD. 5 MOD. 6 METRAL P/N 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 88954-X66 SEE NOTE 9 С LEAD FREE OPTION В CONTACT CODE MOD. 2 MOD. 3 MOD. 4 MOD. 5 MOD. 6 METRAL MOD. P/N 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 88954-X67 D SEE NOTE 9 LEAD FREE С OPTION 9 9 9 9 Α CONTACT CODE MOD. 2 MOD. 3 MOD. MOD. 5 MOD. METRAL MOD P/N 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 ROW 88954-X68 SEE NOTE 9 C LEAD FREE В 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 A | 9 | 9 | 9 | 9 | 9 | 9

2

ntahalahalahahahal

MOD. 3

MOD. 3

MOD.

MOD. 4

MOD. 5

7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48

MOD. 5

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 9 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48

mat'l code

sheet

ecn no.

dr

revision

sheet

date

Pro/E

Itr

٧

MOD. 6

MOD. 6

MOD. 7

MOD.

MOD.

MOD. 7

MOD.

9 9 9 9

linear

angles

dr

engr

chr

MOD. 2

MOD. 2

CONTACT CODE

CONTACT CODE

MOD

4 5 6

MOD

METRAL

P/N

88954-X64

SEE NOTE 9 LEAD FREE

METRAL

P/N

88954-X65

Α

OPTION

В

ROW

4

3

MOD. 8

MOD. 8

MOD. 8

MOD. 8

MOD. 8

CUSTOMER

COPY

MM

3

projection

scale

|9|9|9|9|9|9|9|9|9

tolerances unless

otherwise specified

T.BRUNGARD

M.STRAWSER

M.STRAWSER

appd M.STRAWSER

 $0.X \pm 0.3$

0.XX ±0.13

XXX ±.051

0° ±2°

Α

www.fciconnect.com

METRAL SIGNAL HEADER 8 MOD, 4 ROW STB

produ	ict fam	code					
size	dwg	no				2	13
_ \		88	395	5 /		she	et
A		0 ()) () 4		1	0

22526

STATUS: Released

cage code

Printed: Apr 18, 2008

4

В

REV E - 2006-04-18

В

This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCI. No port of the information shown on this document may be used in any way or disclosed to others without the written consent of FCI. Copyright FCI.

1/2

PDM: Rev:V

11/19/99

11/19/99

11/19/99

02/29/00

88954-X70 D C SEE NOTE LEAD FREE В OPTION CONTACT CODE MOD. I MOD. 2 MOD. 3 MOD. 4 MOD. 5 MOD. 6 METRAL P/N 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 88954-X71 SEE NOTE 9 С LEAD FREE В CONTACT CODE MOD. 2 MOD. 3 MOD. 4 MOD. 5 MOD. 6 METRAL MOD. P/N 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 88954-X72 D SEE NOTE 9 C LEAD FREE OPTION CONTACT CODE MOD. 2 MOD. 3 MOD. MOD. 5 MOD. METRAL MOD P/N 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 88954-X73 SEE NOTE 9 LEAD FREE C 9 9 9 9 9 9 В talahdalahdalahdalahdalahdala OPTION A 9 9 9 9 9 9

2

MOD. 3

MOD. 3

MOD.

MOD. 4

MOD. 5

7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48

MOD. 5

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 9 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48

MOD. 6

MOD. 6

MOD. 7

MOD.

MOD.

MOD. 7

MOD.

MOD. 2

MOD. 2

CONTACT CODE

CONTACT CODE

MOD

ROW

4 5 6

MOD

METRAL

P/N

88954-X69

SEE NOTE 9 LEAD FREE

OPTION

METRAL

P/N

Α

Α

4

mat'l code tolerances unless CUSTOMER otherwise specified Itr ecn no. dr date COPY www.fciconnect.com $0.X \pm 0.3$ projection ٧ linear 0.XX ±0.13 METRAL SIGNAL HEADER XXX ±.051 8 MOD, 4 ROW STB 0° ±2° angles METRAL code T.BRUNGARD dr 11/19/99 MM product family M.STRAWSER 11/19/99 size dwg no engr 11/19/99 scale sheet M.STRAWSER 88954 Д appd M.STRAWSER 02/29/00 \perp sheet revision sheet cage code 3 | 4 Pro/E 22526

3

MOD. 8

MOD. 8

MOD. 8

MOD. 8

MOD. 8

STATUS: Released

Printed: Apr 18, 2008

В

REV E - 2006-04-18

В

This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCI. No port of the information shown on this document may be used in any way or disclosed to others without the written consent of FCI. Copyright FCI.

1/2

SEE NOTE 9 LEAD FREE OPTION Α CONTACT CODE MOD. 2 MOD. 3 MOD. 4 MOD. 5 MOD. 6 MOD. MOD. 8 METRAL MOD P/N 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 9 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 ROW 88954-X76 D C SEE NOTE LEAD FREE В OPTION CONTACT CODE MOD. I MOD. 2 MOD. 3 MOD. 4 MOD. 5 MOD. 6 MOD. MOD. 8 METRAL P/N 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 88954-X77 SEE NOTE 9 С LEAD FREE В CONTACT CODE MOD. MOD. 7 MOD. 2 MOD. 3 MOD. 4 MOD. 5 MOD. 8 METRAL MOD. P/N 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 88954-X78 D SEE NOTE 9 LEAD FREE OPTION 2 2 2 2 2 2 2 2 2 2 2 4 4 4 4 4 CONTACT CODE MOD. 2 MOD. 3 MOD. 4 MOD. 5 MOD. MOD. 7 MOD. 8 METRAL MOD. P/N 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 ROW 2 3 4 5 6 88954-X79 3 3 3 3 3 3 3 3 3 3 3 3 3 3 SEE NOTE 9 LEAD FREE С | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | OPTION

> mat'l code tolerances unless CUSTOMER otherwise specified Itr ecn no. dr date COPY www.fciconnect.com $0.X \pm 0.3$ projection ٧ linear 0.XX ±0.13 METRAL SIGNAL HEADER XXX ±.051 8 MOD, 4 ROW STB 0° ±2° angles METRAL code dr T.BRUNGARD 11/19/99 MM product family M.STRAWSER 11/19/99 size dwg no engr 11/19/99 scale sheet M.STRAWSER 88954 Д appd M.STRAWSER 02/29/00 12 sheet revision sheet cage code 3 | 4 Pro/E 22526

3

MOD. 8

1/2

2

MOD. 3

MOD.

MOD. 5

7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48

MOD. 6

MOD. 7

MOD. 2

CONTACT CODE

4 5 6

MOD

METRAL

P/N

88954-X75

PDM: Rev:V

STATUS: Released

Printed: Apr 18, 2008

В

4

Α

REV E - 2006-04-18

В

Α

This accument is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCI. No part of the information shown on this accument may be used in any way or disclosed to others without the written consent of FCI. Copyright FCI.

2 3 MOD. 2 MOD. MOD. 4 MOD. 5 MOD. 6 MOD. 7 MOD. 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 3 MOD. 7 MOD. 2 MOD. 3 MOD. 4 MOD. 5 MOD. MOD. 8 2 3 4 5 6 7 8 9 10 11 2 13 14 15 16 17 18 9 10 11 2 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48

OPTION CONTACT CODE MOD. 2 MOD. 5 MOD. 6 MOD. 7 MOD. 3 MOD. 4 MOD. 8 METRAL P/N 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 8 19 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 88954-X82 SEE NOTE LEAD FREE В

METRAL		CONTACT CODE MOD. I						MOD. 2					MOD. 3						MOD. 4							MOD. 5						МО	D.	6			MOD. 7						MOD. 8					
P/N	ROW	1	2	3	4	5	6	7	8	9	10	Ξ	12	13	۱4	15	16	17	18	۱9	20	21	22	23	24	25	26	27	28	29 3	0 3	1 3	2 3	3 3	4 3	5 3	6 37	38	39	40	41	42	43	44	45	46	47	48
88954-X83	D	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6 6	1	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6
SEE NOTE 9	С	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6 6	1	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6
LEAD FREE OPTION	В	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8 8	8	8	8 8	8 8	8	. 8	8	8	8	8	8	8	8	8	8	8	8	8

This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCI. No part of the information shown on this document may be used in any way or disclosed to others without the written consent of FCI. Copyright FCI.

А

CONTACT CODE

CONTACT CODE

MOD.

MOD

METRAL

P/N

88954-X80

SEE NOTE LEAD FREE

OPTION

METRAL

P/N

88954-X8I

SEE NOTE LEAD FREE

ROW

ROW

В

mat'l code tolerances unless CUSTOMER otherwise specified ltr ecn no. dr date COPY www.fciconnect.com $0.X \pm 0.3$ projection ٧ linear 0.XX ±0.13 METRAL SIGNAL HEADER XX<u>X ±.051</u> 8 MOD, 4 ROW STB 0° ±2° METRAL code T.BRUNGARD dr 11/19/99 MM product family M.STRAWSER 11/19/99 size dwg no engr M.STRAWSER 11/19/99 scale 88954 sheet Д good M.STRAWSER 1.3 02/29/00 sheet revision sheet cage code Pro/E 3 | 4

1 2

STATUS: Released

22526

Printed: Apr 18, 2008

В

4

Α

REV E - 2006-04-18

В

4

Α

PRODUCT NUMBER 88954-XYY (SEE SHEET I) 88954-XYYLF (SEE SHEET I)

NOTES:

mat'l code

sheet

ecn no.

dr

revision

sheet

ltr

- I. FOR DIM A AND B SEE SHEET 2 AND UP.
- 2. BODY MATERIAL: LIQUID CRYSTAL

POLYMER 30 % GLASS.

FLAME RETARDANT ACC. UL 94-VO.

3. PIN MATERIAL:

PHOSPHOR BRONZE.

- 4. PLATING ON SOLDER TO BOARD: 88954 - XYY IS SnPb 88954-XYYLF IS SN (LEAD FREE) PLATING ON CONTACT AREA CONFORMS TO PERFORMANCE LEVEL SHOWN IN TABLE.
- 5. PRODUCT MARKING: PART NUMBER DESIGNATION & BATCH I.D.
- 6. ALL PRODUCTS WITH PART NUMBERS SHOWN IN SUBSEQUENT TABLES WILL BE PACKAGED IN TUBES. IF TRAY PACKAGING IS REQUIRED, A SUFFIX "P" WILL BE ADDED TO THE END OF THE PART NUMBER. EXAMPLE: XXXXX-XXXP OR XXXXX-XXXPLF
- 7. PRODUCT SPECIFICATION GS-12-180 APPLICATION SPECIFICATION BUS-20-074
- (8.) THE PRODUCTS WHERE THE PART NUMBER ENDS IN LF MEET THE EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.
- (9.) FOR LEAD FREE PART NUMBERS, ADD AN "LF" SUFFIX. EXAMPLE: 88954-X01LF
- IO. ALL PRODUCTS EXCEPT THOSE WITH PART NUMBERS CONTAINING (DRAWING NO.)-NI--- OR (DRAWING NO.)-N5---WILL WITHSTAND EXPOSURE TO 260°C FOR 60 SECONDS IN A CONVECTION, INFRA-RED OR VAPOR PHASE REFLOW OVEN. PART NUMBERS (DRAWING NO.)-NI---AND (DRAWINGS NO.)-N5---WILL NOT WITHSTAND REFLOW AND AU CONTACT SURFACE OF THE CONTACTS SHALL BE EXPOSED TO A MAXIMIM 140°C FOR NO LONGER THAN 15 SECONDS IN A WAVE SOLDER APPLICATION.

tolerances unless

otherwise specified

T.BRUNGARD

M.STRAWSER

chr M.STRAWSER

good M.STRAWSER

 $0.X \pm 0.3$

0.XX ±0.13

XXX ±.051

0° ±2°

date

linear

dr

engr

Α

This accument is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCI. No part of the information shown on this accument may be used in any way or disclosed to others without the written consent of FCI.

В

REV E - 2006-04-18

1 2

Pro/E

3 |

CUSTOMER

COPY

MM

projection

cage code 22526

title METRAL SIGNAL HEADER

88954

8 MOD. 4 ROW STB

4

В

sheet

14

www.fciconnect.com

METRAL code

PDM: Rev:V

11/19/99

11/19/99

11/19/99

02/29/00

product family

dwg no

size