


PDM: Rev:T STATUS: Released Printed: Sep 16, 2008



—		1		2 3					4				5		6
	PRODUCT NUMBER	POS.	DIM A	DIM B	DIM C	LATCHING FEATURES		EQUIVALE GH—TEMP							
\bigcirc	90311-004LF	2 x 2	2.0/.08	4.4/.17	2.2/.09	1 (SHEET :		087010-	004LF						
-	90311-006LF	2 x 3	4.0/.16	6.4/.25	3.2/.13	2 (SHEET		087010-							
	90311-008LF	2 x 4	6.0/.24	8.4/.33	4.2/.17	2 (SHEET		087010-							
	90311-010LF	2 x 5	8.0/.32	10.4/.41	5.2/.21	2 (SHEET		087010-							
	90311-012LF	2 x 6	10.0/.39	12.4/.49	6.2/.24	2 (SHEET		087010-							
	90311-014LF	2 x 7	12.0/.47	14.4/.57	7.2/.28	2 (SHEET		087010-							
	90311-016LF	2 x 8	14.0/.55	16.4/.65	8.2/.32	2 (SHEET		087010-							
A	90311-018LF	2 x 9	16.0/.63	18.4/.72	9.2/.36	2 (SHEET		087010-							
	90311-020LF	2 x 10	18.0/.71	20.4/.80	10.2/.40	2 (SHEET		087010-							
	90311-022LF	2 x 11	20.0/.79	22.4/.88	11.2/.44	2 (SHEET		087010-							
	90311-024LF	2 x 12	22.0/.87	24.4/.96	12.2/.48	2 (SHEET		087010-							
_	90311-026LF	2 x 13	24.0/.95	26.4/1.04	13.2/.52	2 (SHEET		087010-							
()	90311-028LF	2 x 14	26.0/1.02	28.4/1.12	14.2/.56	2 (SHEET		087010-	-028LF						
	90311-030LF	2 x 15	28.0/1.10	30.4/1.20	15.2/.60	2 (SHEET		087010-							
	90311-032LF	2 x 16	30.0/1.18	32.4/1.28	16.2/.64	2 (SHEET	· ·	087010-	-032LF						
	90311-034LF	2 x 17	32.0/1.26	34.4/1.35	17.2/.68	2 (SHEET	· ·	087010-	034LF						
	90311-036LF	2 x 18	34.0/1.34	36.4/1.43	18.2/.72	2 (SHEET	1) 10	087010-	-036LF						
	90311-038LF	2 x 19	36.0/1.42	38.4/1.51	19.2/.76	2 (SHEET	1) 10	087010-	038LF						
В	90311-040LF	2 × 20	38.0/1.50	40.4/1.59	20.2/.80	2 (SHEET	1) 10	087010-	040LF						
	90311-042LF	2 x 21	40.0/1.58	42.4/1.67	21.2/.83	2 (SHEET	1) 10	087010-	042LF						
, m	90311-044LF	2 × 22	42.0/1.65	44.4/1.75	22.2/.87	2 (SHEET	1) 10	087010-	044LF						
∭ get	90311-046LF	2 x 23	44.0/1.73	46.4/1.83	23.2/.91	2 (SHEET	1) 10	087010-	046LF						
	90311-048LF	2 × 24	46.0/1.81	48.4/1.91	24.2/.95	2 (SHEET	1) 10	087010-	048LF						
"	90311-050LF	2 x 25	48.0/1.89	50.4/1.98	25.2/.99	2 (SHEET	1) 10	087010-	050LF						
\supset	Ν	OTES:													
	(ME RETARDANT N Er ul94v—0, co											
С	(SHOWS THE SI	NGULAR LATCHIN THE 2 X 2	IG										
		3. FOR USE	WITH MINITEK	LATCHING HEADE											
				ATING THE FORC S/1Kg GREATER		F									
æ				N 110-036,PAR.			nat'l. code SEE	NOTE 1	surface	fole	rance	projection	product	(HOUSING	S
		\sim						dr date	tolerances	unless other	wise specified	$\Theta \ominus$	title	 	0
rapyrign	(\bigcirc	NED BY MANUFA	CATION ARE TO CTURER.	BF	-	T		angles 0°±2°	linear .xx±	(*.3/.XX*.01 :.13/.XXX*.005	MM/INCH		V HSG. D ON & LA	
$\overline{}$	0 ±2 xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx											of 3 size			
\mathcal{I}						F				S. OLSON	1991-02-15	' 3 /	typo	Customer	H3
			TURING SOLDER	NTENDED TO BE PROCESSES.	expused IU			rision	ahhn 2	5. OLSON	1991-02-15		туре		
D	form: A3	1	I	2			ndex sh	eet 🛛					5		