

NOTES :


1- MATERIAL:

-HOUSING: L C P FIBER GLASS FILLED UL 94-V0
COLOR BLACK



2- APPLICATION SPECIFICATION: AS-85513-001 (SMT)

3- SEE OTHER NOTES SHEET 1.

4- COPLANARITY OF SIGNAL TAILS 0.1mm MAX
RELEVANT TO EACH OTHER.



SHORT VERSION



DIM.	TYPE	POS. 4	POS. 6		POS. 8
		4 CKTS.	4 CKTS.	6 CKTS.	8 CKTS.
A		(11.18) / .440	(13.21) / .520	(13.21) / .520	(15.24) / .600
B		(7.62) / .300	(10.16) / .400	(10.16) / .400	(11.43) / .450
D		(3.81) / .150	(3.81) / .150	(6.35) / .250	(8.89) / .350

ADDED NOTE 4.
EC NO: E2008-0585
2008/04/21
DRAWN: BYRNES
2008/04/22
CHKD:
APPR: EDMAHONY
2008/04/22
REV

QUALITY
SYMBOLS
▽=0
▽=0

GENERAL TOLERANCES (UNLESS SPECIFIED)

	mm	INCH
4 PLACES	± .006	± .006
3 PLACES	± .006	± .006
2 PLACES	± .015	± .010
1 PLACE	± 0.25	± .010
ANGULAR ± .5 °		

DRAFT WHERE APPLICABLE
MUST REMAIN
WITHIN DIMENSIONS

DIMENSION STYLE

MM/IN	DATE
DRAWN BY	2005/06/19
CHECKED BY	DATE
FCARABETTA	2005/06/19
APPROVED BY	DATE
KNOLLER	2005/06/19

MATERIAL NO.
SEE SHT. 4, 5

SCALE

5:1

DESIGN UNITS

METRIC

THIRD ANGLE PROJECTION

LOW PROFILE T/E JACK
(SMT VERSION)



MOLEX INCORPORATED

DOCUMENT NO.

SD-95503-003

SHEET NO.

2 OF 5

F

F

TYPE DIM.	POS. 4	POS. 6		POS. 8
	4 CKTS.	4 CKTS.	6 CKTS.	8 CKTS.
F $(\pm 0.05) / \pm .002$	(7.62) / .300	(10.16) / .400	(10.16) / .400	(11.43) / .450
G $(\pm 0.05) / \pm .002$	(3.81) / .150	(3.81) / .150	(6.35) / .250	(8.89) / .350

E

E



P.C.B. MOUNTING PATTERNS - SEE FROM COMPONENT SIDE

FOR SMT JACK (SURFACE MOUNT)

FOR STANDARD JACK (THROUGH HOLE)

D

D



B

B

A

A

CHANGED TABLE EC NO: E2008-0267 DRWN: DBYRNES CHKD: APPR: EOMAHONY	DESCRIPTION	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM/IN		SCALE 2:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		
		 =0 =0		mm	INCH	DRAWN BY	DATE	TITLE LOW PROFILE T/E JACK			
			4 PLACES	± ---	± ---	TMARTIN	2005/06/15				
			3 PLACES	± ---	± .006	CHECKED BY	DATE				
			2 PLACES	± 0.15	± .010	FCARABETTA	2005/06/15	MOLEX MOLEX INCORPORATED			
			1 PLACE	± 0.25	± ---	APPROVED BY	DATE				
		ANGULAR ± .5 °			KNOLLER		2005/06/15	MATERIAL NO. DOCUMENT NO. SHEET NO. SEE SHT. 4, 5 SD-95503-003 3 OF 5			
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						
REV											

—PART NO FOR JACK ASSEMBLY —
S.M.T. STANDARD VERSION

TOOLED	X
NOT TOOLED	

—PART NO FOR JACK ASSEMBLY-
S.M.T. SHORT VERSION

[illegible]

fb_frame_A3_P_ME_T
Rev. D 2004/04/02