


THIS DOCUMENT CONTAINS DATA PROPRIETARY TO PROJECTS UNLIMITED, INC. ANY USE OR REPRODUCTION, IN ANY FORM, WITHOUT PRIOR WRITTEN PERMISSION OF PROJECTS UNLIMITED, INC. IS PROHIBITED.
©2003, Projects Unlimited Inc.

SPECIFICATIONS

PARAMETERS	VALUES	UNITS
RESONANT FREQUENCY	7,200±300	Hz
RESONANT IMPEDANCE (MAX)	300	Ohm
MAX INPUT VOLTAGE	30	Vp-p
CAPACITANCE @ 1KHz	10,000±30%	pF
PLATE MATERIAL	STAINLESS STEEL	—
OPERATING TEMPERATURE	-20 ~ +60	°C
STORAGE TEMPERATURE	-20 ~ +70	°C




NOTES:

1. ALL DIMENSIONS ARE IN MILLIMETERS.
2. SPECIFICATION SUBJECT TO CHANGE OR WITHDRAWAL WITHOUT NOTICE.

FILE NAME
AB2072S.DWG

REVISIONS

LTR	DESCRIPTION	DATE	APPROVED
—	RELEASED FROM ENGINEERING	11/6/01	
A	REVISED TO NEW TEMPLATE	9/16/03	R. W.
B	REVISED SPECIFICATIONS	1/12/04	R. W.
C	REVISED PLATE MATERIAL	6/15/05	B. R.
D	REVISED DIMENSION SIZE AND STYLE	01/19/06	B. R.
E	REVISED CERAMIC DIMENSION	9/24/07	R. W.



UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN
MILLIMETERS, TOLERANCES ARE ± 0.5 AND
ANGLES ARE $\pm 3^\circ$.



projects®
unlimited

Dayton, Ohio

PIEZO CERAMIC BENDER

APPROVALS	DATE
DRAWN <i>RABL</i>	11/01
APPROVED <i>S.J.</i>	11/01

SIZE
A

DRAWING NO.
AB2072S

DO NOT SCALE DRAWING

SCALE: N.T.S.

SHEET 1 OF 1