

# PBA-2030 Precision Biconical Antenna

## Product Overview

TDK RF Solutions' PBA-2030 Precision Biconical Antenna is a new generation biconical dipole that covers the operating frequency range of 20 MHz to 300 MHz. The PBA-2030 offers an unprecedented combination of power handling, balance, and pattern control, which makes it an excellent choice for both immunity and emissions measurements.

**Immunity and Emissions Measurements** For radiated immunity testing, the PBA-2030 is a highly efficient radiator with a low VSWR (<2.5:1 average). The PBA-2030's moderate power handling capability (300W CW) accommodates the majority of IEC 1000-4-3 immunity test applications. For emissions testing, the PBA-2030's improved balun provides superior patterns and balance, while the internal choke effectively provides immunity to externally induced imbalance.

**Precision Design** Designed in-house by our product design engineers, the PBA-2030 is manufactured using tight-tolerance, precision fabrication methods to minimize intrinsic uncertainties. This mechanically-precise, weld-free design yields predictable performance and delivers accurate, consistent measurements.



**TDK RF Solutions' PBA-2030 Precision Biconical Antenna features a patent pending design that provides optimum performance over the frequency range of 20 MHz to 300 MHz.**


## Features

- Improved balun provides superior patterns and balance
- Effective internal choke provides immunity to externally induced imbalance
- Moderate power handling capability accommodates a wide range of immunity testing applications
- Individually calibrated according to ANSI C63.5, with signed certificate of calibration

## Applications

- Immunity and Emissions testing

# PBA-2030 Precision Biconical Antenna



## Electrical Characteristics

Frequency Range:	20 MHz to 300 MHz
VSWR:	2.5:1 average
Polarization:	Linear
Power Handling:	100 W maximum
Feedpoint Impedance:	50 ohms nominal

## Mechanical Specifications

Size:	138 cm x 53 cm x 72 cm (length x width x height)
Weight:	3 kg
Construction:	Aluminum with gold chromate finish
RF Connector:	N type female or SC

## Ordering Information

Product:	Precision Biconical Antenna
Model Number:	PBA-2030
Warranty:	1 year limited

**To place an order or to learn more about the TDK RF Solutions products that best meet your needs, contact your TDK sales representative:**

### TDK RF Solutions Inc.

1101 Cypress Creek Rd.  
Cedar Park, Texas 78613 USA  
Phone: 1-512-258-9478  
Fax: 1-512-258-0740  
E-mail: info@tdkrf.com  
World Wide Web: [www.tdkrfolutions.com](http://www.tdkrfolutions.com)

### TDK Electronics Europe

TDK House, Queensway 5 - 7  
RH1 1YB, Redhill, Surrey  
United Kingdom  
Phone: +44/1737-781-372  
Fax: +44/1737-781-360

T O T A L   R F   E X P E R T I S E ™



[www.tdkrfolutions.com](http://www.tdkrfolutions.com)

**To learn more about TDK RF Solutions' wide range of innovative products and services visit [www.tdkrfolutions.com](http://www.tdkrfolutions.com)**

© Copyright 2004 TDK RF Solutions Inc. All rights reserved. Specifications subject to change without notice.

DSPBA2030072604